





selection
style your tile
italian made to measure tiles

unica
by *target* studio

style your size
style your colour




60x60 cm/24"x24"
4 designs random mix



10 colours available on white base and 10 colours on black base




20x20 cm/8"x8"




9 designs random mix

10 colours available on white base

white




brown





yellow




orange




red




black




pink



light blue




green




blue

10 colours available on black base


white




brown




yellow




orange




red




black




pink



light blue



green



blue









RESISTANCE TO
CHEMICALS
UA ULA UHA
ISO 10545.13
ASTM C650



RESISTANCE TO
STAINS
CLASSE 5
ISO 10545.14



WATER
ABSORPTION %
 $\leq 0.5\%$
ISO 10545.3
ASTM C373



BENDING STRENGTH
 $> 35 \text{ N/mm}^2$
ISO 10545.4
ASTM C648



STATIC COEFFICIENT
OF FRICTION
 $R9 \text{AWET}=0.60 \text{ DRY}=0.65$
DIN 51130/DIN 51087/
ASTM C1028



RESISTANCE TO
ABRASION
CLASSE 4 PEI 2100
giri
ISO 10545-7



FROST RESISTANT
RESISTANT
ISO 10545.12
ASTM C1026



THERMAL SHOCKS
RESISTANT
RESISTANT
ISO 10545.9
ASTM C484

unica
by *target* studio
www.targetstudio.net