




selection
style your tile
italian made to measure tiles


unica
by **target** studio

style your size
style your colour




60x60cm/24"x24"
4 patterns random mix


#01




#02



#03




#04



10 colours available on white base and 10 colours on black base
4 patterns random mix or 1 single pattern in 60x60 cm



20x20cm/8"x8"




9 patterns random mix

10 colours available on white base


white




brown





yellow




orange




red




black




pink



light blue



green




blue

10 colours available on black base


white




brown




yellow




orange




red




black




pink



light blue



green



blue



brown on white base 20x20cm/8"x8"



black on black base 20x20cm/8"x8"
white on white base 20x20cm/8"x8"



white on white base 20x20cm/8"x8"
brown on black base 60x60cm/24"x24"



red on white base 20x20cm/8"x8"
white on white base 20x20cm/8"x8"



RESISTANCE TO
CHEMICALS
GA GLA GHA
ISO 10545.13



RESISTANCE TO
STAINS
CLASSE 5
ISO 10545.14



WATER
ABSORPTION %
≤ 0.5%
ISO 10545.3



BENDING STRENGTH
> 35 N/mm²
ISO 10545.4



SKID RESISTANCE
R9
DIN 51130



RESISTANCE TO
ABRASION
CLASSE 4 PEI 2100
giri
ISO 10545-7



FROST RESISTANT
RESISTANT
ISO 10545.12



THERMAL SHOCKS
RESISTANT
RESISTANT
ISO 10545.9

unica
by *target* studio
www.targetstudio.net

“  ”
Ceramics of Italy