




unica
by *target* studio

style your size



A

B

C

D

E

F



10x60cm/4"x24"
6 patterns random mix



10x30cm/4"x12"
6 patterns random mix

20x120cm/8"x48"
3 patterns (A/E/F) random mix
****format 20x120cm
only available
for minimum 10 palett orders (288 sqm)




black

style your colour




white




grey



red



blue



mint



beige



yellow




orange




sage




brown



purple




dark blue




30X30cm/12"x12"
mesh mounted
6 patterns random mix



grey, beige,
white mix_#01



yellow, orange,
red mix_#02



purple, mint,
blue mix_#03



sage, brown,
grey mix_#04

combination proposal and possibilities

style your colour

sage

grey

beige

white

n°1

brown

grey

beige

white

n°2

brown

sage

grey

beige

n°3

dark blue

blue

mint

purple

n°4

dark blue

blue

mint

white

n°5

black

brown

purple

grey

n°6

mint

purple

beige

white

n°7

black

brown

red

orange

n°8

brown

red

orange

grey

n°9

brown

red

orange

yellow

n°10

brown

sage

orange

beige

n°11

sage

orange

yellow

beige

n°12

black

grey

red

white

n°13

black

grey

yellow

white

n°14





















RESISTANCE TO
CHEMICALS
GA GLA GHA
ISO 10545.13



RESISTANCE TO
STAINS
CLASSE 5
ISO 10545.14



WATER
ABSORPTION %
 $\leq 0.5\%$
ISO 10545.3



BENDING STRENGTH
 $> 35 \text{ N/mm}^2$
ISO 10545.4



SKID
RESISTANCE
R10
DIN 51130
DCOF BOT 3000
ANSI A 137.1:2012 > 0.42



RESISTANCE TO
ABRASION
CLASSE 4 PEI 6000
giri
ISO 10545-7



FROST RESISTANT
RESISTANT
ISO 10545.12



THERMAL SHOCKS
RESISTANT
RESISTANT
ISO 10545.9

unica
by **target** studio
www.targetstudio.net

“”
Ceramics of Italy