

Stone Mosaics



Glass Mosaics



Metal Mosaics



Wood Mosaics


Mix Mosaics



Air Mosaics



NOOHN MOSAICS



Wall Coverings: Ancient Sign (2,3) 30,5x30,5x1 cm, Crystal Dark (Venis).



Paper-faced product. A number of mosaic styles are paper-faced to preserve the same characteristics when laid as the mesh-mounted version. This system is particularly suitable for permanently wet zones.



Mesh-mounted product. Most of L'Antic Colonial's mosaics have been laid on a mesh for quick and easy installation. With this system, curved areas can be covered thanks to the mobility of the pieces.



A product that stands out for its uneven surface.



A product with a reflective surface.



A product with a non-shiny surface.



Wall Coverings: Tribal Pearl White (1x2) 28,6x28,3x0,8 cm, Ruggine Platino (Venis).

NOOHN MOSAICS






NOOHN STONE MOSAICS

WORLD
ELITE
LINES
SKYLINE
TAILOR
OUTLINES
AICHI
MOON
ESSENTIAL
PARADISE
ANCIENT
LUXURY

NOOHN MOSAICS

Wall Coverings: *Luxury Modul Gold 30x29x1-2 cm, Seul Nacar (Porcelanosa).*



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

WORLD BLANCO ALMERIA 5x5cm - 2"x2"

30x30x1cm - 11 3/4"x11 3/4"x3/8"
100000310 - L114521501 - G-510



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid marfil
Wet areas: epotech

WORLD CREMA ITALIA 5x5cm - 2"x2"

30x30x1cm - 11 3/4"x11 3/4"x3/8"
100000311 - L114522501 - G-511



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid beige
Wet areas: epotech

WORLD BEIGE 5x5cm - 2"x2"


30x30x1cm - 11 3/4"x11 3/4"x3/8"
100000312 - L114524501 - G-510



TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

WORLD BLANCO ALMERIA 2x2cm - 3/4"x3/4"


29x29x1cm - 11 3/8"x11 3/8"x3/8"
100000559 - L119401501 - G-513



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid marfil
Wet areas: epotech

WORLD CREMA ITALIA 2x2cm - 3/4"x3/4"


29x29x1cm - 11 3/8"x11 3/8"x3/8"
100000560 - L119402501 - G-515



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid beige
Wet areas: epotech

WORLD BEIGE 2x2cm - 3/4"x3/4"

29x29x1cm - 11 3/8"x11 3/8"x3/8"
100000561 - L119404501 - G-513



TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
WORLD BEIGE 2X2X1	29x29x1 cm 11 3/8"x11 3/8"x3/8"	100000561 L119404501	G-513	10 x Cj 360 x Pal	0,84 x Cj 30,28 x Pal	16,77 x Cj 603,72 x Pal
WORLD BEIGE 5X5X1	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100000312 L114524501	G-510	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	17,72 x Cj 637,92 x Pal
WORLD BLANCO ALMERIA 2X2X1	29x29x1 cm 11 3/8"x11 3/8"x3/8"	100000559 L119401501	G-513	10 x Cj 360 x Pal	0,84 x Cj 30,28 x Pal	18,84 x Cj 678,24 x Pal
WORLD BLANCO ALMERIA 5X5X1	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100000310 L114521501	G-510	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	21,86 x Cj 786,96 x Pal
WORLD CREMA ITALIA 2X2X1	29x29x1 cm 11 3/8"x11 3/8"x3/8"	100000560 L119402501	G-515	10 x Cj 360 x Pal	0,84 x Cj 30,28 x Pal	15,33 x Cj 551,88 x Pal
WORLD CREMA ITALIA 5X5X1	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100000311 L114522501	G-511	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	21,86 x Cj 786,96 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butch: colorstuk rapid manhattan
Wet areas: epotech

WORLD MULTICOLOR DELHI 7,5x7,5cm - 3"x3"

30x30x1cm - 11 3/4"x11 3/4"x3/8"
100091632 - L108012211 - G-505



SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid manhattan
Wet areas: epotech

WORLD MULTICOLOR BOMBAY 7,5x7,5cm - 3"x3"

30x30x1cm - 11 3/4"x11 3/4"x3/8"
1000917142 - L108012251 - G-505



SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid manhattan
Wet areas: epotech

WORLD MULTICOLOR SLATE 3,5x3,5cm - 1 3/8"x1 3/8"

30,5x30,5x1cm - 12"x12"x3/8"
100028465 - L153401511 - G-508



SLATE
LIMESTONE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid manhattan
Wet areas: epotech

WORLD RANDOM SHANNAN

30x30,5x1-1,2cm - 11 3/4"x12"x3/8"-1/2"
100153596 - L241710991 - G-505



QUARTZITE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid manhattan
Wet areas: epotech

WORLD RANDOM NEPAL

30x30,5x1-1,2cm - 11 3/4"x12"x3/8"-1/2"
100153595 - L241711001 - G-505



SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
WORLD MULTICOLOR DELHI (7,5)	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100091632 L108012211	G-505	10 x Cj 300 x Pal	0,90 x Cj 27 x Pal	24 x Cj 720 x Pal
WORLD MULTICOLOR BOMBAY (7,5)	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100091714 L108012251	G-505	10 x Cj 300 x Pal	0,90 x Cj 27 x Pal	24 x Cj 720 x Pal
WORLD MULTICOLOR SLATE (3,5)	30,5x30,5x1 cm 12"x12"x3/8"	100028465 L153401511	G-508	10 x Cj 480 x Pal	0,93 x Cj 44,64 x Pal	23,85 x Cj 1145 x Pal
WORLD RANDOM SHANNAN	30x30,5x1-1,2 cm 11 3/4"x12"x3/8"-1/2"	100153596 L241710991	G-505	10 x Cj 540 x Pal	0,91 x Cj 49,41 x Pal	25 x Cj 1350 x Pal
WORLD RANDOM NEPAL	30x30,5x1-1,2 cm 11 3/4"x12"x3/8"-1/2"	100153595 L241711001	G-505	10 x Cj 540 x Pal	0,91 x Cj 49,41 x Pal	18 x Cj 972 x Pal

*NOTE: Traces of rust may appear on slate when in contact with water.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk rapid beige

ELITE BHUTAN COPPER
1,5x1,5cm - 5/8"x5/8"

30x30x1cm - 11 3/4"x11 3/4"x3/8"


100080870 - L108008551 - G-512



ENAMELED SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid gris

ELITE BHUTAN SILVER
1,5x1,5cm - 5/8"x5/8"

30x30x1cm - 11 3/4"x11 3/4"x3/8"

100080871 - L108008561 - G-512



ENAMELED SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

ELITE BIG EVEN WHITE
3,5x3,5 - 1 3/8"x1 3/8"

28x28x1,5cm - 11"x11"x5/8"

100086248 - L119379091 - G-535



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid marfil

ELITE CAPUCCINO TEXTURE - PUL. 1,5x1,5cm - 5/8"x5/8"

30x30x1cm - 11 3/4"x11 3/4"x3/8"

100086096 - L108010101 - G-526



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid marfil

ELITE CREMA ALEJAN. TEXTURE - PUL. 1,5x1,5cm - 5/8"x5/8"

30x30x1cm - 11 3/4"x11 3/4"x3/8"

100086097 - L108010111 - G-526



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid marfil

ELITE CR. ALEJANDRIA CAPUC. TEXT. 5x5cm - 2"x2"

30x30x1cm - 11 3/4"x11 3/4"x3/8"

100086104 - L108010131 - G-516




MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ELITE BHUTAN COPPER (1,5)	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100080870 L108008551	G-512	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	17,22 x Cj 930 x Pal
ELITE BHUTAN SILVER (1,5)	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100080871 L108008561	G-512	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	17,22 x Cj 930 x Pal
ELITE BIG EVEN WHITE (3,5)	28x28x1,5 cm 11"x11"x5/8"	100086248 L119379091	G-535	6 x Cj 216 x Pal	0,47 x Cj 16,93 x Pal	13,80 x Cj 496,80 x Pal
ELITE CAPUCCINO TEXTURE-PUL. (1,5)	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100086096 L108010101	G-526	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	18,61 x Cj 670 x Pal
ELITE CR. ALEJANDRIA CAPUC.TEXT. (5)	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100086104 L108010131	G-516	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	18,64 x Cj 671 x Pal
ELITE CR. ALEJAN.TEXTURE-PUL. (1,5)	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100086097 L108010111	G-526	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	18,61 x Cj 670 x Pal



No supported grouting

ELITE EVEN CREMA GRECIA
1,5x1,5 cm - 5/8"x5/8"

30x30x1cm - 11 3/4"x11 3/4"x3/8"
100153006 - L241710611 - G-534



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

ELITE EVEN BURMA
1,5x1,5 cm - 5/8"x5/8"


30x30x1cm - 11 3/4"x11 3/4"x3/8"
100057244 - L108003031 - G-519



QUARTZITE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch. colorstuk rapid gris

ELITE HABANA BROWN TEXT.
- PUL. 1,5x1,5 cm - 5/8"x5/8"

30x30x1cm - 11 3/4"x11 3/4"x3/8"
100086098 - L108010091 - G-526



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

ELITE EVEN BANGALORE
2,5x2,5cm - 1"x1"

30,5x30,5x0,9cm - 12"x12"x3/8"
100097127 - L108015171 - G-519



SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

ELITE BRICK ARIANA
2,5x4,8cm - 1x1 7/8"

29x31,5x1,5cm - 11 3/8"x12 3/8"x5/8"
100100734 - L119487421 - G-511



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

ELITE SQUARE ARIANA
2,5x2,5cm - 1"x1"

30x30x1,5cm - 11 3/4"x11 3/4"x5/8"
100100733 - L108016891 - G-511



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ELITE EVEN CREMA GRECIA (1,5)	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100153006 L241710611	G-534	10 x Cj 420 x Pal	0,90 x Cj 37,80 x Pal	15,44 x Cj 648,48 x Pal
ELITE EVEN BURMA (1,5)	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100057244 L108003031	G-519	10 x Cj 420 x Pal	0,90 x Cj 37,80 x Pal	16,14 x Cj 678 x Pal
ELITE HABANA BROWN TEXT.-PUL. (1,5)	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100086098 L108010091	G-526	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	18,64 x Cj 671 x Pal
ELITE EVEN BANGALORE (2,5)	30,5x30,5x0,9 cm 12"x12"x3/8"	100097127 L108015171	G-519	9 x Cj 378 x Pal	0,84 x Cj 35,15 x Pal	24,05 x Cj 1010 x Pal
ELITE BRICK ARIANA (2,5X4,8)	29x31,5x1,5 cm 11 3/8"x12 3/8"x5/8"	100100734 L119487421	G-511	7 x Cj 252 x Pal	0,64 x Cj 23,02 x Pal	17,75 x Cj 639,07 x Pal
ELITE SQUARE ARIANA (2,5X2,5)	30x30x1,5 cm 11 3/4"x11 3/4"x5/8"	100100733 L108016891	G-511	7 x Cj 252 x Pal	0,63 x Cj 22,68 x Pal	16,30 x Cj 586,91 x Pal



No supported grouting

ELITE BRICK CREAMS
2,5x4,8cm - 1"x1 7/8"

29x31,5x1,5cm - 11 3/8"x12 3/8"x5/8"

100099430 - L119487381 - G-511

**MARBLE****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

ELITE SQUARE CREAMS
2,5x2,5cm - 1"x1"

30x30x1,5cm - 11 3/4"x11 3/4"x5/8"

100099433 - L108016681 - G-511

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

ELITE BRICK SILVER WOOD
2,5x4,8cm - 1"x1 7/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100119813 - L241709051 - G-511

**TRAVERTINE****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

ELITE SQUARE SILVER WOOD
2,5x2,5cm - 1"x1"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100119814 - L241709071 - G-511

**TRAVERTINE****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

ELITE BRICK WHITES
2,5x4,8cm - 1"x1 7/8"

29x31,5x1,5cm - 11 3/8"x12 3/8"x5/8"

100099431 - L119487391 - G-516

**MARBLE****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

ELITE SQUARE WHITES
2,5x2,5cm - 1"x1"

30x30x1,5cm - 11 3/4"x11 3/4"x5/8"

100099434 - L108016691 - G-516

**MARBLE****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ELITE BRICK CREAMS (2,5X4,8)	29x31,5x1,5 cm 11 3/8"x12 3/8"x5/8"	100099430 L119487381	G-511	7 x Cj 252 x Pal	0,64 x Cj 23,02 x Pal	16,30 x Cj 586,91 x Pal
ELITE SQUARE CREAMS (2,5X2,5)	30x30x1,5 cm 11 3/4"x11 3/4"x5/8"	100099433 L108016681	G-511	7 x Cj 252 x Pal	0,63 x Cj 22,68 x Pal	19,84 x Cj 714,17 x Pal
ELITE BRICK SILVER WOOD (2,6X4,8)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100119813 L241709051	G-511	7 x Cj 336 x Pal	0,63 x Cj 30,24 x Pal	13,40 x Cj 643,10 x Pal
ELITE SQUARE SILVER WOOD (2,5)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100119814 L241709071	G-511	7 x Cj 336 x Pal	0,63 x Cj 30,24 x Pal	13,40 x Cj 643,10 x Pal
ELITE BRICK WHITES (2,5X4,8)	29x31,5x1,5 cm 11 3/8"x12 3/8"x5/8"	100099431 L119487391	G-516	7 x Cj 252 x Pal	0,64 x Cj 23,02 x Pal	16,30 x Cj 586,91 x Pal
ELITE SQUARE WHITES (2,5)	30x30x1,5 cm 11 3/4"x11 3/4"x5/8"	100099434 L108016691	G-516	7 x Cj 252 x Pal	0,63 x Cj 22,68 x Pal	18,58 x Cj 669 x Pal



Board recommends Butech: colorstuk rapid beige
Wet areas: epotech

LINES GEO CREMA GRECIA

29,8x27,6x1 cm - 11 3/4"x10 7/8"x3/8"
100001588- L153501121 - G-523



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 blanco
Wet areas: epotech

LINES SILVER WOOD GREY

31x31x1 cm - 12 1/4"x12 1/4"x3/8"
100110504 - L101200001 - G-522



TRAVERTINE

USE RECOMMENDATIONS


Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Wall Coverings: Lines Silver Wood Grey 31x31x1 cm, Silk Verde (Venis).

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
LINES GEO CREMA GRECIA	29,8x27,6x1 cm 11 3/4"x10 7/8"x3/8"	100001588 L153501121	G-523	10 x Cj 360 x Pal	0,82 x Cj 29,61 x Pal	20,29 x Cj 730,44 x Pal
LINES SILVER WOOD GREY	31x31x1 cm 12 1/4"x12 1/4"x3/8"	100110504 L101200001	G-522	10 x Cj 360 x Pal	0,96 x Cj 34,56 x Pal	23,10 x Cj 831,60 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.




Board recommends Butch: colorstuk 0-4 blanco
Wet areas: epotech

LINES SAFARY WHITE

30,4x29,8x1cm - 12"x11 3/4"x3/8"
100103960 - L153801151 - G-531

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk 0-4 blanco
Wet areas: epotech

LINES SAFARY MINI STRIP WHITE

30x22,7x0,9-1,1cm - 11 3/4"x9"x3/8"
100146047 - L241710271 - G-527

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

LINES SAFARY MODUL WHITE

30,5x30x0,8-1,5cm - 12"x11 3/4"x3/8"-5/8"
100146052 - L241710211 - G-533

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk 0-4 blanco
Wet areas: epotech

LINES SAFARY GREY

30,4x29,8x1cm - 12"x11 3/4"x3/8"
100146043 - L241710221 - G-531

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk 0-4 blanco
Wet areas: epotech

LINES SAFARY MINI STRIP GREY

30x22,7x0,9-1,1cm - 11 3/4"x9"x3/8"
100146046 - L241710231 - G-527

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

LINES SAFARY MODUL GREY

30,5x30x0,8-1,5cm - 12"x11 3/4"x3/8"-5/8"
100146051 - L241709981 - G-533

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
LINES SAFARY WHITE	30,4x29,8x1 cm 12"x11 3/4"x3/8"	100103960 L153801151	G-531	10 x Cj 360 x Pal	0,91 x Cj 32,61 x Pal	22,05 x Cj 793,80 x Pal
LINES SAFARY MINI STRIP WHITE	30x22,7x0,9-1,1 cm 11 3/4"x9"x3/8"	100146047 L241710271	G-527	10 x Cj 360 x Pal	0,68 x Cj 24,62 x Pal	16 x Cj 576 x Pal
LINES SAFARY MODUL WHITE	30,5x30x0,8-1,5 cm 12"x11 3/4"x3/8"-5/8"	100146052 L241710211	G-533	10 x Cj 360 x Pal	0,91 x Cj 32,72 x Pal	28 x Cj 1008 x Pal
LINES SAFARY GREY	30,4x29,8x1 cm 12"x11 3/4"x3/8"	100146043 L241710221	G-531	10 x Cj 360 x Pal	0,90 x Cj 32,61 x Pal	18 x Cj 648 x Pal
LINES SAFARY MINI STRIP GREY	30x22,7x0,9-1,1 cm 11 3/4"x9"x3/8"	100146046 L241710231	G-527	10 x Cj 360 x Pal	0,68 x Cj 24,62 x Pal	16 x Cj 576 x Pal
LINES SAFARY MODUL GREY	30,5x30x0,8-1,5 cm 12"x11 3/4"x3/8"-5/8"	100146051 L241709981	G-533	10 x Cj 360 x Pal	0,91 x Cj 32,72 x Pal	28 x Cj 1008 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk 0-4 beige
Wet areas: epotech

LINES SAFARY CREAM

29,8x30,4x1cm - 11 3/4"x12"x3/8"
100121429 - L241709141 - G-531



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 beige
Wet areas: epotech

LINES SAFARY MINI STRIP CREAM

30x22,7x0,9-1,1cm - 11 3/4"x9"x3/8"
100146045 - L241710241 - G-527



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

LINES SAFARY MODUL CREAM


30,5x30x0,8-1,5cm - 12"x11 3/4"x3/8"-5/8"
100146050 - L241710041 - G-533



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 cemento
Wet areas: epotech

LINES SAFARY BROWN

30,4x29,8x1cm - 12"x11 3/4"x3/8"
100103959 - L153801161 - G-531



TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 cemento
Wet areas: epotech

LINES SAFARY MINI STRIP BROWN

30x22,7x0,9-1,1cm - 11 3/4"x9"x3/8"
100146044 - L241710171 - G-527



TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

LINES SAFARY MODUL BROWN

30,5x30x0,8-1,5cm - 12"x11 3/4"x3/8"-5/8"
100145989 - L241709931 - G-533




TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
LINES SAFARY CREAM	29,8x30,4x1 cm 11 3/4"x12"x3/8"	100121429 L241709141	G-531	10 x Cj 360 x Pal	0,90 x Cj 32,58 x Pal	21,94 x Cj 789,84 x Pal
LINES SAFARY MINI STRIP CREAM	30x22,7x0,9-1,1cm 11 3/4"x9"x3/8"	100146045 L241710241	G-527	10 x Cj 360 x Pal	0,68 x Cj 24,62 x Pal	16 x Cj 576 x Pal
LINES SAFARY MODUL CREAM	30,5x30x0,8-1,5 cm 12"x11 3/4"x3/8"-5/8"	100146050 L241710041	G-533	10 x Cj 360 x Pal	0,91 x Cj 32,72 x Pal	28 x Cj 1008 x Pal
LINES SAFARY BROWN	30,4x29,8x1 cm 12"x11 3/4"x3/8"	100103959 L153801161	G-531	10 x Cj 360 x Pal	0,91 x Cj 32,61 x Pal	22,05 x Cj 793,80 x Pal
LINES SAFARY MINI STRIP BROWN	30x22,7x0,9-1,1 cm 11 3/4"x9"x3/8"	100146044 L241710171	G-527	10 x Cj 360 x Pal	0,68 x Cj 24,62 x Pal	16 x Cj 576 x Pal
LINES SAFARY MODUL BROWN	30,5x30x0,8-1,5 cm 12"x11 3/4"x3/8"-5/8"	100145989 L241709931	G-533	10 x Cj 360 x Pal	0,91 x Cj 32,72 x Pal	28 x Cj 1008 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



No supported grouting

SKYLINE STRIP CR. ALEJAN. MODUL24,2x29,1x1cm - 9 1/2"x11 1/2"x3/8"
100031423 - L108000051 - G-520

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

SKYLINE STRIP HAB. BROWN MODUL24,2x29,1x1cm - 9 1/2"x11 1/2"x3/8"
100081348 - L159800031 - G-520

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

SKYLINE TRIAL DELHI 4,8x4,8 - 1 7/8"x1 7/8"29x29x1cm - 11 3/8"x11 3/8"x3/8"
100090618 - L119487071 - G-513

SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic




No supported grouting

SKYLINE ROOF DELHI 5x5cm - 2"x2"29x29,5x1,7cm - 11 3/8"x11 5/8"x5/8"
100086144 - L159800051 - G-510

SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

SKYLINE ROOF BANGALORE 5x5cm - 2"x2"29x29,5x1,7cm - 11 3/8"x11 5/8"x5/8"
100080872 - L159800011 - G-510

SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

SKYLINE SCALE BANGALORE29,6x19,4x1,8cm - 11 5/8"x7 5/8"x3/4"
100097129 - L108015161 - G-157

SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
SKYLINE STRIP CR. ALEJAN. MODUL	29,5x30,5x1 cm 11 5/8"x12"x3/8"	100031423 L108000051	G-520	4 x Cj 56 x Pal	0,36 x Cj 5,04 x Pal	13,76 x Cj 192,70 x Pal
SKYLINE STRIP HAB. BROWN MODUL	29,5x30,5x1 cm 11 5/8"x12"x3/8"	100081348 L159800031	G-520	4 x Cj 96 x Pal	0,36 x Cj 8,64 x Pal	13,76 x Cj 330,34 x Pal
SKYLINE TRIAL DELHI (4,8)	29x29x1 cm 11 3/8"x 11 3/8"x3/8"	100090618 L119487071	G-513	9 x Cj 378 x Pal	0,76 x Cj 31,79 x Pal	21,43 x Cj 900,02 x Pal
SKYLINE ROOF DELHI (5)	29x29,5x1,7 cm 11 3/8"x 11 5/8"x5/8"	100086144 L159800051	G-510	7 x Cj 294 x Pal	0,60 x Cj 25,15 x Pal	21,50 x Cj 902,87 x Pal
SKYLINE ROOF BANGALORE (5)	29x29,5x1,7 cm 11 3/8"x 11 5/8"x5/8"	100080872 L159800011	G-510	7 x Cj 252 x Pal	0,60 x Cj 21,56 x Pal	24,20 x Cj 871,16 x Pal
SKYLINE SCALE BANGALORE	29,6x19,4x1,8 cm 11 5/8"x7 5/8"x3/4"	100097129 L108015161	G-157	10 x Cj 560 x Pal	0,59 x Cj 33,24 x Pal	23,29 x Cj 1304,24 x Pal



No supported grouting

SKYLINE CITY BEIGE

27x27x1-1,5cm - 10 5/8"x10 5/8"x3/8"-5/8"
100146048 - L241709991 - G-530



TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

SKYLINE CITY EARTH

27x27x0,6-3cm - 10 5/8"x10 5/8"x1/4"-1 1/8"
100146049 - L241709961 - G-530



SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

SKYLINE CITY VOLCANO

27x27x0,6-3cm - 10 5/8"x10 5/8"x1/4"-1 1/8"
100146070 - L241710191 - G-530



SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

SKYLINE LINEAR BROKEN DARK

14,4x29,4x1,3cm - 5 5/8"x11 5/8"x1/2"
100111415 - L241702451 - G-519



SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

SKYLINE MIX BROKEN DARK

14,5x29,3x1,3cm - 5 3/4"x11 1/2"x1/2"
100135766 - L241709541 - G-526



SLATE
GRANITE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
SKYLINE CITY BEIGE	27x27x1-1,5 cm 10 5/8"x10 5/8"x3/8"-5/8"	100146048 L241709991	G-530	6 x Cj 216 x Pal	0,44 x Cj 15,74 x Pal	12,36 x Cj 444,96 x Pal
SKYLINE CITY EARTH	27x27x0,6-3 cm 10 5/8"x10 5/8"x1/4"-1 1/8"	100146049 L241709961	G-530	5 x Cj 180 x Pal	0,36 x Cj 13,12 x Pal	14,90 x Cj 536,40 x Pal
SKYLINE CITY VOLCANO	27x27x0,6-3 cm 10 5/8"x10 5/8"x1/4"-1 1/8"	100146070 L241710191	G-530	5 x Cj 180 x Pal	0,36 x Cj 13,12 x Pal	14,90 x Cj 536,40 x Pal
SKYLINE LINEAR BROKEN DARK	14,4x29,4x1,3 cm 5 5/8"x11 5/8"x1/2"	100111415 L241702451	G-519	8 x Cj 288 x Pal	0,34 x Cj 12,19 x Pal	14,24 x Cj 512,64 x Pal
SKYLINE MIX BROKEN DARK	14,5x29,3x1,3 cm 5 3/4"x11 1/2"x1/2"	100135766 L241709541	G-526	8 x Cj 288 x Pal	0,33 x Cj 11,73 x Pal	9,97 x Cj 358,85 x Pal



No supported grouting

SKYLINE BIG TRIAL BOMBAY

29,5x29,5x0,8-1,7cm - 11 5/8"x11 5/8"x3/8"-11/16"
100153585 - L106200771 - G-512



SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

SKYLINE BIG TRIAL DELHI

29,5x29,5x0,8-1,7cm - 11 5/8"x11 5/8"x3/8"-11/16"
100153586 - L106200781 - G-512



SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

SKYLINE BIG TRIAL SABANA

29,5x29,5x0,8-1,7cm - 11 5/8"x11 5/8"x3/8"-11/16"
100153587 - L106200791 - G-512



SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Wall Coverings: Skyline Big Trial Sabana 29,5x29,5x0,8-1,7 cm.

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
SKYLINE BIG TRIAL BOMBAY	29,5x29,5x0,8-1,7 cm 11 5/8"x11 5/8"x3/8"-11/16"	100153585 L106200771	G-512	7 x Cj 210 x Pal	0,61 x Cj 18,27 x Pal	25,9 x Cj 777 x Pal
SKYLINE BIG TRIAL DELHI	29,5x29,5x0,8-1,7 cm 11 5/8"x11 5/8"x3/8"-11/16"	100153586 L106200781	G-512	7 x Cj 210 x Pal	0,61 x Cj 18,27 x Pal	25,9 x Cj 777 x Pal
SKYLINE BIG TRIAL SABANA	29,5x29,5x0,8-1,7 cm 11 5/8"x11 5/8"x3/8"-11/16"	100153587 L106200791	G-512	7 x Cj 210 x Pal	0,61 x Cj 18,27 x Pal	25,9 x Cj 777 x Pal



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

TAILOR BLANCO ANDES 2x2 cm - 3/4"x3/4"

29x29x1cm - 11 7/16"x11 7/16"x3/8"
100153499 - L241711411 - G-518



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

TAILOR BLANCO ANDES 5x5 cm - 2"x2"

30x30x1cm - 12"x12"x3/8"
100153530 - L241711441 - G-515



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

TAILOR BLANCO ANDES BRICK 3x5 cm - 1 1/8"x2"


25,8x28,4x1cm - 10 3/16"x11 3/16"x3/8"
100153498 - L241711371 - G-513



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

TAILOR BLANCO ANDES STRIPES

30,6x31,2x1cm - 12 1/16"x12 5/16"x3/8"
100153553 - L241711421 - G-526



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

TAILOR BLANCO ANDES LINEAR

30x30,5x1cm - 11 3/4"x12"x3/8"
100153551 - L241711381 - G-526



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

TAILOR BLANCO ANDES ROMBOS

33,3x33,3x1cm - 13 1/8"x13 1/8"x3/8"
100153552 - L241711391 - G-531



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
TAILOR BLANCO ANDES (2)	29x29x1 cm 11 7/16"x11 7/16"x3/8"	100153499 L241711411	G-518	10 x Cj 360 x Pal	0,84 x Cj 30,27 x Pal	22,70 x Cj 817,20 x Pal
TAILOR BLANCO ANDES (5)	30x30x1 cm 12"x12"x3/8"	100153530 L241711441	G-515	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	24,30 x Cj 874,80 x Pal
TAILOR BLANCO ANDES BRICK (3X5)	25,8x28,4 cm 10 3/16"x11 3/16"x3/8"	100153498 L241711371	G-513	10 x Cj 360 x Pal	0,73 x Cj 26,37 x Pal	19,78 x Cj 712,08 x Pal
TAILOR BLANCO ANDES STRIPES	30,6x31,2x1 cm 12 1/16"x12 5/16"x3/8"	100153553 L241711421	G-526	10 x Cj 360 x Pal	0,95 x Cj 34,36 x Pal	37,03 x Cj 1333,08 x Pal
TAILOR BLANCO ANDES LINEAR	30x30,5x1 cm 11 3/4"x12"x3/8"	100153551 L241711381	G-526	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	24,70 x Cj 889,20 x Pal
TAILOR BLANCO ANDES ROMBOS	33,3x33,3x1 cm 13 1/8"x13 1/8"x3/8"	100153552 L241711391	G-531	10 x Cj 360 x Pal	1,11 x Cj 39,89 x Pal	29,94 x Cj 1077,84 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



No supported grouting

OUTLINES BRICK BURMA
2,5x15 cm - 1"x5 7/8"31x30x1cm - 12 1/4"x11 3/4"x3/8"
100031996 - L108000341 - G-515

SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: colorstuk rapid manhattan
Wet areas: epotech**OUTLINES STRIP NEPAL**14,5x30x0,9cm - 5 3/4"x11 3/4"x3/8"
100001563 - L151601001 - G-503

SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: colorstuk rapid manhattan
Wet areas: epotech**OUTLINES STRIP BHUTAN**14,5x30x0,9cm - 5 3/4"x11 3/4"x3/8"
100001564 - L151601021 - G-503

SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech**OUTLINES MINI STRIP CANYON**29,9x22,7x1cm - 11 3/4"x8 7/8"x3/8"
100103947 - L108017171 - G-518

QUARTZITE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: colorstuk rapid manhattan
Wet areas: epotech**OUTLINES MINI STRIP NEPAL**29,9x22,7x1cm - 11 3/4"x8 7/8"x3/8"
100062965 - L108005231 - G-513

SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: colorstuk rapid marfil
Wet areas: epotech**OUTLINES MINI STRIP SHANNAN**29,9x22,7x1cm - 11 3/4"x8 7/8"x3/8"
100062966 - L108005221 - G-513

QUARTZITE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
OUTLINES BRICK BURMA	31x30x1 cm 12 1/4"x11 3/4"x3/8"	100031996 L108000341	G-515	10 x Cj 360 x Pal	0,93 x Cj 33,48 x Pal	23,45 x Cj 844,20 x Pal
OUTLINES STRIP NEPAL	14,5x30x0,9 cm 5 3/4"x11 3/4"x3/8"	100001563 L151601001	G-503	10 x Cj 840 x Pal	0,44 x Cj 36,54 x Pal	11,52 x Cj 967,68 x Pal
OUTLINES STRIP BHUTAN	14,5x30x0,9 cm 5 3/4"x11 3/4"x3/8"	100001564 L151601021	G-503	10 x Cj 840 x Pal	0,44 x Cj 36,54 x Pal	11,52 x Cj 967,68 x Pal
OUTLINES MINI STRIP CANYON	29,9x22,7x1 cm 11 3/4"x8 7/8"x3/8"	100103947 L108017171	G-518	10 x Cj 360 x Pal	0,68 x Cj 24,52 x Pal	16,56 x Cj 596,16 x Pal
OUTLINES MINI STRIP NEPAL	29,9x22,7x1 cm 11 3/4"x8 7/8"x3/8"	100062965 L108005231	G-513	10 x Cj 360 x Pal	0,68 x Cj 24,48 x Pal	15,53 x Cj 559,08 x Pal
OUTLINES MINI STRIP SHANNAN	29,9x22,7x1 cm 11 3/4"x8 7/8"x3/8"	100062966 L108005221	G-513	10 x Cj 360 x Pal	0,68 x Cj 24,48 x Pal	15,53 x Cj 559,08 x Pal

*NOTE: Traces of rust may appear on slate when in contact with water.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk rapid beige
Wet areas: epotech

OUTLINES STRIP CREMA GRECIA

29,5x46,5x1cm - 11 5/8"x18 1/4"x3/8"
100001600 - L154001121 - G-530



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid manhattan
Wet areas: epotech

OUTLINES BARS HAB. BROWN LIN. HOM.

32,3x20x1cm - 12 3/4"x7 7/8"x3/8"
100097592 - L108015691 - G-518



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid beige
Wet areas: epotech

OUTLINES BARS CAPUCCINO LIN. HOM.

32,3x20x1cm - 12 3/4"x7 7/8"x3/8"
100097588 - L108015711 - G-516



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid antracita
Wet areas: epotech

OUTLINES MINI STRIP BHUTAN

29,9x22,7x1cm - 11 3/4"x8 7/8"x3/8"
100062964 - L108005211 - G-513



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid gris
Wet areas: epotech

OUTLINES BRICK LHASA-SHA.-BURMA 2x4cm - 1"x2"

30,2x30,2x1cm - 11 7/8"x11 7/8"x3/8"
100001603 - L154101501 - G-519




USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
OUTLINES STRIP CREMA GRECIA	29,5x46,5x1 cm 11 5/8"x18 1/4"x3/8"	100001600 L154001121	G-530	5 x Cj 210 x Pal	0,69 x Cj 9,60 x Pal	19,03 x Cj 266,35 x Pal
OUTLINES BARS HAB. BROWN LIN. HOM.	32,3x20x1 cm 12 3/4"x7 7/8"x3/8"	100097592 L108015691	G-518	5 x Cj 300 x Pal	0,32 x Cj 19,26 x Pal	8,08 x Cj 484,50 x Pal
OUTLINES BARS CAPUCCINO LIN. HOM.	32,3x20x1 cm 12 3/4"x7 7/8"x3/8"	100097588 L108015711	G-516	5 x Cj 300 x Pal	0,32 x Cj 19,26 x Pal	8,08 x Cj 484,50 x Pal
OUTLINES MINI STRIP BHUTAN	29,9x22,7x1 cm 11 3/4"x8 7/8"x3/8"	100062964 L108005211	G-513	10 x Cj 360 x Pal	0,68 x Cj 24,48 x Pal	15,53 x Cj 559,08 x Pal
OUTLINES BRICK LHASA-SHA.-BURMA (2X4)	30,2x30,2x1 cm 11 7/8"x11 7/8"x3/8"	100001603 L154101501	G-519	10 x Cj 360 x Pal	0,91 x Cj 32,73 x Pal	23,45 x Cj 844,20 x Pal

*NOTE: Traces of rust may appear on slate when in contact with water.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk rapid gris
Wet areas: epotech



Board recommends Butech: colorstuk rapid beige
Wet areas: epotech



Board recommends Butech: colorstuk rapid gris
Wet areas: epotech

AICHI GREYS
0,5x10cm - 1/4"x3 7/8"
29,8x30,5x1cm - 11 3/4"x12"x3/8"
100057249 - L108003011 - G-526



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

AICHI BROWNS
0,5x10cm - 1/4"x3 7/8"
29,8x30,5x1cm - 11 3/4"x12"x3/8"
100001555 - L150901001 - G-526



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

AICHI MIX WOOD
0,5x10cm - 1/4"x3 7/8"
29,8x29,8x1cm - 11 3/4"x11 3/4"x3/8"
100115754 - L241708021 - G-520



TRAVERTINE

USE RECOMMENDATIONS


Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Wall Coverings: Aichi Mix Wood (0,5x10) 29,8x29,8x1 cm, Ruggine Platino (Venis).

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
AICHI BROWNS (0,5x10)	29,8x30,5x1 cm 11 3/4"x12"x3/8"	100001555 L150901001	G-526	5 x Cj 360 x Pal	0,45 x Cj 32,40 x Pal	10,21 x Cj 735 x Pal
AICHI GREYS (0,5x10)	29,8x30,5x1 cm 11 3/4"x12"x3/8"	100057249 L108003011	G-526	5 x Cj 360 x Pal	0,45 x Cj 32,40 x Pal	9,48 x Cj 708,12 x Pal
AICHI MIX WOOD (0,5x10)	29,8x29,8x1 cm 11 3/4"x11 3/4" x3/8"	100115754 L241708021	G-520	5 x Cj 360 x Pal	0,45 x Cj 32,72 x Pal	10,82 x Cj 778,68 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

MOON MARMARA

19x29x1cm - 7 7/8"x7 7/8"x3/8"
100153030 - L241710631 - G-528



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid blanco / gris
Wet areas: epotech

MOON SILVER WOOD

19x29x1cm - 7 7/8"x7 7/8"x3/8"
100115838 - L241708141 - G-516



TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

MOON SATURN BLANCO


19x29x1cm - 7 7/8"x7 7/8"x3/8"
100153031 - L241710621 - G-528



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid blanco/gris
Wet areas: epotech

MOON MIX GREYS

19x29x1cm - 7 7/8"x7 7/8"x3/8"
100079201 - L108007921 - G-509



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid bahama
Wet areas: epotech

MOON MIX BROWNS

19x29x1cm - 7 7/8"x7 7/8"x3/8"
100079200 - L108007911 - G-509



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
MOON MÁRMARA	19x29x1 cm 7 7/8"x7 7/8"x3/8"	100153030 L241710631	G-528	10 x Cj 680 x Pal	0,55 x Cj 37,46 x Pal	11,65 x Cj 792,20 x Pal
MOON SILVER WOOD	19x29x1 cm 7 7/8"x7 7/8"x3/8"	100115838 L241708141	G-516	12 x Cj 720 x Pal	0,66 x Cj 39,67 x Pal	11,54 x Cj 692,64 x Pal
MOON SATURN BLANCO	19x29x1 cm 7 7/8"x7 7/8"x3/8"	100153031 L241710621	G-528	10 x Cj 680 x Pal	0,55 x Cj 37,46 x Pal	20 x Cj 1.360 x Pal
MOON MIX GREYS	19x29x1 cm 7 7/8"x7 7/8"x3/8"	100079201 L108007921	G-509	5 x Cj 600 x Pal	0,28 x Cj 33,06 x Pal	5,75 x Cj 690 x Pal
MOON MIX BROWNS	19x29x1 cm 7 7/8"x7 7/8"x3/8"	100079200 L108007911	G-509	5 x Cj 540 x Pal	0,28 x Cj 29,75 x Pal	5,75 x Cj 621 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butch: colorstuk rapid blanco
Wet areas: epotech

ESSENTIAL STRIPES THASSOS

30,5x30,5x1cm - 12"x12"x3/8"
100115766 - L241708111 - G-532

**MARBLE****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid blanco
Wet areas: epotech

ESSENTIAL CHESS THASSOS

30,6x30,6x1cm - 12"x12"x3/8"
100115762 - L241708001 - G-531

**MARBLE****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic




Board recommends Butch: colorstuk rapid blanco
Wet areas: epotech

ESSENTIAL BASKET THASSOS

28,7x28,7x1cm - 11 1/4"x11 1/4"x3/8"
100115760 - L241708071 - G-529

**MARBLE****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic




Board recommends Butch: colorstuk rapid blanco
Wet areas: epotech

ESSENTIAL FLAG THASSOS

30,2x32,2x1cm - 11 7/8"x12 5/8"x3/8"
100115764 - L241708091 - G-532

**MARBLE****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid gris
Wet areas: epotech

ESSENTIAL STRIPES SILVER WOOD

30,5x30,5x1cm - 12"x12"x3/8"
100115765 - L241708041 - G-532

**TRAVERTINE****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid gris
Wet areas: epotech

ESSENTIAL CHESS SILVER WOOD

30,6x30,6x1cm - 12"x12"x3/8"
100115761 - L241708101 - G-531

**TRAVERTINE****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ESSENTIAL STRIPES THASSOS	30,5x30,5x1 cm 12"x12"x3/8"	100115766 L241708111	G-532	10 x Cj 360 x Pal	0,93 x Cj 33,48 x Pal	22,66 x Cj 815,76 x Pal
ESSENTIAL CHESS THASSOS	30,6x30,6x1 cm 12"x12"x3/8"	100115762 L241708001	G-531	10 x Cj 360 x Pal	0,93 x Cj 33,69 x Pal	22,77 x Cj 819,72 x Pal
ESSENTIAL BASKET THASSOS	28,7x28,7x1 cm 11 1/4"x11 1/4"x3/8"	100115760 L241708071	G-529	10 x Cj 360 x Pal	0,82 x Cj 29,63 x Pal	20,07 x Cj 722,52 x Pal
ESSENTIAL FLAG THASSOS	30,2x32,2x1 cm 11 7/8"x12 5/8"x3/8"	100115764 L241708091	G-532	10 x Cj 360 x Pal	0,97 x Cj 34,99 x Pal	23,70 x Cj 853,20 x Pal
ESSENTIAL STRIPES SILVER WOOD	30,5x30,5x1 cm 12"x12"x3/8"	100115765 L241708041	G-532	10 x Cj 360 x Pal	0,93 x Cj 33,48 x Pal	22,66 x Cj 815,76 x Pal
ESSENTIAL CHESS SILVER WOOD	30,6x30,6x1 cm 12"x12"x3/8"	100115761 L241708101	G-531	10 x Cj 360 x Pal	0,93 x Cj 33,69 x Pal	22,77 x Cj 819,72 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk rapid gris
Wet areas: epotech

ESSENTIAL BASKET SILVER
WOOD

28,7x28,7x1cm - 11 1/4"x 11 1/4"x3/8"
100115759 - L241708061 - G-529



TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid gris
Wet areas: epotech

ESSENTIAL FLAG SILVER
WOOD

30,2x32,2x1cm - 11 7/8"x12 5/8"x3/8"
100115763 - L241708011 - G-532



TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Wall Coverings: Essential Basket Silver Wood 28,7x28,7x1 cm.

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ESSENTIAL BASKET SILVER WOOD	28,7x28,7x1 cm 11 1/4"x11 1/4"x3/8"	100115759 L241708061	G-529	10 x Cj 360 x Pal	0,82 x Cj 29,63 x Pal	20,07 x Cj 722,52 x Pal
ESSENTIAL FLAG SILVER WOOD	30,2x32,2x1 cm 11 7/8"x12 5/8"x3/8"	100115763 L241708011	G-532	10 x Cj 360 x Pal	0,97 x Cj 34,99 x Pal	23,70 x Cj 853,20 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk rapid antracita / cemento
Wet areas: epotech

PARADISE BAIÁ STONE NEGRO

30x30x1cm - 11 3/4"x11 3/4"x3/8"
100001572 - L 152901011 - G-506



BASALT

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid blanco / gris
Wet areas: epotech

PARADISE BAIÁ STONE BLANCO


30x30x1cm - 11 3/4"x11 3/4"x3/8"
100001571 - L152901001 - G-506



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid beige
Wet areas: epotech

PARADISE BAIÁ STONE CREMAS

30x30x1cm - 11 3/4"x11 3/4"x3/8"
100068033 - L108006581 - G-506



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid antracita / cemento
Wet areas: epotech

PARADISE LAKE STONE NEGRO

30x30x1cm - 11 3/4"x11 3/4"x3/8"
100062502 - L159001521 - G-507



BASALT

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid marfil
Wet areas: epotech

PARADISE LAKE STONE BLANCO

30x30x1cm - 11 3/4"x11 3/4"x3/8"
100062501 - L159001531 - G-507



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid manhattan
Wet areas: epotech

PARADISE LAKE STONE CREMAS

30x30x1cm - 11 3/4"x11 3/4"x3/8"
100082709 - L108008991 - G-507



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
PARADISE BAIÁ STONE NEGRO	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100001572 L152901011	G-506	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	23,80 x Cj 856,80 x Pal
PARADISE BAIÁ STONE BLANCO	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100001571 L152901001	G-506	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	23,80 x Cj 856,80 x Pal
PARADISE BAIÁ STONE CREMAS	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100068033 L108006581	G-506	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	23,80 x Cj 856,80 x Pal
PARADISE LAKE STONE NEGRO	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100062502 L159001521	G-507	9 x Cj 486 x Pal	0,81 x Cj 43,74 x Pal	17,05 x Cj 920,48 x Pal
PARADISE LAKE STONE BLANCO	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100062501 L159001531	G-507	9 x Cj 486 x Pal	0,81 x Cj 43,74 x Pal	17,05 x Cj 920,48 x Pal
PARADISE LAKE STONE CREMAS	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100082709 L108008991	G-507	9 x Cj 486 x Pal	0,81 x Cj 43,74 x Pal	16,47 x Cj 889,38 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk rapid cemento
Wet areas: epotech

PARADISE ARROW NEGRO

29,2x27,2x0,8cm - 11 1/2"x10 3/4"x3/8"
100112566 - L241702581 - G-507



BASALT

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

PARADISE ARROW BLANCO

29,2x27,2x0,8cm - 11 1/2"x10 3/4"x3/8"
100112564 - L241702541 - G-507



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid gris
Wet areas: epotech

PARADISE ARROW GRIS

29,2x27,2x0,8cm - 11 1/2"x10 3/4"x3/8"
100112565 - L241702551 - G-507



BASALT

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid cemento
Wet areas: epotech

PARADISE TINYBROKEN EDGE NEGRO


31x31x0,8cm - 12 1/4"x12 1/4"x3/8"
100112570 - L241702571 - G-507



BASALT

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

PARADISE TINYBROKEN EDGE BLANCO

31x31x0,8cm - 12 1/4"x12 1/4"x3/8"
100112568 - L241702561 - G-507



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid gris
Wet areas: epotech

PARADISE TINYBROKEN EDGE GRIS

31x31x0,8cm - 12 1/4"x12 1/4"x3/8"
100112569 - L241702591 - G-507



BASALT

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
PARADISE ARROW NEGRO	29,2x27,2x0,8 cm 11 1/2"x10 3/4"x3/8"	100112566 L241702581	G-507	10 x Cj 360 x Pal	0,79 x Cj 28,44 x Pal	15,16 x Cj 545,76 x Pal
PARADISE ARROW BLANCO	29,2x27,2x0,8 cm 11 1/2"x10 3/4"x3/8"	100112564 L241702541	G-507	10 x Cj 360 x Pal	0,79 x Cj 28,44 x Pal	14,69 x Cj 528,84 x Pal
PARADISE ARROW GRIS	29,2x27,2x0,8 cm 11 1/2"x10 3/4"x3/8"	100112565 L241702551	G-507	10 x Cj 360 x Pal	0,79 x Cj 28,44 x Pal	15,99 x Cj 575,64 x Pal
PARADISE TINYBROKEN EDGE NEGRO	31x31x0,8 cm 12 1/4"x12 1/4"x3/8"	100112570 L241702571	G-507	9 x Cj 324 x Pal	0,87 x Cj 31,32 x Pal	6,30 x Cj 586,80 x Pal
PARADISE TINYBROKEN EDGE BLANCO	31x31x0,8 cm 12 1/4"x12 1/4"x3/8"	100112568 L241702561	G-507	9 x Cj 324 x Pal	0,87 x Cj 31,32 x Pal	16,25 x Cj 585 x Pal
PARADISE TINYBROKEN EDGE GRIS	31x31x0,8 cm 12 1/4"x12 1/4"x3/8"	100112569 L241702591	G-507	9 x Cj 324 x Pal	0,87 x Cj 31,32 x Pal	16,58 x Cj 596,88 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk rapid cemento
Wet areas: epotech

PARADISE MINIBROKEN EDGE NEGRO

32x32x1cm - 12 5/8"x12 5/8"x3/8"
100068135 - L108006681 - G-507



BASALT

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid bahama
Wet areas: epotech

PARADISE MINIBROKEN EDGE BLANCO

32x32x1cm - 12 5/8"x12 5/8"x3/8"
100068134 - L108006671 - G-507



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid antracita / cemento
Wet areas: epotech

PARADISE ROUND STONE NEGRO

31,5x31,5x1cm - 12 3/8"x12 3/8"x3/8"
100068032 - L154201511 - G-508



BASALT

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid marfil
Wet areas: epotech

PARADISE ROUND STONE BLANCO

31,5x31,5x1cm - 12 3/8"x12 3/8"x3/8"
100068031 - L154201521 - G-508



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Wall Coverings: Paradise Minibroken Edge Negro 32x32x1 cm, Rodano Silver (Porcelanosa).

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
PARADISE MINIBROKEN EDGE NEGRO	32x32x1 cm 12 5/8"x12 5/8"x3/8"	100068135 L108006681	G-507	9 x Cj 0,92 x Pal	54 x Cj 49,77 x Pal	20,96 x Cj 1131,89 x Pal
PARADISE MINIBROKEN EDGE BLANCO	32x32x1 cm 12 5/8"x12 5/8"x3/8"	100068134 L108006671	G-507	9 x Cj 0,92 x Pal	54 x Cj 49,77 x Pal	20,96 x Cj 1131,89 x Pal
PARADISE ROUND STONE NEGRO	31,5x31,5x1 cm 12 3/8"x12 3/8"x3/8"	100068032 L154201511	G-508	9 x Cj 0,89 x Pal	54 x Cj 48,22 x Pal	21,15 x Cj 1142,10 x Pal
PARADISE ROUND STONE BLANCO	31,5x31,5x1 cm 12 3/8"x12 3/8"x3/8"	100068031 L154201521	G-508	9 x Cj 0,89 x Pal	54 x Cj 48,22 x Pal	21,15 x Cj 1142,10 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk 0-4 blanco
Wet areas: epotech

ANCIENT BATH
2,3x2,3cm - 7/8"x7/8"
30,5x30,5x1cm - 12"x12"x3/8"
100113694 - L241707091 - G-535



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 blanco
Wet areas: epotech

ANCIENT CITY
2,3x2,3cm - 7/8"x7/8"
30,5x30,5x1cm - 12"x12"x3/8"
100113695 - L241707031 - G-533



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 blanco
Wet areas: epotech

ANCIENT EARTH
2,3x2,3cm - 7/8"x7/8"
30,5x30,5x1cm - 12"x12"x3/8"
100113696 - L241707001 - G-537



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 blanco
Wet areas: epotech

ANCIENT SIGN
2,3x2,3cm - 7/8"x7/8"
30,5x30,5x1cm - 12"x12"x3/8"
100113697 - L241707111 - G-539



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 blanco
Wet areas: epotech

ANCIENT STONE
2,3x2,3cm - 7/8"x7/8"
30,5x30,5x1cm - 12"x12"x3/8"
100113698 - L241707101 - G-523



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 blanco
Wet areas: epotech

ANCIENT STREET
2,3x2,3cm - 7/8"x7/8"
30,5x30,5x1cm - 12"x12"x3/8"
100113699 - L241707071 - G-536



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ANCIENT BATH (2,3)	30,5x30,5x1 cm 12"x12"x3/8"	100113694 L241707091	G-535	10 x Cj 420 x Pal	0,93 x Cj 39,07 x Pal	20,90 x Cj 842,94 x Pal
ANCIENT CITY (2,3)	30,5x30,5x1 cm 12"x12"x3/8"	100113695 L241707031	G-533	10 x Cj 420 x Pal	0,93 x Cj 39,07 x Pal	20,07 x Cj 842,94 x Pal
ANCIENT EARTH (2,3)	30,5x30,5x1 cm 12"x12"x3/8"	100113696 L241707001	G-537	10 x Cj 420 x Pal	0,93 x Cj 39,07 x Pal	21,32 x Cj 895,44 x Pal
ANCIENT SIGN (2,3)	30,5x30,5x1 cm 12"x12"x3/8"	100113697 L241707111	G-539	10 x Cj 420 x Pal	0,93 x Cj 39,07 x Pal	20,90 x Cj 877,80 x Pal
ANCIENT STONE (2,3)	30,5x30,5x1 cm 12"x12"x3/8"	100113698 L241707101	G-523	10 x Cj 420 x Pal	0,93 x Cj 39,07 x Pal	21,11 x Cj 886,62 x Pal
ANCIENT STREET (2,3)	30,5x30,5x1 cm 12"x12"x3/8"	100113699 L241707071	G-536	10 x Cj 420 x Pal	0,93 x Cj 39,07 x Pal	20,70 x Cj 869,40 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



No supported grouting

LUXURY MODUL GOLD

30x29x1-2cm - 11 3/4"x11 3/8"x3/8"-3/4"
100113703 - L241707081 - G-534



ENAMELED TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

LUXURY MODUL SILVER

30x29x1-2cm - 11 3/4"x11 3/8"x3/8"-3/4"
100113704 - L241707021 - G-534



ENAMELED TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

LUXURY MODUL COPPER

30x29x1-2cm - 11 3/4"x11 3/8"x3/8"-3/4"
100113702 - L241707041 - G-534



ENAMELED TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid beige / bahama
Wet areas: epotech

LUXURY GOLD
2x2cm - 3/4"x3/4"

30,5x30,5x1cm - 12"x12"x3/8"
100113701 - L241707011 - G-529



ENAMELED TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid blanco / gris
Wet areas: epotech

LUXURY SILVER
2x2cm - 3/4"x3/4"

30,5x30,5x1cm - 12"x12"x3/8"
100113705 - L241707061 - G-529



ENAMELED TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid caramelo
Wet areas: epotech

LUXURY COPPER
2x2cm - 3/4"x3/4"

30,5x30,5x1cm - 12"x12"x3/8"
100113700 - L241707051 - G-529



ENAMELED TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
LUXURY MODUL GOLD	30x29x1-2 cm 11 3/4"x11 3/8"x3/8"-3/4"	100113703 L241707081	G-534	5 x Cj 210 x Pal	0,44 x Cj 18,27 x Pal	16,46 x Cj 691,11 x Pal
LUXURY MODUL SILVER	30x29x1-2 cm 11 3/4"x11 3/8"x3/8"-3/4"	100113704 L241707021	G-534	5 x Cj 210 x Pal	0,44 x Cj 18,27 x Pal	15,11 x Cj 634,62 x Pal
LUXURY MODUL COPPER	30x29x1-2 cm 11 3/4"x11 3/8"x3/8"-3/4"	100113702 L241707041	G-534	5 x Cj 210 x Pal	0,44 x Cj 18,27 x Pal	15,84 x Cj 665,07 x Pal
LUXURY GOLD (2)	30,5x30,5x1 cm 12"x12"x3/8"	100113701 L241707011	G-529	10 x Cj 420 x Pal	0,93 x Cj 39,07 x Pal	20,70 x Cj 869,40 x Pal
LUXURY SILVER (2)	30,5x30,5x1 cm 12"x12"x3/8"	100113705 L241707061	G-529	10 x Cj 420 x Pal	0,93 x Cj 39,07 x Pal	20,70 x Cj 869,40 x Pal
LUXURY COPPER (2)	30,5x30,5x1 cm 12"x12"x3/8"	100113700 L241707051	G-529	10 x Cj 420 x Pal	0,93 x Cj 39,07 x Pal	20,70 x Cj 869,40 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



No supported grouting

LUXURY BLOCK GOLD

10x30x1-2cm - 3 7/8"x11 3/4"x3/8"-3/4"
100146055 - L241710281 - G-119



ENAMELED TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

LUXURY BLOCK SILVER

10x30x1-2cm - 3 7/8"x11 3/4"x3/8"-3/4"
100146056 - L241710261 - G-119



ENAMELED TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

LUXURY BLOCK COPPER

10x30x1-2cm - 3 7/8"x11 3/4"x3/8"-3/4"
100146054 - L241710091 - G-119



ENAMELED TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

LUXURY CUBE GOLD

5x5cm - 2"x2"


15x30x1,2-3cm - 5 7/8"x11 3/4"x1/2"-1 1/8"
100147978 - L241710351 - G-519



ENAMELED TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

LUXURY CUBE SILVER

5x5cm - 2"x2"

15x30x1,2-3cm - 5 7/8"x11 3/4"x1/2"-1 1/8"
100146335 - L241710341 - G-519



ENAMELED TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

LUXURY CUBE COPPER

5x5cm - 2"x2"

15x30x1,2-3cm - 5 7/8"x11 3/4"x1/2"-1 1/8"
100148690 - L241710531 - G-519



ENAMELED TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic


DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
LUXURY BLOCK GOLD	10x30x1-2 cm 3 7/8"x11 3/4"x3/8"-3/4"	100146055 L241710281	G-119	20 x Cj 840 x Pal	0,60 x Cj 25,20 x Pal	18 x Cj 756 x Pal
LUXURY BLOCK SILVER	10x30x1-2 cm 3 7/8"x11 3/4"x3/8"-3/4"	100146056 L241710261	G-119	20 x Cj 840 x Pal	0,60 x Cj 25,20 x Pal	18 x Cj 756 x Pal
LUXURY BLOCK COPPER	10x30x1-2 cm 3 7/8"x11 3/4"x3/8"-3/4"	100146054 L241710091	G-119	20 x Cj 840 x Pal	0,60 x Cj 25,20 x Pal	18 x Cj 756 x Pal
LUXURY CUBE GOLD (5)	15x30x1,2-3 cm 5 7/8"x11 3/4"x1/2"-1 1/8"	100147978 L241710351	G-519	8 x Cj 336 x Pal	0,36 x Cj 15,12 x Pal	13,60 x Cj 571,20 x Pal
LUXURY CUBE SILVER (5)	15x30x1,2-3 cm 5 7/8"x11 3/4"x1/2"-1 1/8"	100146335 L241710341	G-519	8 x Cj 336 x Pal	0,36 x Cj 15,12 x Pal	13,60 x Cj 571,20 x Pal
LUXURY CUBE COPPER (5)	15x30x1,2-3 cm 5 7/8"x11 3/4"x1/2"-1 1/8"	100148690 L241710531	G-519	8 x Cj 336 x Pal	0,36 x Cj 15,12 x Pal	13,60 x Cj 571,20 x Pal





VICTORIAN COLLECTION

Wall Coverings: Victorian Minibrick Thassos Luxe
30x22,7x1cm, Lavagna Blanco (Venis).



Board recommends Butech: colorstuk rapid cemento
Wet areas: epotech

VICTORIAN ISLAND STAR BLACK

24x24x0,7cm - 9 1/2"x9 1/2"x1/4"
100086103 - L244000231 - G-509



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

VICTORIAN ISLAND STAR WHITE


24x24x0,7cm - 9 1/2"x9 1/2"x1/4"
100081255 - L244000171 - G-507



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

VICTORIAN BLANCO MARMARA 2x2cm - 3/4"x3/4"

29x29x1cm - 11 3/8"x11 3/8"x3/8"
100000580 - L119487001 - G-518



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

VICTORIAN TRENZADO MARMARA

30x30x1cm - 11 3/4"x11 3/4"x3/8"
100000333 - L114587001 - G-522



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

VICTORIAN DIAMOND MARMARA-MIRROR

32,9x28,3x1cm - 13"x11 1/8"x3/8"
100081166 - L119379011 - G-531



MARBLE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid cemento
Wet areas: epotech

VICTORIAN DIAMOND MARQ. MIRROR

32,9x28,3x1cm - 13"x11 1/8"x3/8"
100081167 - L119379021 - G-530



MARBLE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
VICTORIAN ISLAND STAR BLACK	24x24x0,7 cm 9 1/2"x9 1/2"x1/4"	100086103 L244000231	G-509	12 x Cj 720 x Pal	0,69 x Cj 41,47 x Pal	9,07 x Cj 544,32 x Pal
VICTORIAN ISLAND STAR WHITE	24x24x0,7 cm 9 1/2"x9 1/2"x1/4"	100081255 L244000171	G-507	12 x Cj 648 x Pal	0,69 x Cj 37,33 x Pal	9,16 x Cj 496,37 x Pal
VICTORIAN BLANCO MARMARA (2)	29x29x1 cm 11 3/8"x11 3/8"x3/8"	100000580 L119487001	G-518	10 x Cj 360 x Pal	0,84 x Cj 30,28 x Pal	19,31 x Cj 695,16 x Pal
VICTORIAN TRENZADO MARMARA	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100000333 L114587001	G-522	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	23,18 x Cj 834,48 x Pal
VICTORIAN DIAMOND MARMARA-MIRROR	32,9x28,3x1 cm 13"x11 1/8"x3/8"	100081166 L119379011	G-531	10 x Cj 360 x Pal	0,93 x Cj 33,48 x Pal	25,55 x Cj 919,80 x Pal
VICTORIAN DIAMOND MARQ.-MIRROR	32,9x28,3x1 cm 13"x11 1/8"x3/8"	100081167 L119379021	G-530	10 x Cj 360 x Pal	0,93 x Cj 33,48 x Pal	25,55 x Cj 919,80 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butch: colorstuk rapid blanco
Wet areas: epotech

VICTORIAN MINIBRICK THASSOS LUXE

30x22,7x1cm - 11 3/4"x8 7/8"x3/8"
100103981 - L108017191 - G-534



MARBLE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid blanco
Wet areas: epotech

VICTORIAN CHAIN MARMARA MIRROR


25,4x24,6x1cm - 10"x9 5/8"x3/8"
100081159 - L108008751 - G-521



MARBLE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid blanco
Wet areas: epotech

VICTORIAN CHAIN MARMARA-MARQUINA


25,4x24,6x1cm - 10"x9 5/8"x3/8"
100081164 - L115979011 - G-521



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid blanco
Wet areas: epotech

VICTORIAN MINIWIND. THASSOS-MARQUINA

27,2x27,2x1cm - 11 3/4"x11 3/4"x3/8"
100081161 - L154911021 - G-131



MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid cemento
Wet areas: epotech

VICTORIAN NEW YORK COAL MIRROR 2,1x0,5cm - 7/8"x1/4"


26,4x27x0,8cm - 10 3/8x10 5/8"x3/8"
100092683 - L244000581 - G-148



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid blanco
Wet areas: epotech

VICTORIAN NEW YORK THASSOS MIRROR 2,1x0,5cm - 7/8"x1/4"

26,4x27x0,8cm - 10 3/8x10 5/8"x3/8"
100086321 - L244000261 - G-148



MARBLE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
VICTORIAN MINIBRICK THASS. LUXE	30x22,7x1 cm 11 3/4"x8 7/8"x3/8"	100103981 L108017191	G-534	10 x Cj 360 x Pal	0,68 x Cj 24,52 x Pal	16,04 x Cj 577,44 x Pal
VICTORIAN CHAIN MARMARA MIRROR	25,4x24,6x1 cm 10"x9 5/8"x3/8"	100081159 L108008751	G-521	10 x Cj 480 x Pal	0,63 x Cj 29,99 x Pal	17,22 x Cj 826,56 x Pal
VICTORIAN CHAIN MARMARA-MARQ.	25,4x24,6x1 cm 10"x9 5/8"x3/8"	100081164 L115979011	G-521	10 x Cj 480 x Pal	0,63 x Cj 29,99 x Pal	17,18 x Cj 824,64 x Pal
VICTORIAN MINIWIND. THASSOS-MARQ.	27,2x27,2x1 cm 11 3/4"x11 3/4"x3/8"	100081161 L154911021	G-131	10 x Cj 360 x Pal	0,74 x Cj 26,63 x Pal	20,58 x Cj 740,88 x Pal
VICTORIAN NEW YORK COAL MIRROR	26,4x27x0,8 cm 10 3/8"x10 5/8"x3/8"	100092683 L244000581	G-148	9 x Cj 324 x Pal	0,64 x Cj 23,10 x Pal	13,11 x Cj 472,07 x Pal
VICTORIAN NEW YORK THASSOS MIRROR	26,4x27x0,8 cm 10 3/8"x10 5/8"x3/8"	100086321 L244000261	G-148	9 x Cj 324 x Pal	0,64 x Cj 23,10 x Pal	13,13 x Cj 472,72 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk especial dark
Wet areas: epotech

VICTORIAN MOTHER OF PEARL GREY

29x30,3x0,8cm - 11 3/8"x11 11/16"x3/8"
100153501 - L241710681 - G-532



MOTHER OF PEARL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk especial brown
Wet areas: epotech

VICTORIAN MOTHER OF PEARL BROWN

29x30,3x0,8cm - 11 3/8"x11 11/16"x3/8"
100153500 - L241710691 - G-532



MOTHER OF PEARL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk especial nacaré
Wet areas: epotech

VICTORIAN MOTHER OF PEARL WHITE

29x30,3x0,8cm - 11 3/8"x11 11/16"x3/8"
100153478 - L241710671 - G-530



MOTHER OF PEARL

USE RECOMMENDATIONS


Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Wall Coverings: Victorian Mother of Pearl Grey 29x30,3x0,8 cm.

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
VICTORIAN MOTHER OF PEARL GREY	29x30,3x0,8 cm 11 3/8"x11 11/16"x3/8"	100153501 L241710681	G-532	9 x Cj 648 x Pal	0,79 x Cj 56,93 x Pal	9,03 x Cj 650,59 x Pal
VICTORIAN MOTHER OF PEARL BROWN	29x30,3x0,8 cm 11 3/8"x11 11/16"x3/8"	100153500 L241710691	G-532	9 x Cj 648 x Pal	0,79 x Cj 56,93 x Pal	9,03 x Cj 650,59 x Pal
VICTORIAN MOTHER OF PEARL WHITE	29x30,3x0,8 cm 11 3/8"x11 11/16"x3/8"	100153478 L241710671	G-530	9 x Cj 648 x Pal	0,79 x Cj 56,93 x Pal	9,03 x Cj 650,59 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk rapid beige
Wet areas: epotech


VICTORIAN ALHAMBRA
CREMA ITALIA-EMPERADOR

28,4x32,2x1cm - 11 1/8"x12 5/8"x3/8"
100146083 - L241710051 - G-520



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech


VICTORIAN ALHAMBRA
THASSOS MARQUINA

28,4x32,2x1cm - 11 1/8"x12 5/8"x3/8"
100146084 - L241710121 - G-524



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid cemento
Wet areas: epotech

VICTORIAN ALHAMBRA SILK
WOOD-SILVER WOOD

28,4x32,2x1cm - 11 1/8"x12 5/8"x3/8"
100146536 - L241710291 - G-520



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Wall Coverings: Victorian Alhambra Thassos-Marquina 28,4x32,2x1 cm, Mármol Carrara Blanco (Porcelanosa).

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
VICTORIAN ALHAMBRA ITALIA-EMPE	28,4x32,2x1 cm 11 1/8"x12 5/8"x3/8"	100146083 L241710051	G-520	10 x Cj 480 x Pal	0,91 x Cj 43,89 x Pal	22,50 x Cj 1080 x Pal
VICTORIAN ALHAMBRA THASSOS-MARQ	28,4x32,2x1 cm 11 1/8"x12 5/8"x3/8"	100146084 L241710121	G-524	10 x Cj 480 x Pal	0,91 x Cj 43,89 x Pal	22,50 x Cj 1080 x Pal
VICTORIAN ALHAMBRA SILK-SILVER	28,4x32,2x1 cm 11 1/8"x12 5/8"x3/8"	100146536 L241710291	G-520	10 x Cj 480 x Pal	0,91 x Cj 43,89 x Pal	22,50 x Cj 1080 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.






NOOHN GLASS MOSAICS

GLACIER
FABRIC
DADOS
HEXCUBE
MINI IRIS
URBAN
ARMOUR
STARK
GOLD
ARABIA
DREAM
FASHION
EVOKE
HARMONY

Wall Coverings: Stark White (1,4x4,7) 29,7x30x0,8 cm,
Ruggine Aluminio (Venis).

NOOHN MOSAICS



Board recommends Butech: colorstuk 0-4 negro
Wet areas: epotech

GLACIER MOON METALLIC BLACK

19,29x0,8cm - 7 1/2"x11 3/8"x3/8"
100080373 - L240100021 - G-515



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 blanco
Wet areas: epotech

GLACIER MOON METALLIC WHITE

19,29x0,8cm - 7 1/2"x11 3/8"x3/8"
100080376 - L240100011 - G-518



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 blanco / marfil
Wet areas: epotech

GLACIER MOON METALLIC TOBACCO

19,29x0,8cm - 7 1/2"x11 3/8"x3/8"
100080375 - L240100001 - G-515



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 blanco / marfil
Wet areas: epotech

GLACIER MOON METALLIC CREMAS


19,29x0,8cm - 7 1/2"x11 3/8"x3/8"
100080374 - L240100031 - G-515



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 negro
Wet areas: epotech

GLACIER MOON DIAMOND BLACK

19,29x0,8cm - 7 1/2"x11 3/8"x3/8"
100092681 - L240100081 - G-518



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 blanco
Wet areas: epotech

GLACIER MOON DIAMOND WHITE

19,29x0,8cm - 7 1/2"x11 3/8"x3/8"
100092682 - L240100091 - G-520



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
GLACIER MOON METALLIC BLACK	19x29x0,8 cm 7 1/2"x11 3/8"x3/8"	100080373 L240100021	G-515	11 x Cj 792 x Pal	0,61 x Cj 43,64 x Pal	8,69 x Cj 625,68 x Pal
GLACIER MOON METALLIC WHITE	19x29x0,8 cm 7 1/2"x11 3/8"x3/8"	100080376 L240100011	G-518	11 x Cj 792 x Pal	0,61 x Cj 43,64 x Pal	8,69 x Cj 625,68 x Pal
GLACIER MOON METALLIC TOBACCO	19x29x0,8 cm 7 1/2"x11 3/8"x3/8"	100080375 L240100001	G-515	11 x Cj 792 x Pal	0,61 x Cj 43,64 x Pal	8,69 x Cj 625,68 x Pal
GLACIER MOON METALLIC CREMAS	19x29x0,8 cm 7 1/2"x11 3/8"x3/8"	100080374 L240100031	G-515	11 x Cj 792 x Pal	0,61 x Cj 43,64 x Pal	8,69 x Cj 625,68 x Pal
GLACIER MOON DIAMOND BLACK	19x29x0,8 cm 7 1/2"x11 3/8"x3/8"	100092681 L240100081	G-518	11 x Cj 792 x Pal	0,61 x Cj 43,64 x Pal	8,69 x Cj 625,68 x Pal
GLACIER MOON DIAMOND WHITE	19x29x0,8 cm 7 1/2"x11 3/8"x3/8"	100092682 L240100091	G-520	11 x Cj 792 x Pal	0,61 x Cj 43,64 x Pal	8,69 x Cj 625,68 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butch: colorstuk rapid gris
Wet areas: epotech

FABRIC NICKEL
2,3x2,3cm - 7/8"x7/8"
30,5x30,5x0,8cm - 12"x12"x3/8"
100135763 - L244004581 - G-519



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid beige
Wet areas: epotech

FABRIC ZINC
2,3x2,3cm - 7/8"x7/8"
30,5x30,5x0,8cm - 12"x12"x3/8"
100135765 - L244004611 - G-519



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid gris
Wet areas: epotech


FABRIC LEAD
2,3x2,3cm - 7/8"x7/8"
30,5x30,5x0,8cm - 12"x12"x3/8"
100135762 - L244004591 - G-519



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid gris
Wet areas: epotech

FABRIC SILVER
2,3x2,3cm - 7/8"x7/8"
30,5x30,5x0,8cm - 12"x12"x3/8"
100135764 - L244004541 - G-519



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid cemento
Wet areas: epotech

FABRIC COPPER
2,3x2,3cm - 7/8"x7/8"
30,5x30,5x0,8cm - 12"x12"x3/8"
100135760 - L244004601 - G-519



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid cemento
Wet areas: epotech

FABRIC IRON
2,3x2,3cm - 7/8"x7/8"
30,5x30,5x0,8cm - 12"x12"x3/8"
100135761 - L244004621 - G-519



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
FABRIC NICKEL (2,3)	30,5x30,5x0,8 cm 12"x12"x3/8"	100135763 L244004581	G-519	10 x Cj 360 x Pal	0,93 x Cj 33,49 x Pal	15 x Cj 540 x Pal
FABRIC ZINC (2,3)	30,5x30,5x0,8 cm 12"x12"x3/8"	100135765 L244004611	G-519	10 x Cj 360 x Pal	0,93 x Cj 33,49 x Pal	15 x Cj 540 x Pal
FABRIC LEAD (2,3)	30,5x30,5x0,8 cm 12"x12"x3/8"	100135762 L244004591	G-519	10 x Cj 360 x Pal	0,93 x Cj 33,49 x Pal	15 x Cj 540 x Pal
FABRIC SILVER (2,3)	30,5x30,5x0,8 cm 12"x12"x3/8"	100135764 L244004541	G-519	10 x Cj 360 x Pal	0,93 x Cj 33,49 x Pal	15 x Cj 540 x Pal
FABRIC COPPER (2,3)	30,5x30,5x0,8 cm 12"x12"x3/8"	100135760 L244004601	G-519	10 x Cj 360 x Pal	0,93 x Cj 33,49 x Pal	15 x Cj 540 x Pal
FABRIC IRON (2,3)	30,5x30,5x0,8 cm 12"x12"x3/8"	100135761 L244004621	G-519	10 x Cj 360 x Pal	0,93 x Cj 33,49 x Pal	15 x Cj 540 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: **colorstuk 0-4 blanco**
Wet areas: **epotech**

DADOS AMBAR

2,4x2,4cm - 1"x1"

13,5x30x1,8cm - 5 3/8"x11 3/4"x3/4"
100153002 - L244005401 - G-505



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: **colorstuk 0-4 blanco**
Wet areas: **epotech**

DADOS GEM

2,4x2,4cm - 1"x1"

13,5x30x1,8cm - 5 3/8"x11 3/4"x3/4"
100153003 - L244005411 - G-505



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

DADOS BLUE

2,4x2,4cm - 1"x1"

15x30x1,2cm - 5 7/8"x11 3/4"x1/4"
100112124 - L244001191 - G-507



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

DADOS EARTH

2,4x2,4cm - 1"x1"

15x30x1,2cm - 5 7/8"x11 3/4"x1/4"
100112125 - L244001081 - G-507



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

DADOS METAL

2,4x2,4cm - 1"x1"

15,2x30,5x1,8cm - 6"x12"x3/4"
100103990 - L244000981 - G-507



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

DADOS PEARL GREY

2x2cm - 3/4"x3/4"

13,8x29,7x1,2cm - 5 3/8"x11 3/4"x1/2"
100146032 - L244004871 - G-508



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
DADOS AMBAR (2,4)	13,5x30x1,8 cm 5 3/8"x11 3/4"x3/4"	100153002 L244005401	G-505	10 x Cj 540 x Pal	0,40 x Cj 21,87 x Pal	13,97 x Cj 754,38 x Pal
DADOS GEM (2,4)	13,5x30x1,8 cm 5 3/8"x11 3/4"x3/4"	100153003 L244005411	G-505	10 x Cj 540 x Pal	0,40 x Cj 21,87 x Pal	13,97 x Cj 754,38 x Pal
DADOS BLUE (2,4)	15x30x1,2 cm 5 7/8"x11 3/4"x1/4"	100112124 L244001191	G-507	10 x Cj 720 x Pal	0,45 x Cj 32,40 x Pal	10,35 x Cj 745,20 x Pal
DADOS EARTH (2,4)	15x30x1,2 cm 5 7/8"x11 3/4"x1/4"	100112125 L244001081	G-507	10 x Cj 720 x Pal	0,45 x Cj 32,40 x Pal	10,35 x Cj 745,20 x Pal
DADOS METAL (2,4)	15,2x30,5x1,8 cm 6"x12"x3/4"	100103990 L244000981	G-507	10 x Cj 480 x Pal	0,45 x Cj 21,60 x Pal	17,80 x Cj 854,40 x Pal
DADOS PEARL GREY (2)	13,8x29,7x1,2 cm 5 3/8"x11 3/4"x1/2"	100146032 L244004871	G-508	14 x Cj 756 x Pal	0,63 x Cj 34,02 x Pal	12,74 x Cj 687,96 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



No supported grouting

DADOS PEARL CREAM
2x2cm - 3/4"x3/4"

13,8x29,7x1,2cm - 5 3/8"x11 3/4"x1/2"
100146031 - L244004851 - G-508



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

DADOS PEARL BROWN
2x2cm - 3/4"x3/4"

13,8x29,7x1,2cm - 5 3/8"x11 3/4"x1/2"
100146030 - L244004861 - G-508



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

DADOS PEARL BLACK
2x2cm - 3/4"x3/4"

13,8x29,7x1,2cm - 5 3/8"x11 3/4"x1/2"
100146009 - L244004841 - G-508



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

DADOS GEO SAPPHIRE

29,3x28x0,8-1,2cm - 11 1/4"x11"x3/8"-4/8"
100146657 - L244004951 - G-518



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

DADOS GEO FROST QUARTZ

29,3x28x0,8-1,2cm - 11 1/4"x11"x3/8"-4/8"
100146655 - L244004921 - G-518



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

DADOS GEO FROST SAPPHIRE

29,3x28x0,8-1,2cm - 11 1/4"x11"x3/8"-4/8"
100146656 - L244004901 - G-518



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
DADOS PEARL CREAM (2)	13,8x29,7x1,2 5 3/8"x11 3/4"x1/2"	100146031 L244004851	G-508	14 x Cj 756 x Pal	0,63 x Cj 34,02 x Pal	12,74 x Cj 687,96 x Pal
DADOS PEARL BROWN (2)	13,8x29,7x1,2 5 3/8"x11 3/4"x1/2"	100146030 L244004861	G-508	14 x Cj 756 x Pal	0,63 x Cj 34,02 x Pal	12,74 x Cj 687,96 x Pal
DADOS PEARL BLACK (2)	13,8x29,7x1,2 5 3/8"x11 3/4"x1/2"	100146009 L244004841	G-508	14 x Cj 756 x Pal	0,63 x Cj 34,02 x Pal	12,74 x Cj 687,96 x Pal
DADOS GEO SAPPHIRE	29,3x28x0,8-1,2 11 1/4"x11"x3/8"-4/8"	100146657 L244004951	G-518	7 x Cj 378 x Pal	0,57 x Cj 31,01 x Pal	11,90 x Cj 642,60 x Pal
DADOS GEO FROST QUARTZ	29,3x28x0,8-1,2 11 1/4"x11"x3/8"-4/8"	100146655 L244004921	G-518	7 x Cj 378 x Pal	0,57 x Cj 31,01 x Pal	11,90 x Cj 642,60 x Pal
DADOS GEO FROST SAPPHIRE	29,3x28x0,8-1,2 11 1/4"x11"x3/8"-4/8"	100146656 L244004901	G-518	7 x Cj 378 x Pal	0,57 x Cj 31,01 x Pal	11,90 x Cj 642,60 x Pal



Board recommends Butch: **epotech blanco**
Wet areas: **epotech**

HEXCUBE WHITE

30x29,5x0,8-1,8cm - 11 3/4"x11 5/8"x3/8-3/4"
100110390 - L242522331 - G-542

**GLASS****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: **epotech blanco**
Wet areas: **epotech**

HEXCUBE GREY

30x29,5x0,8-1,8cm - 11 3/4"x11 5/8"x3/8-3/4"
100110388 - L242522351 - G-542

**GLASS****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: **epotech blanco**
Wet areas: **epotech**

HEXCUBE BLUE

30x29,5x0,8-1,8cm - 11 3/4"x11 5/8"x3/8-3/4"
100110387 - L242522321 - G-542

**GLASS****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: **epotech blanco**
Wet areas: **epotech**

HEXCUBE RED

30x29,5x0,8-1,8cm - 11 3/4"x11 5/8"x3/8-3/4"
100110389 - L242522311 - G-542

**GLASS****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: **epotech negro**
Wet areas: **epotech**

HEXCUBE BLACK

30x29,5x0,8-1,8cm - 11 3/4"x11 5/8"x3/8-3/4"
100110386 - L242522341 - G-542

**GLASS****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
HEXCUBE WHITE	30x29,5x0,8-1,8 cm 11 3/4"x11 5/8"x3/8-3/4"	100110390 L242522331	G-542	8 x Cj 288 x Pal	0,71 x Cj 25,49 x Pal	17,06 x Cj 614,02 x Pal
HEXCUBE GREY	30x29,5x0,8-1,8 cm 11 3/4"x11 5/8"x3/8-3/4"	100110388 L242522351	G-542	8 x Cj 288 x Pal	0,71 x Cj 25,49 x Pal	17,06 x Cj 614,02 x Pal
HEXCUBE BLUE	30x29,5x0,8-1,8 cm 11 3/4"x11 5/8"x3/8-3/4"	100110387 L242522321	G-542	8 x Cj 288 x Pal	0,71 x Cj 25,49 x Pal	17,06 x Cj 614,02 x Pal
HEXCUBE RED	30x29,5x0,8-1,8 cm 11 3/4"x11 5/8"x3/8-3/4"	100110389 L242522311	G-542	8 x Cj 288 x Pal	0,71 x Cj 25,49 x Pal	17,06 x Cj 614,02 x Pal
HEXCUBE BLACK	30x29,5x0,8-1,8 cm 11 3/4"x11 5/8"x3/8-3/4"	100110386 L242522341	G-542	8 x Cj 288 x Pal	0,71 x Cj 25,49 x Pal	17,06 x Cj 614,02 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk 0-4 blanco
Wet areas: epotech

MINI IRIS WHITE PEARL
1x1cm - 3/8"x3/8"

31,5x31,5x0,4cm - 12 3/8"x12 3/8"x1/8"
100121438 - L244004051 - G-515



USE RECOMMENDATIONS

Table with 3 columns: Indoor Floors, Outdoor Floors, Worktops, Indoor Walls, Outdoor Walls, Swimming-Pool Surrounds, Shower Walls, Shower Floors, Pool / Spa, Light Traffic, Medium Traffic, High Traffic.



Board recommends Butech: colorstuk 0-4 bahama
Wet areas: epotech

MINI IRIS CREAM PEARL
1x1cm - 3/8"x3/8"

31,5x31,5x0,4cm - 12 3/8"x12 3/8"x1/8"
100121436 - L244004021 - G-515



USE RECOMMENDATIONS

Table with 3 columns: Indoor Floors, Outdoor Floors, Worktops, Indoor Walls, Outdoor Walls, Swimming-Pool Surrounds, Shower Walls, Shower Floors, Pool / Spa, Light Traffic, Medium Traffic, High Traffic.



Board recommends Butech: colorstuk 0-4 gris
Wet areas: epotech

MINI IRIS GREY PEARL
1x1cm - 3/8"x3/8"

31,5x31,5x0,4cm - 12 3/8"x12 3/8"x1/8"
100121437 - L244004041 - G-515



USE RECOMMENDATIONS

Table with 3 columns: Indoor Floors, Outdoor Floors, Worktops, Indoor Walls, Outdoor Walls, Swimming-Pool Surrounds, Shower Walls, Shower Floors, Pool / Spa, Light Traffic, Medium Traffic, High Traffic.



Board recommends Butech: colorstuk 0-4 negro
Wet areas: epotech

MINI IRIS BLACK PEARL
1x1cm - 3/8"x3/8"

31,5x31,5x0,4cm - 12 3/8"x12 3/8"x1/8"
100121435 - L244004031 - G-515



USE RECOMMENDATIONS

Table with 3 columns: Indoor Floors, Outdoor Floors, Worktops, Indoor Walls, Outdoor Walls, Swimming-Pool Surrounds, Shower Walls, Shower Floors, Pool / Spa, Light Traffic, Medium Traffic, High Traffic.



Wall Coverings: Mini Iris Black Pearl 31,5x31,5x0,4 cm.

Table with 7 columns: DESCRIPTION, FORMAT, CODE, GRUPO, PZ, M2, KG. Rows include Mini Iris White Pearl, Mini Iris Cream Pearl, Mini Iris Grey Pearl, and Mini Iris Black Pearl.

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.vvv



Board recommends Butch: colorstuk special white
Wet areas: epotech

URBAN LINE IRON

10x30x0,8cm - 3 15/16"x11 3/4"x3/8"
100153506 - L244005431 - G-506

**GLASS****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk special nacaré
Wet areas: epotech

URBAN LINE LEAD

10x30x0,8cm - 3 15/16"x11 3/4"x3/8"
100153507 - L244005421 - G-506

**GLASS****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk special nacaré
Wet areas: epotech

URBAN LINE SILVER

10x30x0,8cm - 3 15/16"x11 3/4"x3/8"
100153509 - L244005471 - G-506

**GLASS****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk special nacaré
Wet areas: epotech

URBAN LINE NICKEL

10x30x0,8cm - 3 15/16"x11 3/4"x3/8"
100153508 - L244005461 - G-506

**GLASS****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk special dark
Wet areas: epotech

URBAN LINE ZINC

10x30x0,8cm - 3 15/16"x11 3/4"x3/8"
100153510 - L244005441 - G-506

**GLASS****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk special dark
Wet areas: epotech

URBAN LINE COPPER

10x30x0,8cm - 3 15/16"x11 3/4"x3/8"
100153505 - L244005451 - G-506

**GLASS****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
URBAN LINE IRON	30x10x0,8 cm 3 15/16"x11 3/4"x3/8"	100153506 L244005431	G-506	30 x Cj 1080 x Pal	0,90 x Cj 32,40 x Pal	17,67 x Cj 636,34 x Pal
URBAN LINE LEAD	30x10x0,8 cm 3 15/16"x11 3/4"x3/8"	100153507 L244005421	G-506	30 x Cj 1080 x Pal	0,90 x Cj 32,40 x Pal	17,67 x Cj 636,34 x Pal
URBAN LINE SILVER	30x10x0,8 cm 3 15/16"x11 3/4"x3/8"	100153509 L244005471	G-506	30 x Cj 1080 x Pal	0,90 x Cj 32,40 x Pal	17,67 x Cj 636,34 x Pal
URBAN LINE NICKEL	30x10x0,8 cm 3 15/16"x11 3/4"x3/8"	100153508 L244005461	G-506	30 x Cj 1080 x Pal	0,90 x Cj 32,40 x Pal	17,67 x Cj 636,34 x Pal
URBAN LINE ZINC	30x10x0,8 cm 3 15/16"x11 3/4"x3/8"	100153510 L244005441	G-506	30 x Cj 1080 x Pal	0,90 x Cj 32,40 x Pal	17,67 x Cj 636,34 x Pal
URBAN LINE COPPER	30x10x0,8 cm 3 15/16"x11 3/4"x3/8"	100153505 L244005451	G-506	30 x Cj 1080 x Pal	0,90 x Cj 32,40 x Pal	17,67 x Cj 636,34 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk special white
Wet areas: epotech

URBAN RETRO IRON

6x24x0,8cm - 2 3/8"x9 7/16"x3/8"
100156148 - L244005701 - G-502



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk special nacaré
Wet areas: epotech

URBAN RETRO LEAD

6x24x0,8cm - 2 3/8"x9 7/16"x3/8"
100156149 - L244005711 - G-502



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk special nacaré
Wet areas: epotech

URBAN RETRO SILVER

6x24x0,8cm - 2 3/8"x9 7/16"x3/8"
100156171 - L244005671 - G-502



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk special nacaré
Wet areas: epotech

URBAN RETRO NICKEL

6x24x0,8cm - 2 3/8"x9 7/16"x3/8"
100156170 - L244005681 - G-502



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk special dark
Wet areas: epotech

URBAN RETRO ZINC

6x24x0,8cm - 2 3/8"x9 7/16"x3/8"
100156172 - L244005691 - G-502



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk special dark
Wet areas: epotech

URBAN RETRO COPPER

6x24x0,8cm - 2 3/8"x9 7/16"x3/8"
100156147 - L244005661 - G-502



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
URBAN RETRO IRON	6x24x0,8 cm 2 3/8"x9 7/16"x3/8"	100156148 L244005701	G-502	30 x Cj 1620 x Pal	0,43 x Cj 23,32 x Pal	8,16 x Cj 440,64 x Pal
URBAN RETRO LEAD	6x24x0,8 cm 2 3/8"x9 7/16"x3/8"	100156149 L244005711	G-502	30 x Cj 1620 x Pal	0,43 x Cj 23,32 x Pal	8,16 x Cj 440,64 x Pal
URBAN RETRO SILVER	6x24x0,8 cm 2 3/8"x9 7/16"x3/8"	100156171 L244005671	G-502	30 x Cj 1620 x Pal	0,43 x Cj 23,32 x Pal	8,16 x Cj 440,64 x Pal
URBAN RETRO NICKEL	6x24x0,8 cm 2 3/8"x9 7/16"x3/8"	100156170 L244005681	G-502	30 x Cj 1620 x Pal	0,43 x Cj 23,32 x Pal	8,16 x Cj 440,64 x Pal
URBAN RETRO ZINC	6x24x0,8 cm 2 3/8"x9 7/16"x3/8"	100156172 L244005691	G-502	30 x Cj 1620 x Pal	0,43 x Cj 23,32 x Pal	8,16 x Cj 440,64 x Pal
URBAN RETRO COPPER	6x24x0,8 cm 2 3/8"x9 7/16"x3/8"	100156147 L244005661	G-502	30 x Cj 1620 x Pal	0,43 x Cj 23,32 x Pal	8,16 x Cj 440,64 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butch: colorstuk special dark
Wet areas: epotech

URBAN BLACK

7,5x30x0,8cm - 3"x11 3/4"x3/8"
100102713 - L241701941 - G-108

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk special nacaré
Wet areas: epotech

URBAN BLACK FROST

7,5x30x0,8cm - 3"x11 3/4"x3/8"
100102714 - L241701961 - G-108

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk special dark
Wet areas: epotech

URBAN MINI STRIP BLACK

27,8x30,8x0,8cm - 11"x12 1/8"x3/8"
100146078 - L241710311 - G-512

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk special nacaré
Wet areas: epotech

URBAN GREY

7,5x30x0,8cm - 3"x11 3/4"x3/8"
100102717 - L241701951 - G-108

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk special nacaré
Wet areas: epotech

URBAN GREY FROST

7,5x30x0,8cm - 3"x11 3/4"x3/8"
100102718 - L241701991 - G-108

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk special nacaré
Wet areas: epotech

URBAN MINI STRIP GREY

27,8x30,8x0,8cm - 11"x12 1/8"x3/8"
100146080 - L241710321 - G-512

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
URBAN BLACK	7,5x30x0,8 cm 3"x11 3/4"x3/8"	100102713 L241701941	G-108	10 x Cj 1920 x Pal	0,23 x Cj 43,20 x Pal	4,66 x Cj 894,72 x Pal
URBAN BLACK FROST	7,5x30x0,8 cm 3"x11 3/4"x3/8"	100102714 L241701961	G-108	10 x Cj 1920 x Pal	0,23 x Cj 43,20 x Pal	4,66 x Cj 894,72 x Pal
URBAN MINI STRIP BLACK	27,8x30,8x0,8 cm 11"x12 1/8"x3/8"	100146078 L241710311	G-512	10 x Cj 540 x Pal	0,84 x Cj 45,36 x Pal	13,48 x Cj 727,92 x Pal
URBAN GREY	7,5x30x0,8 cm 3"x11 3/4"x3/8"	100102717 L241701951	G-108	10 x Cj 1920 x Pal	0,23 x Cj 43,20 x Pal	4,66 x Cj 894,72 x Pal
URBAN GREY FROST	7,5x30x0,8 cm 3"x11 3/4"x3/8"	100102718 L241701991	G-108	10 x Cj 1920 x Pal	0,23 x Cj 43,20 x Pal	4,66 x Cj 894,72 x Pal
URBAN MINI STRIP GREY	27,8x30,8x0,8 cm 11"x12 1/8"x3/8"	100146080 L241710321	G-512	10 x Cj 540 x Pal	0,84 x Cj 45,36 x Pal	13,48 x Cj 727,92 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butch: colorstuk special nacaré
Wet areas: epotech

URBAN CREAM

7,5x30x0,8cm - 3"x11 3/4"x3/8"
100102715 - L241701921 - G-108



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk special nacaré
Wet areas: epotech

URBAN CREAM FROST

7,5x30x0,8cm - 3"x11 3/4"x3/8"
100102716 - L241701971 - G-108



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk special nacaré
Wet areas: epotech

URBAN MINI STRIP CREAM


27,8x30,8x0,8cm - 11"x12 1/8"x3/8"
100146079 - L241710301 - G-512



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk special white
Wet areas: epotech

URBAN WHITE

7,5x30x0,8cm - 3"x11 3/4"x3/8"
100102719 - L241701981 - G-108



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk special white
Wet areas: epotech

URBAN WHITE FROST

7,5x30x0,8cm - 3"x11 3/4"x3/8"
100102720 - L241701931 - G-108



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk special white
Wet areas: epotech

URBAN MINI STRIP WHITE

27,8x30,8x0,8cm - 11"x12 1/8"x3/8"
100146081 - L241710331 - G-514



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
URBAN CREAM	7,5x30x0,8 cm 3"x11 3/4"x3/8"	100102715 L241701921	G-108	10 x Cj 1920 x Pal	0,23 x Cj 43,20 x Pal	4,66 x Cj 894,72 x Pal
URBAN CREAM FROST	7,5x30x0,8 cm 3"x11 3/4"x3/8"	100102716 L241701971	G-108	10 x Cj 1920 x Pal	0,23 x Cj 43,20 x Pal	4,66 x Cj 894,72 x Pal
URBAN MINI STRIP CREAM	27,8x30,8x0,8 cm 11"x12 1/8"x3/8"	100146079 L241710301	G-512	10 x Cj 540 x Pal	0,84 x Cj 45,36 x Pal	13,48 x Cj 727,92 x Pal
URBAN WHITE	7,5x30x0,8 cm 3"x11 3/4"x3/8"	100102719 L241701981	G-108	10 x Cj 1920 x Pal	0,23 x Cj 43,20 x Pal	4,66 x Cj 894,72 x Pal
URBAN WHITE FROST	7,5x30x0,8 cm 3"x11 3/4"x3/8"	100102720 L241701931	G-108	10 x Cj 1920 x Pal	0,23 x Cj 43,20 x Pal	4,66 x Cj 894,72 x Pal
URBAN MINI STRIP WHITE	27,8x30,8x0,8 cm 11"x12 1/8"x3/8"	100146081 L241710331	G-514	10 x Cj 540 x Pal	0,84 x Cj 45,36 x Pal	13,48 x Cj 727,92 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk special white
Wet areas: epotech

ARMOUR WHITE
2,7x2,7cm - 1 1/8"x1 1/8"
30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100112119 - L244001131 - G-512



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk special brown
Wet areas: epotech

ARMOUR CARAMEL
2,7x2,7cm - 1 1/8"x1 1/8"
30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100112118 - L244001111 - G-512



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk special dark
Wet areas: epotech

ARMOUR BLACK
2,7x2,7cm - 1 1/8"x1 1/8"
30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100112117 - L244001061 - G-512



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Wall Coverings: Armour Caramel (2,7) 30x30x0,8 cm, Montecarlo Beige (Porcelanosa).

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ARMOUR WHITE (2,7)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100112119 L244001131	G-512	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	17,38 x Cj 938,52 x Pal
ARMOUR CARAMEL (2,7)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100112118 L244001111	G-512	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	17,38 x Cj 938,52 x Pal
ARMOUR BLACK (2,7)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100112117 L244001061	G-512	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	17,38 x Cj 938,52 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk special white
Wet areas: epotech

STARK WHITE
1,4x4,7cm - 1/2"x1 7/8"
29,7x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100112133 - L244001071 - G-512



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk special nacaré
Wet areas: epotech

STARK GREY
1,4x4,7cm - 1/2"x1 7/8"
29,7x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100112132 - L244001051 - G-512



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk special dark
Wet areas: epotech

STARK BLACK
1,4x4,7cm - 1/2"x1 7/8"
29,7x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100112131 - L244001041 - G-512



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Wall Coverings: Stark White (1,4x4,7) 29,7x30x0,8 cm, Ruggine Aluminio (Venis).

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
STARK WHITE (1,4x4,7)	29,7x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100112133 L244001071	G-512	11 x Cj 594 x Pal	0,98 x Cj 52,93 x Pal	16,85 x Cj 910,01 x Pal
STARK GREY (1,4x4,7)	29,7x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100112132 L244001051	G-512	11 x Cj 594 x Pal	0,98 x Cj 52,93 x Pal	16,85 x Cj 910,01 x Pal
STARK BLACK (1,4x4,7)	29,7x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100112131 L244001041	G-512	11 x Cj 594 x Pal	0,98 x Cj 52,93 x Pal	16,85 x Cj 910,01 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butch: colorstuk 0-4 blanco
Wet areas: epotech

ARABIA SILVER

1,5x1,5cm - 5/8"x5/8"


29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"
100092712 - L244000511 - G-522



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk 0-4 blanco
Wet areas: epotech

ARABIA MIX BLUE SILVER

1,5x1,5cm - 5/8"x5/8"

29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"
100092710 - L244000521 - G-522



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk 0-4 blanco
Wet areas: epotech

ARABIA MIX BROWN GOLD

1,5x1,5cm - 5/8"x5/8"

29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"
100092711 - L244000551 - G-522



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk 0-4 beige
Wet areas: epotech

ARABIA SUN

1,5x1,5cm - 5/8"x5/8"


29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"
100146007 - L241710181 - G-522



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk 0-4 cemento
Wet areas: epotech

ARABIA SHINE

1,5x1,5cm - 5/8"x5/8"


29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"
100146006 - L241710151 - G-522



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk 0-4 antracita
Wet areas: epotech

ARABIA ECLIPSE

1,5x1,5cm - 5/8"x5/8"

29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"
100146005 - L241710001 - G-522



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ARABIA SILVER (1,5)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100092712 L244000511	G-522	20 x Cj 1200 x Pal	1,74 x Cj 104,40 x Pal	13,76 x Cj 825,60 x Pal
ARABIA MIX BLUE SILVER (1,5)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100092710 L244000521	G-522	20 x Cj 1200 x Pal	1,74 x Cj 104,40 x Pal	13,76 x Cj 825,60 x Pal
ARABIA MIX BROWN GOLD (1,5)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100092711 L244000551	G-522	20 x Cj 1200 x Pal	1,74 x Cj 104,40 x Pal	13,76 x Cj 825,60 x Pal
ARABIA SUN (1,5)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100146007 L241710181	G-522	20 x Cj 1200 x Pal	1,74 x Cj 104,40 x Pal	13,76 x Cj 825,60 x Pal
ARABIA SHINE (1,5)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100146006 L241710151	G-522	20 x Cj 1200 x Pal	1,74 x Cj 104,40 x Pal	13,76 x Cj 825,60 x Pal
ARABIA ECLIPSE (1,5)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100146005 L241710001	G-522	20 x Cj 1200 x Pal	1,74 x Cj 104,40 x Pal	13,76 x Cj 825,60 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Buttech, colorstuk 0-4 blanco / bahama
Wet areas: epotech

ARABIA GOLD
1,5x1,5cm - 5/8"x5/8"
29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"
100092709 - L244000531 - G-522



USE RECOMMENDATIONS

- Indoor Floors
- Indoor Walls
- Shower Walls
- Light Traffic
- Outdoor Floors
- Outdoor Walls
- Shower Floors
- Medium Traffic
- Worktops
- Swimming-Pool Surrounds
- Pool / Spa
- High Traffic



Wall Coverings: Arabia Gold 29,5x29,5x0,4 cm, Yakarta Blanco (Porcelanosa).

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ARABIA GOLD (1,5)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100092709 L244000531	G-522	20 x Cj 1200 x Pal	1,74 x Cj 104,40 x Pal	13,76 x Cj 825,60 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk special dark
Wet areas: epotech

EVOKE BLACK

29,5x29,5x0,8 cm - 11 5/8"x11 5/8"x3/8"
100153512 - L241710871 - G-520



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk special brown
Wet areas: epotech

EVOKE BROWN

29,5x29,5x0,8 cm - 11 5/8"x11 5/8"x3/8"
100153513 - L241710891 - G-520



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk special vanilla
Wet areas: epotech

EVOKE CARAMEL

29,5x29,5x0,8 cm - 11 5/8"x11 5/8"x3/8"
100153514 - L241710881 - G-520



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk special nacré
Wet areas: epotech

EVOKE SILVER

29,5x29,5x0,8 cm - 11 5/8"x11 5/8"x3/8"
100153519 - L241710931 - G-520



GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Wall Coverings: Evoke Silver 29,5x29,5x0,8 cm.

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
EVOKE BLACK	29,5x29,5x0,8 cm 11 5/8"x11 5/8"x3/8"	100153512 L241710871	G-520	10 x Cj 360 x Pal	0,87 x Cj 31,32 x Pal	14,30 x Cj 514,80 x Pal
EVOKE BROWN	29,5x29,5x0,8 cm 11 5/8"x11 5/8"x3/8"	100153513 L241710891	G-520	10 x Cj 360 x Pal	0,87 x Cj 31,32 x Pal	14,30 x Cj 514,80 x Pal
EVOKE CARAMEL	29,5x29,5x0,8 cm 11 5/8"x11 5/8"x3/8"	100153514 L241710881	G-520	10 x Cj 360 x Pal	0,87 x Cj 31,32 x Pal	14,30 x Cj 514,80 x Pal
EVOKE SILVER	29,5x29,5x0,8 cm 11 5/8"x11 5/8"x3/8"	100153519 L241710931	G-520	10 x Cj 360 x Pal	0,87 x Cj 31,32 x Pal	14,30 x Cj 514,80 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk special dark
Wet areas: epotech

EVOKE FORM BLACK

25,7x14,8x0,95cm - 10 1/8"x5 13/16"x3/8"
100153515 - L241710911 - G-507



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk special brown
Wet areas: epotech

EVOKE FORM BROWN

25,7x14,8x0,95cm - 10 1/8"x5 13/16"x3/8"
100153516 - L241710941 - G-507



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk special vanilla
Wet areas: epotech


EVOKE FORM CARMEL

25,7x14,8x0,95cm - 10 1/8"x5 13/16"x3/8"
100153517 - L241710921 - G-507



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk special nacaré
Wet areas: epotech

EVOKE FORM SILVER

25,7x14,8x0,95cm - 10 1/8"x5 13/16"x3/8"
100153518 - L241710901 - G-507



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Wall Coverings: Evoke Form Silver 25,7x14,8x0,95 cm.

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
EVOKE FORM BLACK	25,7x14,8x0,95 cm 10 1/8"x5 13/16"x3/8"	100153515 L241710911	G-507	20 x Cj 720 x Pal	0,76 x Cj 27,38 x Pal	15,80 x Cj 568,80 x Pal
EVOKE FORM BROWN	25,7x14,8x0,95 cm 10 1/8"x5 13/16"x3/8"	100153516 L241710941	G-507	20 x Cj 720 x Pal	0,76 x Cj 27,38 x Pal	15,80 x Cj 568,80 x Pal
EVOKE FORM CARMEL	25,7x14,8x0,95 cm 10 1/8"x5 13/16"x3/8"	100153517 L241710921	G-507	20 x Cj 720 x Pal	0,76 x Cj 27,38 x Pal	15,80 x Cj 568,80 x Pal
EVOKE FORM SILVER	25,7x14,8x0,95 cm 10 1/8"x5 13/16"x3/8"	100153518 L241710901	G-507	20 x Cj 720 x Pal	0,76 x Cj 27,38 x Pal	15,80 x Cj 568,80 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butch: colorstuk special dark
Wet areas: epotech

HARMONY ARROW COLTAN

25,8x28,4x0,8 cm - 11 9/16"x11 3/4"x3/8"
100153521 - L241710711 - G-518



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk special vanilla
Wet areas: epotech

HARMONY ARROW GOLD

25,8x28,4x0,8 cm - 11 9/16"x11 3/4"x3/8"
100153522 - L241710721 - G-518



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk special nacaré
Wet areas: epotech

HARMONY ARROW SILVER

25,8x28,4x0,8 cm - 11 9/16"x11 3/4"x3/8"
100153523 - L241710701 - G-518



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Wall Coverings: Harmony Arrow Coltan 25,8x28,4x0,8 cm.

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
HARMONY ARROW COLTAN	25,8x28,4x0,8 cm	100153521	G-518	11 x Cj	0,80 x Cj	13,20 x Cj
	10 3/16"x11 3/16"x3/8"	L241710711		528 x Pal	38,68 x Pal	633,60 x Pal
HARMONY ARROW GOLD	25,8x28,4x0,8 cm	100153522	G-518	11 x Cj	0,80 x Cj	13,20 x Cj
	10 3/16"x11 3/16"x3/8"	L241710721		528 x Pal	38,68 x Pal	633,60 x Pal
HARMONY ARROW SILVER	25,8x28,4x0,8 cm	100153523	G-518	11 x Cj	0,80 x Cj	13,20 x Cj
	10 3/16"x11 3/16"x3/8"	L241710701		528 x Pal	38,68 x Pal	633,60 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech; colorstuk special dark
Wet areas: epotech

HARMONY STRIP COLTAN

29,4x30x0,8cm - 11 9/16"x11 3/4"x3/8"
100153524 - L241710771 - G-522



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech; colorstuk special vanilla
Wet areas: epotech

HARMONY STRIP GOLD

29,4x30x0,8cm - 11 9/16"x11 3/4"x3/8"
100153525 - L241710741 - G-522



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech; colorstuk special nacaré
Wet areas: epotech

HARMONY STRIP SILVER

29,4x30x0,8cm - 11 9/16"x11 3/4"x3/8"
100153526 - L241710731- G-522



USE RECOMMENDATIONS


Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Wall Coverings: Harmony Strip Coltan 29,4x30x0,8 cm.

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
HARMONY STRIP COLTAN	29,4x30x0,8 cm 11 9/16"x11 3/4"x3/8"	100153524 L241710771	G-522	11 x Cj 528 x Pal	0,97 x Cj 46,56 x Pal	16,50 x Cj 792 x Pal
HARMONY STRIP GOLD	29,4x30x0,8 cm 11 9/16"x11 3/4"x3/8"	100153525 L241710741	G-522	11 x Cj 528 x Pal	0,97 x Cj 46,56 x Pal	16,50 x Cj 792 x Pal
HARMONY STRIP SILVER	29,4x30x0,8 cm 11 9/16"x11 3/4"x3/8"	100153526 L241710731	G-522	11 x Cj 528 x Pal	0,97 x Cj 46,56 x Pal	16,50 x Cj 792 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk 0-4 blanco / bahama
Wet areas: epotech

GOLD**1x1cm - 3/8"x3/8"**

32,7x32,7x0,4cm - 12 7/8"x 12 7/8"x1/8"

100081227 - L242816551 - G-189

**GLASS
GOLD****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 blanco / bahama
Wet areas: epotech


GOLD WAVY**1x1cm - 3/8"x3/8"**

32,7x32,7x0,4cm - 12 7/8"x 12 7/8"x1/8"

100081225 - L242816541 - G-189

**GLASS
GOLD****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 blanco / bahama
Wet areas: epotech

GOLD**2,3x2,3cm - 7/8"x7/8"**

32,7x32,7x0,4cm - 12 7/8"x 12 7/8"x1/8"

100032021 - L242816111 - G-189

**GLASS
GOLD****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 blanco / bahama
Wet areas: epotech

GOLD WAVY**2,3x2,3cm - 7/8"x7/8"**

32,7x32,7x0,4cm - 12 7/8"x 12 7/8"x1/8"

100081226 - L242816561 - G-189

**GLASS
GOLD****USE RECOMMENDATIONS**


Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Wall Coverings: Gold Wavy (2,3) 32,7x32,7x0,4 cm, Gold (2,3) 32,7x32,7x0,4 cm.

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
GOLD (1)	32,7x32,7x0,4 cm 12 7/8"x 12 7/8"x1/8"	100081227 L242816551	G-189	17 x Cj 1020 x Pal	1,82 x Cj 109,07 x Pal	12,75 x Cj 765 x Pal
GOLD WAVY (1)	32,7x32,7x0,4 cm 12 7/8"x 12 7/8"x1/8"	100081225 L242816541	G-189	17 x Cj 1020 x Pal	1,82 x Cj 109,07 x Pal	12,75 x Cj 765 x Pal
GOLD (2,3)	32,7x32,7x0,4 cm 12 7/8"x 12 7/8"x1/8"	100032021 L242816111	G-189	17 x Cj 1020 x Pal	1,82 x Cj 109,07 x Pal	12,75 x Cj 765 x Pal
GOLD WAVY (2,3)	32,7x32,7x0,4 cm 12 7/8"x 12 7/8"x1/8"	100081226 L242816561	G-189	17 x Cj 1020 x Pal	1,82 x Cj 109,07 x Pal	12,75 x Cj 765 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Buttech: colorstuk 0-4 blanco / gris
Wet areas: epotech


GOLD WHITE 1x1cm - 3/8"x3/8"

32,7x32,7x0,4cm - 12 7/8"x 12 7/8"x1/8"
100081222 - L242816531 - G-189



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Buttech: colorstuk 0-4 blanco / gris
Wet areas: epotech

GOLD WHITE WAVY 1x1cm - 3/8"x3/8"

32,7x32,7x0,4cm - 12 7/8"x 12 7/8"x1/8"
100081221 - L242816501 - G-189



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Buttech: colorstuk 0-4 blanco / gris
Wet areas: epotech


GOLD WHITE 2,3x2,3cm - 7/8"x7/8"

32,7x32,7x0,4cm - 12 7/8"x 12 7/8"x1/8"
100081223 - L242816511 - G-189



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Buttech: colorstuk 0-4 blanco / gris
Wet areas: epotech

GOLD WHITE WAVY 2,3x2,3cm - 7/8"x7/8"

32,7x32,7x0,4cm - 12 7/8"x 12 7/8"x1/8"
100081220 - L242816521 - G-189



USE RECOMMENDATIONS


Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Wall Coverings: Gold White (2,3) 32,7x32,7x0,4 cm.

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
GOLD WHITE (1)	32,7x32,7x0,4 cm 12 7/8" x 12 7/8"x1/8"	100081222 L242816531	G-189	17 x Cj 1020 x Pal	1,82 x Cj 109,07 x Pal	12,75 x Cj 765 x Pal
GOLD WHITE WAVY (1)	32,7x32,7x0,4 cm 12 7/8" x 12 7/8"x1/8"	100081221 L242816501	G-189	17 x Cj 1020 x Pal	1,82 x Cj 109,07 x Pal	12,75 x Cj 765 x Pal
GOLD WHITE (2,3)	32,7x32,7x0,4 cm 12 7/8" x 12 7/8"x1/8"	100081223 L242816511	G-189	17 x Cj 1020 x Pal	1,82 x Cj 109,07 x Pal	12,75 x Cj 765 x Pal
GOLD WHITE WAVY (2,3)	32,7x32,7x0,4 cm 12 7/8" x 12 7/8"x1/8"	100081220 L242816521	G-189	17 x Cj 1020 x Pal	1,82 x Cj 109,07 x Pal	12,75 x Cj 765 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk 0-4 blanco
Wet areas: epotech

DREAM SKY BLUE

1,4x1,4cm - 1/2"x1/2"


29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"
100135751 - L244004551 - G-517



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 gris
Wet areas: epotech

DREAM IVORY

1,4x1,4cm - 1/2"x1/2"


29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"
100135747 - L244004571 - G-522



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 blanco
Wet areas: epotech

DREAM JADE

1,4x1,4cm - 1/2"x1/2"


29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"
100135748 - L244004531 - G-517



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 gris
Wet areas: epotech

DREAM BLUE

1,4x1,4cm - 1/2"x1/2"


29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"
100135745 - L244004511 - G-517



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 gris
Wet areas: epotech

DREAM OLIVE

1,4x1,4cm - 1/2"x1/2"


29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"
100135749 - L244004521 - G-517



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 blanco
Wet areas: epotech

DREAM EMERALD

1,4x1,4cm - 1/2"x1/2"

29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"
100135746 - L244004561 - G-517




RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
DREAM SKY BLUE (1,4)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100135751 L244004551	G-517	22 x Cj 1188 x Pal	1,91 x Cj 103,38 x Pal	10,07 x Cj 921,89 x Pal
DREAM IVORY (1,4)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100135747 L244004571	G-522	22 x Cj 1188 x Pal	1,91 x Cj 103,38 x Pal	10,07 x Cj 921,89 x Pal
DREAM JADE (1,4)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100135748 L244004531	G-517	22 x Cj 1188 x Pal	1,91 x Cj 103,38 x Pal	10,07 x Cj 921,89 x Pal
DREAM BLUE (1,4)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100135745 L244004511	G-517	22 x Cj 1188 x Pal	1,91 x Cj 103,38 x Pal	10,07 x Cj 921,89 x Pal
DREAM OLIVE (1,4)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100135749 L244004521	G-517	22 x Cj 1188 x Pal	1,91 x Cj 103,38 x Pal	10,07 x Cj 921,89 x Pal
DREAM EMERALD (1,4)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100135746 L244004561	G-517	22 x Cj 1188 x Pal	1,91 x Cj 103,38 x Pal	10,07 x Cj 921,89 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk 0-4 blanco
Wet areas: epotech

DREAM RED

1,4x1,4cm - 1/2"x1/2"


29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"

100135750 - L244004631 - G-522



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 gris
Wet areas: epotech

DREAM ANTHRACITE

1,4x1,4cm - 1/2"x1/2"


29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"

100135744 - L244004501 - G-517



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 negro
Wet areas: epotech

DREAM MIX BLACKS

1,4x1,4cm - 1/2"x1/2"


29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"

100086101 - L244000251 - G-516



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 gris
Wet areas: epotech

DREAM GREY

1,4x1,4cm - 1/2"x1/2"


29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"

100153004 - L244005321 - G-509



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 blanco
Wet areas: epotech

DREAM MIX WHITES

1,4x1,4cm - 1/2"x1/2"

29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"

100086102 - L244000241 - G-511



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 blanco
Wet areas: epotech

DREAM WHITE

1,4x1,4cm - 1/2"x1/2"

29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"

100153005 - L244005331 - G-509



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
DREAM RED (1,4)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100135750 L244004631	G-522	22 x Cj 1188 x Pal	1,91 x Cj 103,38 x Pal	10,07 x Cj 921,89 x Pal
DREAM ANTHRACITE (1,4)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100135744 L244004501	G-517	22 x Cj 1188 x Pal	1,91 x Cj 103,38 x Pal	10,07 x Cj 921,89 x Pal
DREAM MIX BLACKS (1,4)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100086101 L244000251	G-516	20 x Cj 1200 x Pal	1,74 x Cj 104,43 x Pal	13,04 x Cj 782,40 x Pal
DREAM GREY (1,4)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100153004 L244005321	G-509	20 x Cj 1200 x Pal	1,74 x Cj 104,46 x Pal	15,52 x Cj 931,20 x Pal
DREAM MIX WHITES (1,4)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100086102 L244000241	G-511	20 x Cj 1200 x Pal	1,74 x Cj 104,43 x Pal	13,04 x Cj 782,40 x Pal
DREAM WHITE (1,4)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100153005 L244005331	G-509	20 x Cj 1200 x Pal	1,74 x Cj 104,46 x Pal	15,52 x Cj 931,20 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: **colorstuk 0-4 moka**
Wet areas: **epotech**

FASHION A COFFEE

2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153007 - L244005341 - G-520



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: **colorstuk 0-4 blanco**
Wet areas: **epotech**

FASHION A TOWN

2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153008 - L244005351 - G520



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: **colorstuk 0-4 gris**
Wet areas: **epotech**

FASHION B AQUA

2x2cm - 3/4"x3/4"


32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153009 - L244005131 - G-511



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: **colorstuk 0-4 blanco**
Wet areas: **epotech**

FASHION B BOTTLE

2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153010 - L244005141 - G-511



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: **colorstuk 0-4 gris**
Wet areas: **epotech**

FASHION B CITY

2x2cm - 3/4"x3/4"


32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153011 - L244005181 - G-511



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: **colorstuk 0-4 blanco**
Wet areas: **epotech**

FASHION B CLOUD

2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153012 - L244005161 - G-511




RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
FASHION A COFFEE (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153007 L244005341	G-520	20 x Cj 1200 x Pal	2,13 x Cj 128,34 x Pal	15,22 x Cj 913,20 x Pal
FASHION A TOWN (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153008 L244005351	G-520	20 x Cj 1200 x Pal	2,13 x Cj 128,34 x Pal	15,22 x Cj 913,20 x Pal
FASHION B AQUA (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153009 L244005131	G-511	20 x Cj 1200 x Pal	2,13 x Cj 128,34 x Pal	15,22 x Cj 913,20 x Pal
FASHION B BOTTLE (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153010 L244005141	G-511	20 x Cj 1200 x Pal	2,13 x Cj 128,34 x Pal	15,22 x Cj 913,20 x Pal
FASHION B CITY (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153011 L244005181	G-511	20 x Cj 1080 x Pal	2,13 x Cj 128,34 x Pal	15,22 x Cj 913,20 x Pal
FASHION B CLOUD (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153012 L244005161	G-511	20 x Cj 1200 x Pal	2,13 x Cj 128,34 x Pal	15,22 x Cj 913,20 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk 0-4 antracita
Wet areas: epotech

FASHION B GRASS 2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153013 - L244005221 - G-511



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 cemento
Wet areas: epotech

FASHION B STORM 2x2cm - 3/4"x3/4"


32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153014 - L244005191 - G-511



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 blanco
Wet areas: epotech

FASHION B WING 2x2cm - 3/4"x3/4"


32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153015 - L244005211 - G-511



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 moka
Wet areas: epotech

FASHION C BLACK 2x2cm - 3/4"x3/4"


32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153016 - L244005171 - G-501



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 gris
Wet areas: epotech

FASHION C BLUE 2x2cm - 3/4"x3/4"


32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153017 - L244005201 - G-501



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 cemento
Wet areas: epotech

FASHION C GRAY 2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153018 - L244005151 - G-501




RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
FASHION B GRASS (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153013 L244005221	G-511	20 x Cj 1200 x Pal	2,13 x Cj 128,34 x Pal	15,22 x Cj 913,20 x Pal
FASHION B STORM (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153014 L244005191	G-511	20 x Cj 1200 x Pal	2,13 x Cj 128,34 x Pal	15,22 x Cj 913,20 x Pal
FASHION B WING (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153015 L244005211	G-511	20 x Cj 1200 x Pal	2,13 x Cj 128,34 x Pal	15,22 x Cj 913,20 x Pal
FASHION C BLACK (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153016 L244005171	G-501	20 x Cj 1200 x Pal	2,13 x Cj 128,34 x Pal	15,22 x Cj 913,20 x Pal
FASHION C BLUE (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153017 L244005201	G-501	20 x Cj 1200 x Pal	2,13 x Cj 128,34 x Pal	15,22 x Cj 913,20 x Pal
FASHION C GRAY (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153018 L244005151	G-501	20 x Cj 1200 x Pal	2,13 x Cj 128,34 x Pal	15,22 x Cj 913,20 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk 0-4 gris
Wet areas: epotech

FASHION C JADE

2x2cm - 3/4"x3/4"


32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100152986 - L244005241 - G-501



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 manhattan
Wet areas: epotech

FASHION C MARINE

2x2cm - 3/4"x3/4"


32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100152987 - L244005231 - G-501



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 blanco
Wet areas: epotech

FASHION C WHITE

2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100152988 - L244005291 - G-501



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 marfil
Wet areas: epotech

FASHION MIX A GOLD WHITES

2x2cm - 3/4"x3/4"


32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100152989 - L244005261 - G-504



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 negro
Wet areas: epotech

FASHION MIX B+C BLACKS

2x2cm - 3/4"x3/4"


32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100081206 - L242816491 - G-511



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 antracita
Wet areas: epotech

FASHION MIX B+C RIVER

2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100081207 - L242816461 - G-508




RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
FASHION C JADE (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100152986 L244005241	G-501	20 x Cj 1200 x Pal	2,13 x Cj 128,34 x Pal	15,22 x Cj 913,20 x Pal
FASHION C MARINE (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100152987 L244005231	G-501	20 x Cj 1200 x Pal	2,13 x Cj 128,34 x Pal	15,22 x Cj 913,20 x Pal
FASHION C WHITE (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100152988 L244005291	G-501	20 x Cj 1200 x Pal	2,13 x Cj 128,34 x Pal	15,22 x Cj 913,20 x Pal
FASHION MIX A GOLD WHITES (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100152989 L244005261	G-504	20 x Cj 1200 x Pal	2,14 x Cj 128,34 x Pal	14,56 x Cj 873,60 x Pal
FASHION MIX B+C BLACKS (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100081206 L242816491	G-511	20 x Cj 1200 x Pal	2,14 x Cj 128,28 x Pal	15,80 x Cj 948 x Pal
FASHION MIX B+C RIVER (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100081207 L242816461	G-508	20 x Cj 1200 x Pal	2,14 x Cj 128,28 x Pal	15,80 x Cj 948 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butch: colorstuk 0-4 marfil
Wet areas: epotech

FASHION MIX B BLUES 2x2cm - 3/4"x3/4"


32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153020 - L244005271 - G-502



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk 0-4 marfil
Wet areas: epotech

FASHION MIX C ACUARIO 2x2cm - 3/4"x3/4"


32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153021 - L244005281 - G-501



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk 0-4 blanco
Wet areas: epotech

FASHION MIX C ATLANTIC 2x2cm - 3/4"x3/4"


32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153022 - L244005301 - G-501



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk 0-4 blanco
Wet areas: epotech

FASHION MIX C PACIFIC 2x2cm - 3/4"x3/4"


32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153023 - L244005311 - G-501



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk 0-4 blanco
Wet areas: epotech

FASHION MIX C WHITES 2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153024 - L244005251 - G-501



RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
FASHION MIX B BLUES (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153020 L244005271	G-502	20 x Cj 1200 x Pal	2,13 x Cj 128,34 x Pal	14,94 x Cj 896,40 x Pal
FASHION MIX C ACUARIO (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153021 L244005281	G-501	20 x Cj 1200 x Pal	2,14 x Cj 128,34 x Pal	14,68 x Cj 880,80 x Pal
FASHION MIX C ATLANTIC (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153022 L244005301	G-501	20 x Cj 1200 x Pal	2,14 x Cj 128,34 x Pal	14,68 x Cj 880,80 x Pal
FASHION MIX C PACIFIC (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153023 L244005311	G-501	20 x Cj 1200 x Pal	2,14 x Cj 128,34 x Pal	14,68 x Cj 880,80 x Pal
FASHION MIX C WHITES (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153024 L244005251	G-501	20 x Cj 1200 x Pal	2,14 x Cj 128,34 x Pal	14,52 x Cj 871,20 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.





ATELIER

FLORAL
CAMPIÑA
WHITE MOSAICS
GREY MOSAICS
BLACK MOSAICS

Wall Coverings: Floral Atelier Grey



Board recommends Butech: colorstuk rapid cemento
Wet areas: epotech

ATELIER FLORAL GREYS

30x30x1 cm - 11 3/4"x11 3/4"x3/8"
100156315 - L241711821 - G-843



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid cemento
Wet areas: epotech

ATELIER FLORAL CREAMS

30x30x1 cm - 11 3/4"x11 3/4"x3/8"
100156314 - L241711831 - G-843



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid cemento
Wet areas: epotech

ATELIER FLORAL BROWNS

30x30x1 cm - 11 3/4"x11 3/4"x3/8"
100156313 - L241711841 - G-843



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Wall Coverings: Atelier Floral Browns 30x30x1 cm.

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER FLORAL GREYS	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100156315 L241711821	G-843	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	18,63 x Cj 670,68 x Pal
ATELIER FLORAL CREAMS	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100156314 L241711831	G-843	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	18,63 x Cj 670,68 x Pal
ATELIER FLORAL BROWNS	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100156313 L241711841	G-843	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	18,63 x Cj 670,68 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech; colorstuk rapid cemento
Wet areas: epotech

ATELIER CAMPIÑA GREYS

30x30x1 cm - 11 3/4"x11 3/4"x3/8"
100156312 - L241711871 - G-830



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech; colorstuk rapid cemento
Wet areas: epotech

ATELIER CAMPIÑA CREAMS

30x30x1 cm - 11 3/4"x11 3/4"x3/8"
100156311 - L241711851 - G-830



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech; colorstuk rapid cemento
Wet areas: epotech


ATELIER CAMPIÑA BROWNS

30x30x1 cm - 11 3/4"x11 3/4"x3/8"
100156310 - L241711861 - G-830



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Wall Coverings: Atelier Campiña Greys 30x30x1 cm.

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER CAMPIÑA GREYS	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100156312 L241711871	G-830	8 x Cj 288 x Pal	0,72 x Cj 25,92 x Pal	14,90 x Cj 536,54 x Pal
ATELIER CAMPIÑA CREAMS	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100156311 L241711851	G-830	8 x Cj 288 x Pal	0,72 x Cj 25,92 x Pal	14,90 x Cj 536,54 x Pal
ATELIER CAMPIÑA BROWNS	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100156310 L241711861	G-830	8 x Cj 288 x Pal	0,72 x Cj 25,92 x Pal	14,90 x Cj 536,54 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Board recommends Butech: **epotech crystal****ATELIER ORGANIC WHITE**30,9x30,9x0,5cm - 12 1/8"x12 1/8"x1/4"
100156965 - L244005971 - G-828**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: **epotech crystal****ATELIER FLORAL WHITE***Pedido especial - Special order*
G-843**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER ORGANIC WHITE	30,9x30,9x0,5 cm 12 1/8"x12 1/8"x1/4"	100156965 L244005971	G-828	3 Módulo x Cj 108 Módulo x Pal	1,14 x Cj 41,25 x Pal	9,31 x Cj 335,23 x Pal
ATELIER FLORAL WHITE	-	Pedido especial Special order	G-843	-	-	-

***NOTE:** These photos show an example composition of various models.
Each module contains several pieces depending on the model. Minimum order of one box.
Atelier Floral White is made to order with a drawing, and can be adapted to the measures given.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: **epotech crystal**

ATELIER INTUITION WHITE

30,3x28,7x0,5cm - 11 7/8"x11 1/4"x1/4"
100156972 - L244005861 - G-826



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: **epotech crystal**

ATELIER NOVEAU WHITE

29,4x27,7x0,5cm - 11 5/8"x10 7/8"x1/4"
100156962 - L244005961 - G-830




USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER INTUITION WHITE	30,3x28,7x0,5 cm 11 7/8"x11 1/4"x1/4"	100156972 L244005861	G-826	1 Módulo x Cj 36 Módulo x Pal	0,78 x Cj 28,17 x Pal	6,98 x Cj 251,42 x Pal
ATELIER NOVEAU WHITE	29,4x27,6x0,5 cm 11 5/8"x10 7/8"x1/4"	100156962 L244005961	G-830	2 Módulo x Cj 72 Módulo x Pal	0,97 x Cj 35,05 x Pal	9,31 x Cj 335,23 x Pal

***NOTE:** These photos show an example composition of various models.
Each module contains several pieces depending on the model. Minimum order of one box.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: *epotech crystal*

ATELIER GLAMOUR WHITE

30,4x30,4x0,5cm - 12"x12"x1/4"
100156956 - L244005831 - G-824



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: *epotech crystal*

ATELIER CODE WHITE

30,4x30,4x0,5cm - 12"x12"x1/4"
100156953 - L244005821 - G-836



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER GLAMOUR WHITE	30,4x30,4x0,5 cm 12"x12"x1/4"	100156956 L244005831	G-824	1 Módulo x Cj 36 Módulo x Pal	1,11 x Cj 39,92 x Pal	9,31 x Cj 335,23 x Pal
ATELIER CODE WHITE	30,4x30,4x0,5 cm 12"x12"x1/4"	100156953 L244005821	G-836	3 Módulo x Cj 108 Módulo x Pal	1,11 x Cj 39,92 x Pal	9,31 x Cj 335,23 x Pal

***NOTE:** These photos show an example composition of various models.
Each module contains several pieces depending on the model. Minimum order of one box.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: **epotech crystal**


ATELIER GRADIENT WHITE

29,4x27,6x0,5cm - 11 5/8"x10 7/8"x1/4"
100156959 - L244006021 - G-835



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: **epotech crystal**

ATELIER MINIMAL LIGHT WHITE

30,4x30,4x0,5cm - 12"x12"x1/4"
100156978 - L244005921 - G-835




USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER GRADIENT WHITE	29,4x27,6x0,5 cm 11 5/8"x10 7/8"x1/4"	100156959 L244006021	G-835	1 Módulo x Cj 36 Módulo x Pal	0,65 x Cj 23,37 x Pal	6,29 x Cj 223,48 x Pal
ATELIER MINIMAL LIGHT WHITE	30,4x30,4x0,5 cm 12"x12"x1/4"	100156978 L244005921	G-835	13 Módulo x Cj 468 Módulo x Pal	1,20 x Cj 43,25 x Pal	10,09 x Cj 363,17 x Pal

***NOTE:** These photos show an example composition of various models.
Each module contains several pieces depending on the model. Minimum order of one box.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: *epotech crystal*

ATELIER MINIMAL DARK
WHITE

30,4x30,4x0,5cm - 12"x12"x1/4"

100156975 - L244005901- G-835



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: *epotech crystal*

ATELIER ORGANIC GREY

30,9x30,9x0,5cm - 12 1/8"x12 1/8"x1/4"

100156964 - L244005951 - G-828



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER MINIMAL DARK WHITE	30,4x30,4x0,5 cm 12"x12"x1/4"	100156975 L244005901	G-835	13 Módulo x Cj 468 Módulo x Pal	1,20 x Cj 43,25 x Pal	10,09 x Cj 363,17 x Pal
ATELIER ORGANIC GREY	30,9x30,9x0,5 cm 12 1/8"x12 1/8"x1/4"	100156964 L244005951	G-828	3 Módulo x Cj 108 Módulo x Pal	1,14 x Cj 41,25 x Pal	9,31 x Cj 335,23 x Pal

***NOTE:** These photos show an example composition of various models.
Each module contains several pieces depending on the model. Minimum order of one box.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: **epotech crystal**

ATELIER FLORAL GREY


Pedido especial - Special order
G-843



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: **epotech crystal**



ATELIER INTUITION GREY

30,3x30,3x0,5cm - 11 7/8"x11 7/8"x1/4"
100156971 - L244005841 - G-826




USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER FLORAL GREY	-	Pedido especial Special order	G-843	-	-	-
ATELIER INTUITION GREY	30,3x30,3x0,5 cm 11 7/8"x11 7/8"x1/4"	100156971 L244005841	G-826	1 Módulo x Cj 36 Módulo x Pal	0,78 x Cj 28,17 x Pal	6,98 x Cj 251,42 x Pal

***NOTE:** These photos show an example composition of various models.
Each module contains several pieces depending on the model. Minimum order of one box.
Atelier Floral Grey is made to order with a drawing, and can be adapted to the measures given.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: *epotech crystal*


ATELIER NOVEAU GREY

29,4x27,6x0,5cm - 11 5/8"x10 7/8"x1/4"
100156980 - L244005871 - G-830



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: *epotech crystal*

ATELIER GLAMOUR GREY

30,4x30,4x0,5cm - 12"x12"x1/4"
100156955 - L244005791 - G-824



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER NOVEAU GREY	29,4x27,6x0,5cm 11 5/8"x10 7/8"x1/4"	100156980 L244005871	G-830	2 Módulo x Cj 72 Módulo x Pal	0,97 x Cj 35,05 x Pal	9,31 x Cj 335,23 x Pal
ATELIER GLAMOUR GREY	30,4x30,4x0,5cm 12"x12"x1/4"	100156955 L244005791	G-824	1 Módulo x Cj 36 Módulo x Pal	1,11 x Cj 39,92 x Pal	9,31 x Cj 335,23 x Pal

***NOTE:** These photos show an example composition of various models.
Each module contains several pieces depending on the model. Minimum order of one box.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: **epotech crystal**

ATELIER CODE GREY

Módulo 60x60x0,5cm - 23 5/8"x23 5/8"x1/4"
100156952 - L244005801 - G-836



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: **epotech crystal**



ATELIER GRADIENT GREY

Módulo 30x240x0,5cm - 11 3/4"x94 1/2"x1/4"
100156958 - L244005811 - G-835




USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER CODE GREY	30,4x30,4x0,5 cm 12"x12"x1/4"	100156952 L244005801	G-836	3 Módulo x Cj 108 Módulo x Pal	1,11 x Cj 39,92 x Pal	9,31 x Cj 335,23 x Pal
ATELIER GRADIENT GREY	29,4x27,6x0,5 cm 11 5/8"x10 7/8"x1/4"	100156958 L244005811	G-835	1 Módulo x Cj 36 Módulo x Pal	0,65 x Cj 23,37 x Pal	6,20 x Cj 223,48 x Pal

***NOTE:** These photos show an example composition of various models.
Each module contains several pieces depending on the model. Minimum order of one box.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: *epotech crystal*


ATELIER MINIMAL LIGHT GREY

30,4x30,4x0,5cm - 12"x12"x1/4"
100156976 - L244005891 - G-835



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: *epotech crystal*

ATELIER MINIMAL DARK GREY

30,4x30,4x0,5cm - 12"x12"x1/4"
100156974 - L244005911 - G-835



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER MINIMAL LIGHT GREY	30,4x30,4x0,5 cm 12"x12"x1/4"	100156976 L244005891	G-835	13 Módulo x Cj 468 Módulo x Pal	1,20 x Cj 43,25 x Pal	10,09 x Pal 363,17 x Pal
ATELIER MINIMAL DARK GREY	30,4x30,4x0,5 cm 12"x12"x1/4"	100156974 L244005911	G-835	13 Módulo x Cj 468 Módulo x Pal	1,20 x Cj 43,25 x Pal	10,09 x Pal 363,17 x Pal

***NOTE:** These photos show an example composition of various models.
Each module contains several pieces depending on the model. Minimum order of one box.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: **epotech crystal**

ATELIER ORGANIC BLACK

30,9x30,9x0,5cm - 12 1/8"x12 1/8"x1/4"
100156963 - L244005941 - G-828



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: **epotech crystal**

ATELIER FLORAL BLACK

Pedido especial - Special order
G-850



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER ORGANIC BLACK	30,9x30,9x0,5 cm 12 1/8"x12 1/8"x1/4"	100156963 L244005941	G-828	3 Módulo x Cj 108 Módulo x Pal	1,14 x Cj 41,25 x Pal	9,31 x Cj 335,23 x Pal
ATELIER FLORAL BLACK	-	Pedido especial Special order	G-850	-	-	-

***NOTE:** These photos show an example composition of various models.
Each module contains several pieces depending on the model. Minimum order of one box.
Atelier Floral Black is made to order with a drawing, and can be adapted to the measures given.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: *epotech crystal*

ATELIER INTUITION BLACK

30,3x28,7x0,5cm - 11 7/8"x11 1/4"x1/4"
100156970 - L244005991 - G-826



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: *epotech crystal*

ATELIER NOVEAU BLACK

29,4x27,6x0,5 cmcm - 11 5/8"x10 7/8"x1/4"
100156979 - L244005881 - G-830



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER INTUITION BLACK	30,3x28,7x0,5 cm 11 7/8"x11 1/4"x1/4"	100156970 L244005991	G-826	1 Módulo x Cj 36 Módulo x Pal	0,78 x Cj 28,17 x Pal	6,98 x Cj 251,42 x Pal
ATELIER NOVEAU BLACK	29,4x27,6x0,5 cm 11 5/8"x10 7/8"x1/4"	100156979 L244005881	G-830	2 Módulo x Cj 72 Módulo x Pal	0,97 x Cj 35,05 x Pal	9,31 x Cj 335,23 x Pal

***NOTE:** These photos show an example composition of various models.
Each module contains several pieces depending on the model. Minimum order of one box.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: **epotech crystal**


ATELIER GLAMOUR BLACK

30,4x30,4x0,5cm - 12"x12"x1/4"
100156954 - L244005981 - G-824



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: **epotech crystal**

ATELIER CODE BLACK

30,4x30,4x0,5cm - 12"x12"x1/4"
100156951 - L244005981 - G-836




USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER GLAMOUR BLACK	30,4x30,4x0,5 cm 12"x12"x1/4"	100156954 L244005981	G-824	1 Módulo x Cj 36 Módulo x Pal	1,11 x Cj 39,92 x Pal	9,31 x Cj 335,23 x Pal
ATELIER CODE BLACK	30,4x30,4x0,5cm 12"x12"x1/4"	100156951 L244006001	G-836	3 Módulo x Cj 108 Módulo x Pal	1,11 x Cj 39,92 x Pal	9,31 x Cj 335,23 x Pal

***NOTE:** These photos show an example composition of various models.
Each module contains several pieces depending on the model. Minimum order of one box.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: *epotech crystal*

ATELIER GRADIENT BLACK

29,4x27,6x0,5cm - 11 5/8"x10 7/8"x1/4"
100156957 - L244006011 - G-835



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: *epotech crystal*

ATELIER MINIMAL LIGHT BLACK

30,4x30x4x0,5cm - 12"x12"x1/4"
100156977 - L244005931 - G-835




USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER GRADIENT BLACK	29,4x27,6x0,5 cm 11 5/8"x10 7/8"x1/4"	100156957 L244006011	G-835	1 Módulo x Cj 36 Módulo x Pal	0,64 x Cj 23,37 x Pal	6,21 x Cj 223,49 x Pal
ATELIER MINIMAL LIGH BLACK	30,4x30x4x0,5cm 12"x12"x1/4"	100156977 L244005931	G-835	13 Módulo x Cj 468 Módulo x Pal	1,20 x Cj 43,25 x Pal	10,09 x Cj 363,17 x Pal

***NOTE:** These photos show an example composition of various models.
Each module contains several pieces depending on the model. Minimum order of one box.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: **epotech crystal**

ATELIER MINIMAL DARK
BLACK

30,4x30x4x0,5cm - 12"x12"x1/4"

100156973 - L244005851 - G-835



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

NOOHN MOSAICS

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER MINIMAL DARK BLACK	30,4x30x4x0,5cm 12"x12"x1/4"	100156973 L244005851	G-835	13 Módulo x Cj 468 Módulo x Pal	1,20 x Cj 43,25 x Pal	10,09 x Cj 363,17 x Pal

***NOTE:** These photos show an example composition of various models.
Each module contains several pieces depending on the model. Minimum order of one box.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

NOOHN MOSAICS





NOOHN MIX MOSAICS

IMPERIA
TRIBAL
TECNO
MINI IRIS
TETRIS
ETERNITY
TREASURES
FUSION
TIME
ELEMENTS
RENAISSANCE

Wall Coverings: Eternity Mini Strip Cream 29,8x30,5x0,8 cm,
Montecarlo Beige (Venis).



Board recommends Butch: colorstuk rapid marfil
Wet areas: epotech

IMPERIA BROWN

1,5x1,5cm - 5/8"x5/8"


30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100092748 - L242521491 - G-518



SLATE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid marfil
Wet areas: epotech

IMPERIA CARAMEL

1,5x1,5cm - 5/8"x5/8"


30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100092749 - L242521501 - G-518



SLATE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid blanco
Wet areas: epotech

IMPERIA GREYS

1,5x1,5cm - 5/8"x5/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100092750 - L242521471 - G-516



ENAMELED SLATE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid blanco

IMPERIA LIMESTONE GOLD

1,5x1,5cm - 5/8"x5/8"


30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100092756 - L108012971 - G-525



ENAMELED TRAVERTINE
LIMESTONE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid marfil
Wet areas: epotech

IMPERIA MIX SILVER BLACKS

1,5x1,5cm - 5/8"x5/8"

30,1x30,1x0,8cm - 11 3/4"x11 3/4"x3/8"
100092751 - L244000561 - G-518



ENAMELED TRAVERTINE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid antracita
Wet areas: epotech

IMPERIA MIX SILVER BLUE BLACKS 1,5x1,5cm - 5/8"x5/8"

29.8x29.8x0,8cm - 11 3/4"x11 3/4"x3/8"
100097069 - L242521611 - G-518



SLATE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
IMPERIA BROWN (1,5)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100092748 L242521491	G-518	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	15,43 x Cj 833 x Pal
IMPERIA CARAMEL (1,5)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100092749 L242521501	G-518	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	15,43 x Cj 833 x Pal
IMPERIA GREYS (1,5)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100092750 L242521471	G-516	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	15,74 x Cj 850 x Pal
IMPERIA LIMESTONE GOLD (1,5)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100092756 L108012971	G-525	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	14,01 x Cj 756,76 x Pal
IMPERIA MIX SILVER BLACKS (1,5)	30,1x30,1x0,8 cm 11 3/4"x11 3/4"x3/8"	100092751 L244000561	G-518	11 x Cj 594 x Pal	0,99 x Cj 53,82 x Pal	15,72 x Cj 849 x Pal
IMPERIA MIX SILVER BLUE BLACKS (1,5)	29.8x29.8x0,8 cm 11 3/4"x11 3/4"x3/8"	100097069 L242521611	G-518	11 x Cj 594 x Pal	0,98 x Cj 52,75 x Pal	17,08 x Cj 922,48 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

IMPERIA MIX SILVER GREYS 1,5x1,5cm - 5/8"x5/8"

30,1x30,1x0,8cm - 11 3/4"x11 3/4"x3/8"
100092752 - L244000571 - G-518



ENAMELED TRAVERTINE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

IMPERIA MIX SILVER WHITE 1,5x1,5cm - 5/8"x5/8"

29.8x29.8x0,8cm - 11 3/4"x11 3/4"x3/8"
100097070 - L242521601 - G-518



MARBLE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid marfil
Wet areas: epotech

IMPERIA ONIX GOLDEN 1,5x1,5cm - 5/8"x5/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100092753 - L150901201 - G-516



ENAMELED TRAVERTINE
ONIX

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

IMPERIA WHITE 1,5x1,5cm - 5/8"x5/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100092754 - L242521481 - G-518



MARBLE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid antracita
Wet areas: epotech

IMPERIA NEPAL BRONZE 1,5x1,5cm - 5/8"x5/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100092757 - L108012981 - G-516



SLATE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid antracita
Wet areas: epotech

IMPERIA BHUTAN MIRROR 1,5x1,5cm - 5/8"x5/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100092747 - L108012951 - G-516



SLATE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
IMPERIA MIX SILVER GREYS (1,5)	30,1x30,1x0,8 cm 11 3/4"x11 3/4"x3/8"	100092752 L244000571	G-518	11 x Cj 594 x Pal	0,99 x Cj 53,82 x Pal	15,10 x Cj 815,56 x Pal
IMPERIA MIX SILVER WHITE (1,5)	29.8x29.8x0,8 cm 11 3/4"x11 3/4"x3/8"	100097070 L242521601	G-518	11 x Cj 594 x Pal	0,99 x Cj 52,75 x Pal	17,08 x Cj 922,48 x Pal
IMPERIA ONIX GOLDEN (1,5)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100092753 L150901201	G-516	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	15,59 x Cj 842 x Pal
IMPERIA WHITE (1,5)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100092754 L242521481	G-518	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	15,72 x Cj 849 x Pal
IMPERIA NEPAL BRONZE (1,5)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100092757 L108012981	G-516	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	16,44 x Cj 888 x Pal
IMPERIA BHUTAN MIRROR (1,5)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100092747 L108012951	G-516	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	15,85 x Cj 856 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk rapid antracita
Wet areas: epotech

IMPERIA BHUTAN BRONZE
1,5x1,5cm - 5/8"x5/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100092746 - L108012961 - G-516



SLATE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Wall Coverings: Imperia Bhutan Bronze (1,5) 30x30x0,8 cm, Tibet Black (Porcelanosa).

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
IMPERIA BHUTAN BRONZE (1,5)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100092746 L108012961	G-516	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	16,31 x Cj 881 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk special brown
Wet areas: epotech

TRIBAL PEARL BLACK
1x2 cm - 3/8"x3/4"

28,6x28,3x0,8cm - 11 1/4"x11 1/8"x3/8"
100112135 - L244001091 - G-522



GLASS - MOTHER OF PEARL
MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk special moka
Wet areas: epotech

TRIBAL PEARL BROWN
1x2 cm - 3/8"x3/4"

28,6x28,3x0,8cm - 11 1/4"x11 1/8"x3/8"
100112136 - L244001141 - G-522



GLASS - MOTHER OF PEARL
MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk special nacare
Wet areas: epotech

TRIBAL PEARL WHITE
1x2 cm - 3/8"x3/4"

28,6x28,3x0,8cm - 11 1/4"x11 1/8"x3/8"
100112137 - L244001101 - G-523



GLASS - MOTHER OF PEARL
MARBLE

USE RECOMMENDATIONS


Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Wall Coverings: Tribal Pearl Brown (1x2) 28,6x28,3x0,8 cm, Shine Dark (Venis).

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
TRIBAL PEARL BLACK (1X2)	28,6x28,3x0,8 cm 11 1/4"x11 1/8"x3/8"	100112135 L244001091	G-522	12 x Cj 576 x Pal	0,97 x Cj 46,62 x Pal	13,66 x Cj 655,49 x Pal
TRIBAL PEARL BROWN (1X2)	28,6x28,3x0,8 cm 11 1/4"x11 1/8"x3/8"	100112136 L244001141	G-522	12 x Cj 576 x Pal	0,97 x Cj 46,62 x Pal	13,66 x Cj 655,49 x Pal
TRIBAL PEARL WHITE (1X2)	28,6x28,3x0,8 cm 11 1/4"x11 1/8"x3/8"	100112137 L244001101	G-523	12 x Cj 576 x Pal	0,97 x Cj 46,62 x Pal	13,66 x Cj 655,49 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk rapid antracita
Wet areas: epotech

TECNO BHUTAN SILVER GLASS 2,3x2,3cm - 7/8"x7/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100092759 - L242521531 - G-518



GLASS
SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Piscina / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid bahama
Wet areas: epotech

TECNO NEPAL GOLDEN GLASS 2,3x2,3cm - 7/8"x7/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100092762 - L242521521 - G-518



GLASS
SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

TECNO LINEAR SILVER WHITE

29,8x30,5x0,8cm - 12"x11 3/4"x3/8"
100097088 - L242521831 - G-517



GLASS
QUARTZITE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid antracita
Wet areas: epotech

TECNO BR. BHUTAN SILVER GLASS 2,3x7,3cm - 7/8"x2 7/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100092760 - L242521511 - G-518



GLASS
SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls*	Shower Floors	Piscina / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid gris
Wet areas: epotech

TECNO BR. NEPAL GOLDEN GLASS 2,3x7,3cm - 7/8"x2 7/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100092761 - L242521541 - G-518



GLASS
SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Piscina / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid gris
Wet areas: epotech

TECNO NEPAL DECOR 2,3x2,3cm - 7/8"x7/8"

29,8x29,8x0,8cm - 11 3/4"x11 3/4"x3/8"
100088511 - L108010901 - G-512




SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
TECNO BHUTAN SILVER GLASS (2,3)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100092759 L242521531	G-518	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	17,04 x Cj 920 x Pal
TECNO NEPAL GOLDEN GLASS (2,3)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100092762 L242521521	G-518	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	17,07 x Cj 922 x Pal
TECNO LINEAR SILVER WHITE	29,8x30,5x0,8 cm 12"x11 3/4"x3/8"	100097088 L242521831	G-517	1 x Cj 594 x Pal	17,38 x Cj 938,52 x Pal	15,91 x Cj 859 x Pal
TECNO BR. BHUTAN SILVER GLASS (2,3x7,3)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100092760 L242521511	G-518	11 x Cj 594 x Pal	0,87 x Cj 46,78 x Pal	15,96 x Cj 862 x Pal
TECNO BR. NEPAL GOLDEN GLASS (2,3x7,3)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100092761 L242521541	G-518	11 x Cj 594 x Pal	0,87 x Cj 46,78 x Pal	15,96 x Cj 862 x Pal
TECNO NEPAL DECOR (2,3)	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100088511 L108010901	G-512	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	14,06 x Cj 759,13 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butch: colorstuk rapid marfil
Wet areas: epotech

TECNO LINEAR BROWN CAPUCCINO

29,8x30,5x0,8cm - 12"x11 3/4"x3/8"
100097086 - L242521861 - G-517



GLASS
MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid marfil
Wet areas: epotech

TECNO LINEAR CREAM CAPUCCINO


29,8x30,5x0,8cm - 12"x11 3/4"x3/8"
100097090 - L242521841 - G-517



GLASS
MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid marfil
Wet areas: epotech

TECNO LINEAR CREAM HABANA

29,8x30,5x0,8cm - 12"x11 3/4"x3/8"
100097087 - L242521851 - G-517



GLASS
MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid beige
Wet areas: epotech

TECNO GLASS COUNTRY

2,1x2,1cm - 7/8"x7/8"
29,6x29,6x0,8cm - 11 5/8"x 11 5/8" x3/8"
100097093 - L242521741 - G-522



GLASS
ENAMELED SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid blanco
Wet areas: epotech

TECNO QUARZ EMERALD

2,1x2,1cm - 7/8"x7/8"
29,6x29,6x0,8cm - 11 5/8"x 11 5/8" x3/8"
100097095 - L242521731 - G-522



GLASS
QUARTZITE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid blanco
Wet areas: epotech

TECNO QUARZ MOUNTAIN

2,1x2,1cm - 7/8"x7/8"
29,6x29,6x0,8cm - 11 5/8"x 11 5/8" x3/8"
100097089 - L242521691 - G-519



GLASS
QUARTZITE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
TECNO LINEAR BROWN CAPUCCINO	29,8x30,5x0,8 cm 12"x11 3/4"x3/8"	100097086 L242521861	G-517	11 x Cj 594 x Pal	1 x Cj 53,99 x Pal	17,38 x Cj 938,52 x Pal
TECNO LINEAR CREAM CAPUCCINO	29,8x30,5x0,8 cm 12"x11 3/4"x3/8"	100097090 L242521841	G-517	11 x Cj 594 x Pal	1 x Cj 53,99 x Pal	17,38 x Cj 938,52 x Pal
TECNO LINEAR CREAM HABANA	29,8x30,5x0,8 cm 12"x11 3/4"x3/8"	100097087 L242521851	G-517	11 x Cj 594 x Pal	1 x Cj 53,99 x Pal	17,38 x Cj 938,52 x Pal
TECNO GLASS COUNTRY (2,1)	29,6x29,6x0,8 cm 11 5/8"x 11 5/8" x3/8"	100097093 L242521741	G-522	11 x Cj 594 x Pal	0,96 x Cj 52,04 x Pal	16,25 x Cj 877,34 x Pal
TECNO QUARZ EMERALD (2,1)	29,6x29,6x0,8 cm 11 5/8"x 11 5/8" x3/8"	100097095 L242521731	G-522	11 x Cj 594 x Pal	0,96 x Cj 52,04 x Pal	16,25 x Cj 877,34 x Pal
TECNO QUARZ MOUNTAIN (2,1)	29,6x29,6x0,8 cm 11 5/8"x 11 5/8" x3/8"	100097089 L242521691	G-519	11 x Cj 594 x Pal	0,96 x Cj 52,04 x Pal	16,25 x Cj 877,34 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk 0-4 blanco / marfil
Wet areas: epotech

MINI IRIS STONE CREAMS 1,6x1,6cm - 5/8"x5/8"


31,8x31,8x0,5cm - 12 1/2"x 12 1/2"x1/4"
100097109 - L244000751 - G-514



RECYCLED GLASS
MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 blanco / marfil
Wet areas: epotech

MINI IRIS STONE BROWNS 1,6x1,6cm - 5/8"x5/8"


31,8x31,8x0,5cm - 12 1/2"x 12 1/2"x1/4"
100097108 - L244000741 - G-514



RECYCLED GLASS
MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 blanco / marfil
Wet areas: epotech

MINI IRIS STONE GREYS 1,6x1,6cm - 5/8"x5/8"

31,8x31,8x0,5cm - 12 1/2"x 12 1/2"x1/4"
100097110 - L244000771 - G-514



RECYCLED GLASS
MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 blanco / marfil
Wet areas: epotech

MINI IRIS STONE WHITES 1,6x1,6cm - 5/8"x5/8"

31,8x31,8x0,5cm - 12 1/2"x 12 1/2"x1/4"
100097111 - L244000761 - G-514



RECYCLED GLASS
MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Wall Coverings: Mini Iris Stone Whites (1,6) 31,8x31,8x0,5 cm.

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
MINI IRIS STONE CREAMS (1,6)	31,8x31,8x0,5 cm 12 1/2"x 12 1/2"x1/4"	100097109 L244000751	G-514	10 x Cj 600 x Pal	1,01 x Cj 60,67 x Pal	11,04 x Cj 662,40 x Pal
MINI IRIS STONE BROWNS (1,6)	31,8x31,8x0,5 cm 12 1/2"x 12 1/2"x1/4"	100097108 L244000741	G-514	10 x Cj 600 x Pal	1,01 x Cj 60,67 x Pal	11,04 x Cj 662,40 x Pal
MINI IRIS STONE GREYS (1,6)	31,8x31,8x0,5 cm 12 1/2"x 12 1/2"x1/4"	100097110 L244000771	G-514	10 x Cj 600 x Pal	1,01 x Cj 60,67 x Pal	11,04 x Cj 662,40 x Pal
MINI IRIS STONE WHITES (1,6)	31,8x31,8x0,5 cm 12 1/2"x 12 1/2"x1/4"	100097111 L244000761	G-514	10 x Cj 600 x Pal	1,01 x Cj 60,67 x Pal	11,04 x Cj 662,40 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk rapid cemento
Wet areas: epotech

TETRIS BLACK

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100146071 - L241710011 - G-519



USE RECOMMENDATIONS

- Indoor Floors
- Outdoor Floors
- Worktops
- Indoor Walls
- Outdoor Walls
- Swimming-Pool Surrounds
- Shower Walls
- Shower Floors
- Pool / Spa
- Light Traffic
- Medium Traffic
- High Traffic



Board recommends Butech: colorstuk rapid gris
Wet areas: epotech

TETRIS GREY

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100146072 - L241710251 - G-519



USE RECOMMENDATIONS

- Indoor Floors
- Outdoor Floors
- Worktops
- Indoor Walls
- Outdoor Walls
- Swimming-Pool Surrounds
- Shower Walls
- Shower Floors
- Pool / Spa
- Light Traffic
- Medium Traffic
- High Traffic



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

TETRIS WHITE

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100146073 - L241710131 - G-519



USE RECOMMENDATIONS

- Indoor Floors
- Outdoor Floors
- Worktops
- Indoor Walls
- Outdoor Walls
- Swimming-Pool Surrounds
- Shower Walls
- Shower Floors
- Pool / Spa
- Light Traffic
- Medium Traffic
- High Traffic



Wall Coverings: Tetris Grey 30x30x0,8 cm.

Table with 7 columns: DESCRIPTION, FORMAT, CODE, GRUPO, PZ, M2, KG. Rows include TETRIS BLACK, TETRIS GREY, and TETRIS WHITE with their respective specifications.

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butch: colorstuk rapid marfil
Wet areas: epotech

ETERNITY CREAM 1,5x1,5cm - 5/8"x5/8"

29,7x29,7x0,8cm - 11 3/4"x 11 3/4"x3/8"
100097100 - L242521791 - G-522



GLASS
MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid marfil
Wet areas: epotech

ETERNITY EMPERADOR 1,5x1,5cm - 5/8"x5/8"


29,7x29,7x0,8cm - 11 3/4"x 11 3/4"x3/8"
100097101 - L242521811 - G-522



GLASS
MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid gris
Wet areas: epotech

ETERNITY GREY 1,5x1,5cm - 5/8"x5/8"

29,7x29,7x0,8cm - 11 3/4"x 11 3/4"x3/8"
100097102 - L242521771 - G-522



GLASS
MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid marfil
Wet areas: epotech

ETERNITY MINI STRIP CREAM

29,8x30,5x0,8 - 11 3/4"x 11 3/4"x3/8"
100097103 - L242521821 - G-522



GLASS
MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid marfil
Wet areas: epotech

ETERNITY MINI STRIP EMPERADOR

29,8x30,5x0,8 - 11 3/4"x 11 3/4"x3/8"
100097104 - L242521751 - G-522



GLASS
MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid gris
Wet areas: epotech

ETERNITY MINI STRIP GREY

29,8x30,5x0,8cm - 11 3/4"x 11 3/4"x3/8"
100097105 - L242521801 - G-522



GLASS
MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ETERNITY CREAM (1,5)	29,7x29,7x0,8 cm 11 3/4"x 11 3/4"x3/8"	100097100 L242521791	G-522	10 x Cj 600 x Pal	0,88 x Cj 52,92 x Pal	15,01 x Cj 900,60 x Pal
ETERNITY EMPERADOR (1,5)	29,7x29,7x0,8 cm 11 3/4"x 11 3/4"x3/8"	100097101 L242521811	G-522	10 x Cj 600 x Pal	0,88 x Cj 52,92 x Pal	15,01 x Cj 900,60 x Pal
ETERNITY GREY (1,5)	29,7x29,7x0,8 cm 11 3/4"x 11 3/4"x3/8"	100097102 L242521771	G-522	10 x Cj 600 x Pal	0,88 x Cj 52,92 x Pal	15,01 x Cj 900,60 x Pal
ETERNITY MINI STRIP CREAM	29,8x30,5x0,8 cm 11 3/4"x 11 3/4"x3/8"	100097103 L242521821	G-522	5 x Cj 360 x Pal	0,44 x Cj 31,75 x Pal	8,02 x Cj 577,44 x Pal
ETERNITY MINI STRIP EMPERADOR	29,8x30,5x0,8 cm 11 3/4"x 11 3/4"x3/8"	100097104 L242521751	G-522	5 x Cj 360 x Pal	0,44 x Cj 31,75 x Pal	8,02 x Cj 577,44 x Pal
ETERNITY MINI STRIP GREY	29,8x30,5x0,8 cm 11 3/4"x 11 3/4"x3/8"	100097105 L242521801	G-522	5 x Cj 360 x Pal	0,44 x Cj 31,75 x Pal	8,02 x Cj 577,44 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech; colorstuk rapid blanco
Wet areas: epotech

ETERNITY WHITE
1,5x1,5cm - 5/8"x5/8"

29,7x29,7x0,8cm - 11 3/4"x 11 3/4"x3/8"
100097107 - L242521781 - G-522



GLASS
MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech; colorstuk rapid blanco
Wet areas: epotech

ETERNITY MINI STRIP WHITE

29,8x30,5x0,8cm - 11 3/4"x 11 3/4"x3/8"
100097106 - L242521761 - G-522



GLASS
MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Wall Coverings: Eternity Grey (1,5) 29,7x29,7x0,8 cm, Ruggine Niquel (Venis).

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ETERNITY WHITE (1,5)	29,7x29,7x0,8 cm 11 3/4" x 11 3/4"x3/8"	100097107 L242521781	G-522	10 x Cj 600 x Pal	0,88 x Cj 52,92 x Pal	15,01 x Cj 900,60 x Pal
ETERNITY MINI STRIP WHITE	29,8x30,5x0,8 cm 11 3/4" x 11 3/4"x3/8"	100097106 L242521761	G-522	5 x Cj 360 x Pal	0,45 x Cj 32,72 x Pal	8,02 x Cj 577,44 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butch: colorstuk 0-4 moka
Wet areas: epotech

TREASURES BRONZ. EMPER. 1,5x1,5 cm - 5/8"x5/8"

30, 1x30, 1x0,8cm - 11 7/8"x11 7/8"x3/8"
100103970 - L244000941 - G-522



MARBLE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk 0-4 gris
Wet areas: epotech

TREASURES MIST SHANNAN 1,5x1,5 cm - 5/8"x5/8"


30, 1x30, 1x0,8cm - 11 7/8"x11 7/8"x3/8"
100103971 - L244000921 - G-522



QUARTZITE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk 0-4 cemento
Wet areas: epotech

TREASURES NUDE NEPAL 1,5x1,5 cm - 5/8"x5/8"

30, 1x30, 1x0,8cm - 11 7/8"x11 7/8"x3/8"
100103976 - L244000931 - G-522



SLATE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk 0-4 moka
Wet areas: epotech

TREASURES BRONZ. EMPER. 1,2x2cm - 1/2"x3/4"

29,8x30,6x0,8cm - 11 3/4"x12"x3/8"
100104001 - L242601681 - G-522



MARBLE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk 0-4 gris
Wet areas: epotech

TREASURES MIST SHANNAN 1,2x2cm - 1/2"x3/4"

29,8x30,6x0,8cm - 11 3/4"x12"x3/8"
100103974 - L242601671 - G-522



QUARTZITE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk 0-4 moka
Wet areas: epotech

TREASURES NUDE NEPAL 1,2x2cm - 1/2"x3/4"

29,8x30,6x0,8cm - 11 3/4"x12"x3/8"
100103975 - L242601661 - G-522




SLATE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
TREASURES BRONZ. EMPER. (1,5)	30, 1x30, 1x0,8 cm 11 7/8"x11 7/8"x3/8"	100103970 L244000941	G-522	11 x Cj 528 x Pal	1 x Cj 47,84 x Pal	16,15 x Cj 775 x Pal
TREASURES MIST SHANNAN (1,5)	30, 1x30, 1x0,8 cm 11 7/8"x11 7/8"x3/8"	100103971 L244000921	G-522	11 x Cj 528 x Pal	1 x Cj 47,84 x Pal	16,21 x Cj 778 x Pal
TREASURES NUDE NEPAL (1,5)	30, 1x30, 1x0,8 cm 11 7/8"x11 7/8"x3/8"	100103976 L244000931	G-522	11 x Cj 528 x Pal	1 x Cj 47,84 x Pal	16,33 x Cj 784 x Pal
TREASURES BRONZ. EMPER. (1,2X2)	29,8x30,6x0,8 cm 11 3/4"x12"x3/8"	100104001 L242601681	G-522	11 x Cj 528 x Pal	1 x Cj 48,15 x Pal	17,08 x Cj 819,98 x Pal
TREASURES MIST SHANNAN (1,2X2)	29,8x30,6x0,8 cm 11 3/4"x12"x3/8"	100103974 L242601671	G-522	11 x Cj 528 x Pal	1 x Cj 48,15 x Pal	17,08 x Cj 819,98 x Pal
TREASURES NUDE NEPAL (1,2X2)	29,8x30,6x0,8 cm 11 3/4"x12"x3/8"	100103975 L242601661	G-522	11 x Cj 528 x Pal	1 x Cj 48,15 x Pal	17,08 x Cj 819,98 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk 0-4 moka
Wet areas: epotech

TREASURES BRONZ. EMPER. STRIP

29,2x30,4x0,8cm - 11 1/2"x12"x3/8"
100104000 - L244000961 - G-522



MARBLE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 gris
Wet areas: epotech

TREASURES MIST SHANNAN STRIP

29,2x30,4x0,8cm - 11 1/2"x12"x3/8"
100103973 - L244000911 - G-522



QUARTZITE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 cemento
Wet areas: epotech

TREASURES NUDE NEPAL STRIP

29,2x30,4x0,8cm - 11 1/2"x12"x3/8"
100103978 - L244000951 - G-522



SLATE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 moka
Wet areas: epotech

TREASURES BRONZ. EMPER. MOON

19x29x0,8cm - 7 1/2"x11 3/8"x3/8"
100103999 - L240900091 - G-522



MARBLE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 gris
Wet areas: epotech

TREASURES MIST SHANNAN MOON

19x29x0,8cm - 7 1/2"x11 3/8"x3/8"
100103972 - L240900071 - G-522



QUARTZITE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 cemento
Wet areas: epotech

TREASURES NUDE NEPAL MOON

19x29x0,8cm - 7 1/2"x11 3/8"x3/8"
100103977 - L240900081 - G-522



SLATE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
TREASURES BRONZ. EMPER. STRIP	29,2x30,4x0,8 cm 11 1/2"x12"x3/8"	100104000 L244000961	G-522	11 x Cj 528 x Pal	0,98 x Cj 46,87 x Pal	17,64 x Cj 846,91 x Pal
TREASURES MIST SHANNAN STRIP	29,2x30,4x0,8 cm 11 1/2"x12"x3/8"	100103973 L244000911	G-522	11 x Cj 528 x Pal	0,98 x Cj 46,87 x Pal	17,64 x Cj 846,91 x Pal
TREASURES NUDE NEPAL STRIP	29,2x30,4x0,8 cm 11 1/2"x12"x3/8"	100103978 L244000951	G-522	11 x Cj 528 x Pal	0,98 x Cj 46,87 x Pal	17,64 x Cj 846,91 x Pal
TREASURES BRONZ. EMPER. MOON	19x29x0,8 cm 7 1/2"x11 3/8"x3/8"	100103999 L240900091	G-522	11 x Cj 792 x Pal	0,70 x Cj 50,17 x Pal	11,39 x Cj 819,72 x Pal
TREASURES MIST SHANNAN MOON	19x29x0,8 cm 7 1/2"x11 3/8"x3/8"	100103972 L240900071	G-522	11 x Cj 792 x Pal	0,70 x Cj 50,17 x Pal	11,39 x Cj 819,72 x Pal
TREASURES NUDE NEPAL MOON	19x29x0,8 cm 7 1/2"x11 3/8"x3/8"	100103977 L240900081	G-522	11 x Cj 792 x Pal	0,70 x Cj 50,17 x Pal	11,39 x Cj 819,72 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



No supported grouting

FUSION 3D CAMEL

29,2x30x0,8-1,1cm - 11 1/2"x11 3/4"x3/8"-1/2"
100115528cm - L241707841 - G-531

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

FUSION 3D CAMEL MIX

29,2x30x0,8-1,1cm - 11 1/2"x11 3/4"x3/8"-1/2"
100115529 - L241707821 - G-531

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

FUSION 3D STEEL

29,2x30x0,8-1,1cm - 11 1/2"x11 3/4"x3/8"-1/2"
100115530 - L241707811 - G-531

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

FUSION 3D STEEL MIX

29,2x30x0,8-1,1cm - 11 1/2"x11 3/4"x3/8"-1/2"
100115531 - L241707831 - G-531

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

FUSION 3D WHITE

29,2x30x0,8-1,1cm - 11 1/2"x11 3/4"x3/8"-1/2"
100115532 - L241707791 - G-531

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
FUSION 3D CAMEL	29,2x30x0,8-1,1 cm 11 1/2"x11 3/4"x3/8"-1/2"	100115528 L241707841	G-531	8 x Cj 384 x Pal	0,70 x Cj 33,64 x Pal	12,08 x Cj 579,84 x Pal
FUSION 3D CAMEL MIX	29,2x30x0,8-1,1 cm 11 1/2"x11 3/4"x3/8"-1/2"	100115529 L241707821	G-531	8 x Cj 384 x Pal	0,70 x Cj 33,64 x Pal	12,08 x Cj 579,84 x Pal
FUSION 3D STEEL	29,2x30x0,8-1,1 cm 11 1/2"x11 3/4"x3/8"-1/2"	100115530 L241707811	G-531	8 x Cj 384 x Pal	0,70 x Cj 33,64 x Pal	12,08 x Cj 579,84 x Pal
FUSION 3D STEEL MIX	29,2x30x0,8-1,1 cm 11 1/2"x11 3/4"x3/8"-1/2"	100115531 L241707831	G-531	8 x Cj 384 x Pal	0,70 x Cj 33,64 x Pal	12,08 x Cj 579,84 x Pal
FUSION 3D WHITE	29,2x30x0,8-1,1 cm 11 1/2"x11 3/4"x3/8"-1/2"	100115532 L241707791	G-531	8 x Cj 384 x Pal	0,70 x Cj 33,64 x Pal	12,08 x Cj 579,84 x Pal



Board recommends Butch: colorstuk 0-4 cemento

FUSION FLAT CARAMEL

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100115538 - L241707891 - G-523



GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk 0-4 cemento

FUSION FLAT CARAMEL MIX

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100115539 - L241707981 - G-523



GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk 0-4 cemento

FUSION FLAT STEEL

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100115540 - L241707881 - G-523



GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk 0-4 cemento

FUSION FLAT STEEL MIX

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100115541 - L241707931 - G-523



GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk 0-4 gris

FUSION FLAT WHITE

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100115542 - L241707951 - G-523



GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
FUSION FLAT CARAMEL	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100115538 L241707891	G-523	11 x Cj 528 x Pal	0,99 x Cj 47,52 x Pal	15,95 x Cj 765,60 x Pal
FUSION FLAT CARAMEL MIX	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100115539 L241707981	G-523	11 x Cj 528 x Pal	0,99 x Cj 47,52 x Pal	15,95 x Cj 765,60 x Pal
FUSION FLAT STEEL	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100115540 L241707881	G-523	11 x Cj 528 x Pal	0,99 x Cj 47,52 x Pal	15,95 x Cj 765,60 x Pal
FUSION FLAT STEEL MIX	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100115541 L241707931	G-523	11 x Cj 528 x Pal	0,99 x Cj 47,52 x Pal	15,95 x Cj 765,60 x Pal
FUSION FLAT WHITE	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100115542 L241707951	G-523	11 x Cj 528 x Pal	0,99 x Cj 47,52 x Pal	15,95 x Cj 765,60 x Pal



No supported grouting

FUSION BRICK 3D CARAMEL

29,6x30x0,8-1,3cm - 11 5/8"x11 3/4"x3/8"-1/2"
100115533 - L241707851 - G-531

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

FUSION BRICK 3D CARAMEL MIX

29,6x30x0,8-1,3cm - 11 5/8"x11 3/4"x3/8"-1/2"
100115534 - L241707871 - G-531

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

FUSION BRICK 3D STEEL

29,6x30x0,8-1,3cm - 11 5/8"x11 3/4"x3/8"-1/2"
100115535 - L241707861 - G-531

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

FUSION BRICK 3D STEEL MIX

29,6x30x0,8-1,3cm - 11 5/8"x11 3/4"x3/8"-1/2"
100115536 - L241707941 - G-531

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

FUSION BRICK 3D WHITE

29,6x30x0,8-1,3cm - 11 5/8"x11 3/4"x3/8"-1/2"
100115537 - L241707991 - G-531

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
FUSION BRICK 3D CARAMEL	29,6x30x0,8-1,3 cm 11 5/8"x11 3/4"x3/8"-1/2"	100115533 L241707851	G-531	8 x Cj 384 x Pal	0,72 x Cj 34,56 x Pal	12,08 x Cj 579,84 x Pal
FUSION BRICK 3D CARAMEL MIX	29,6x30x0,8-1,3 cm 11 5/8"x11 3/4"x3/8"-1/2"	100115534 L241707871	G-531	8 x Cj 384 x Pal	0,72 x Cj 34,56 x Pal	12,08 x Cj 579,84 x Pal
FUSION BRICK 3D STEEL	29,6x30x0,8-1,3 cm 11 5/8"x11 3/4"x3/8"-1/2"	100115535 L241707861	G-531	8 x Cj 384 x Pal	0,72 x Cj 34,56 x Pal	12,08 x Cj 579,84 x Pal
FUSION BRICK 3D STEEL MIX	29,6x30x0,8-1,3 cm 11 5/8"x11 3/4"x3/8"-1/2"	100115536 L241707941	G-531	8 x Cj 384 x Pal	0,72 x Cj 34,56 x Pal	12,08 x Cj 579,84 x Pal
FUSION BRICK 3D WHITE	29,6x30x0,8-1,3 cm 11 5/8"x11 3/4"x3/8"-1/2"	100115537 L241707991	G-531	8 x Cj 384 x Pal	0,72 x Cj 34,56 x Pal	12,08 x Cj 579,84 x Pal



Board recommends Butch: colorstuk 0-4 cemento

FUSION MINI STRIP CARAMEL

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100115543 - L241707921 - G-527



GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk 0-4 cemento

FUSION MINI STRIP CARAMEL
MIX

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100115544 - L241707971 - G-527



GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk 0-4 cemento

FUSION MINI STRIP STEEL

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100115545 - L241707911 - G-527



GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk 0-4 cemento

FUSION MINI STRIP STEEL MIX

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100115546 - L241707961 - G-527



GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk 0-4 gris

FUSION MINI STRIP WHITE

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100115547 - L241707901 - G-527



GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
FUSION MINI STRIP CARAMEL	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100115543 L241707921	G-527	11 x Cj 528 x Pal	0,99 x Cj 47,52 x Pal	15,62 x Cj 749,76 x Pal
FUSION MINI STRIP CARAMEL MIX	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100115544 L241707971	G-527	11 x Cj 528 x Pal	0,99 x Cj 47,52 x Pal	15,62 x Cj 749,76 x Pal
FUSION MINI STRIP STEEL	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100115545 L241707911	G-527	11 x Cj 528 x Pal	0,99 x Cj 47,52 x Pal	15,62 x Cj 749,76 x Pal
FUSION MINI STRIP STEEL MIX	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100115546 L241707961	G-527	11 x Cj 528 x Pal	0,99 x Cj 47,52 x Pal	15,62 x Cj 749,76 x Pal
FUSION MINI STRIP WHITE	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100115547 L241707901	G-527	11 x Cj 528 x Pal	0,99 x Cj 47,52 x Pal	15,62 x Cj 749,76 x Pal



Board recommends Butech: colorstuk 0-4 cemento

FUSION BIG BLACK

29,8x29,8x0,8 cm - 11 3/4"x11 3/4"x3/8"
100153549 - L241711011 - G-514

**GLASS METAL****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 cemento

FUSION BIG BROWN

29,8x29,8x0,8 cm - 11 3/4"x11 3/4"x3/8"
100153560 - L241711111 - G-514

**GLASS METAL****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

FUSION DICE 3D CARAMEL MIX

30x30x0,8/1,2 cm - 11 3/4"x11 3/4"x3/8"-1/2"
100153563 - L241711051 - G-532

**GLASS METAL****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 gris

FUSION BIG WHITE

29,8x29,8x0,8 cm - 11 3/4"x11 3/4"x3/8"
100153562 - L241711121 - G-514

**GLASS METAL****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic




Board recommends Butech: colorstuk 0-4 cemento

FUSION BIG STEEL

29,8x29,8x0,8 cm - 11 3/4"x11 3/4"x3/8"
100153561 - L241711061 - G-514

**GLASS METAL****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

FUSION DICE 3D STEEL MIX

30x30x0,8/1,2 cm - 11 3/4"x11 3/4"x3/8"-1/2"
100153564 - L108028781 - G-532

**GLASS METAL****USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
FUSION BIG BLACK	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100153549 L241711011	G-514	11 x Cj 594 x Pal	0,97 x Cj 52,74 x Pal	16,50 x Cj 891 x Pal
FUSION BIG BROWN	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100153560 L241711111	G-514	11 x Cj 594 x Pal	0,97 x Cj 52,74 x Pal	16,50 x Cj 891 x Pal
FUSION BIG STEEL	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100153561 L241711061	G-514	11 x Cj 594 x Pal	0,97 x Cj 52,74 x Pal	16,50 x Cj 891 x Pal
FUSION BIG WHITE	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100153562 L241711121	G-514	11 x Cj 594 x Pal	0,97 x Cj 52,74 x Pal	16,50 x Cj 891 x Pal
FUSION DICE 3D CARAMEL MIX	30x30x0,8/1,2 cm 11 3/4"x11 3/4"x3/8"-1/2"	100153563 L241711051	G-532	8 x Cj 384 x Pal	0,72 x Cj 34,56 x Pal	10,80 x Cj 518,40 x Pal
FUSION DICE 3D STEEL MIX	30x30x0,8/1,2 cm 11 3/4"x11 3/4"x3/8"-1/2"	100153564 L108028781	G-532	8 x Cj 384 x Pal	0,72 x Cj 34,56 x Pal	10,80 x Cj 518,40 x Pal



Board recommends Butech: colorstuk 0-4 cemento

FUSION CARAMEL MIX
1,5x1,5 cm - 5/8"x5/8"

30x30x0,8 cm - 11 3/4"x11 3/4"x3/8"
100156225 - L241711951 - G-523



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 cemento

FUSION HEXAGON CARAMEL MIX

29,5x25,5x0,8 cm - 11 5/8"x10"x3/8"
100153565 - L241711091 - G-528



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 cemento

FUSION HEXAGON STEEL

29,5x25,5x0,8 cm - 11 5/8"x10"x3/8"
100153588 - L241711081 - G-528



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 cemento

FUSION STEEL MIX
1,5x1,5 cm - 5/8"x5/8"

30x30x0,8 cm - 11 3/4"x11 3/4"x3/8"
100156226 - L241711881 - G-523



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 cemento

FUSION HEXAGON STEEL MIX

29,5x25,5x0,8 cm - 11 5/8"x10"x3/8"
100153566 - L241711101 - G-528



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk 0-4 gris

FUSION HEXAGON WHITE

29,5x25,5x0,8 cm - 11 5/8"x10"x3/8"
100153536 - L241711021 - G-529



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
FUSION CARAMEL MIX (1,5)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100156225 L241711951	G-523	11 x Cj 528 x Pal	0,99 x Cj 47,52 x Pal	11,35 x Cj 544,89 x Pal
FUSION STEEL MIX (1,5)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100156226 L241711881	G-523	11 x Cj 528 x Pal	0,99 x Cj 47,52 x Pal	11,35 x Cj 544,89 x Pal
FUSION HEXAGON CARAMEL MIX	29,5x25,5x0,8 cm 11 5/8"x10"x3/8"	100153565 L241711091	G-528	11 x Cj 528 x Pal	0,83 x Cj 39,70 x Pal	12,12 x Cj 581,85 x Pal
FUSION HEXAGON STEEL	29,5x25,5x0,8 cm 11 5/8"x10"x3/8"	100153588 L241711081	G-528	11 x Cj 528 x Pal	0,83 x Cj 39,70 x Pal	12,12 x Cj 581,85 x Pal
FUSION HEXAGON STEEL MIX	29,5x25,5x0,8 cm 11 5/8"x10"x3/8"	100153566 L241711101	G-528	11 x Cj 528 x Pal	0,83 x Cj 39,70 x Pal	12,12 x Cj 581,85 x Pal
FUSION HEXAGON WHITE	29,5x25,5x0,8 cm 11 5/8"x10"x3/8"	100153536 L241711021	G-529	11 x Cj 528 x Pal	0,83 x Cj 39,70 x Pal	12,12 x Cj 581,85 x Pal



Board recommends Butech: colorstuk rapid beige
Wet areas: epotech

TIME TEXT. LINEAR CREAM
1,5x10cm - 5/8"x 3 7/8"
30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100135767 - L241709521 - G-518

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid cemento
Wet areas: epotech

TIME TEXT. LINEAR SILVER WOOD
1,5x10cm - 5/8"x 3 7/8"
30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100135769 - L241709501 - G-518

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid gris
Wet areas: epotech

TIME TEXT. LINEAR SILK WOOD
1,5x10cm - 5/8"x 3 7/8"
30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100135768 - L241709551 - G-518

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

TIME TEXT. LINEAR WHITE
1,5x10cm - 5/8"x 3 7/8"
30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100153594 - L241711071 - G-518

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid antracita
Wet areas: epotech

TIME TEXT. LINEAR BLACK
1,5x10cm - 5/8"x 3 7/8"
30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100153593 - L241711041 - G-518

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
TIME TEXT LINEAR CREAM (1,5X10)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100135767 L241709521	G-518	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	15,13 x Cj 544,68 x Pal
TIME TEXT LINEAR SILVER WOOD (1,5X10)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100135769 L241709501	G-518	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	15,13 x Cj 544,68 x Pal
TIME TEXT LINEAR SILK WOOD (1,5X10)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100135768 L241709551	G-518	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	15,13 x Cj 544,68 x Pal
TIME TEXT LINEAR WHITE (1,5X10)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100153594 L241711071	G-518	10 x Cj 360 x Pal	0,84 x Cj 30,49 x Pal	8,47 x Cj 304,92 x Pal
TIME TEXT LINEAR BLACK (1,5X10)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100153593 L241711041	G-518	10 x Cj 360 x Pal	0,84 x Cj 30,49 x Pal	8,47 x Cj 304,92 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk rapid beige
Wet areas: epotech

TIME TEXTURE CREAM
2,3x2,7cm - 7/8"x 1 1/8"
29,6x28,6x0,8cm - 11 5/8"x11 1/4"x3/8"
100135772 - L241709561 - G-518



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid cemento
Wet areas: epotech

TIME TEXT. SILVER WOOD
2,3x2,7cm - 7/8"x 1 1/8"
29,6x28,6x0,8cm - 11 5/8"x11 1/4"x3/8"
100135771 - L241709481 - G-518



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid gris
Wet areas: epotech

TIME TEXT. SILK WOOD
2,3x2,7cm - 7/8"x 1 1/8"
29,6x28,6x0,8cm - 11 5/8"x11 1/4"x3/8"
100135770 - L241709471 - G-518



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

TIME TEXTURE WHITE
2,3x2,7cm - 7/8"x 1 1/8"
29,6x28,6x0,8cm - 11 5/8"x11 1/4"x3/8"
100156242 - L241711941 - G-518



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid antracita
Wet areas: epotech

TIME TEXTURE BLACK
2,3x2,7cm - 7/8"x 1 1/8"
29,6x28,6x0,8cm - 11 5/8"x11 1/4"x3/8"
100156241 - L241711931 - G-518



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
TIME TEXTURE CREAM (2,3x2,7)	29,6x28,6x0,8 cm 11 5/8"x11 1/4"x3/8"	100135772 L241709561	G-518	10 x Cj 360 x Pal	0,84 x Cj 30,47 x Pal	15,13 x Cj 544,68 x Pal
TIME TEXTURE SILVER WOOD(2,3x2,7)	29,6x28,6x0,8 cm 11 5/8"x11 1/4"x3/8"	100135771 L241709481	G-518	10 x Cj 360 x Pal	0,84 x Cj 30,47 x Pal	15,13 x Cj 544,68 x Pal
TIME TEXTURE SILK WOOD (2,3x2,7)	29,6x28,6x0,8 cm 11 5/8"x11 1/4"x3/8"	100135770 L241709471	G-518	10 x Cj 360 x Pal	0,84 x Cj 30,47 x Pal	15,13 x Cj 544,68 x Pal
TIME TEXTURE WHITE (2,3x2,7)	29,6x28,6x0,8 cm 11 5/8"x11 1/4"x3/8"	100156242 L241711941	G-518	10 x Cj 360 x Pal	0,84 x Cj 30,47 x Pal	15,13 x Cj 544,68 x Pal
TIME TEXTURE BLACK (2,3x2,7)	29,6x28,6x0,8 cm 11 5/8"x11 1/4"x3/8"	100156241 L241711931	G-518	10 x Cj 360 x Pal	0,84 x Cj 30,47 x Pal	14,90 x Cj 536,40 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

TIME BIG LINE WHITE

29,8x29,8x0,8cm - 11 3/4"x11 3/4"x3/8"
100153584 - L241710951 - G-524



MARBLE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid beige
Wet areas: epotech

TIME BIG LINE CREAM

29,8x29,8x0,8cm - 11 3/4"x11 3/4"x3/8"
100156228 - L241711891 - G-524



TRAVERTINE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid gris
Wet areas: epotech

TIME BIG LINE SILVER WOOD

29,8x29,8x0,8cm - 11 3/4"x11 3/4"x3/8"
100156240 - L241711921 - G-524



TRAVERTINE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid cemento
Wet areas: epotech

TIME BIG LINE SILK WOOD

29,8x29,8x0,8cm - 11 3/4"x11 3/4"x3/8"
100156229 - L241711901 - G-524



MARBLE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid antracita
Wet areas: epotech

TIME BIG LINE BLACK

29,8x29,8x0,8cm - 11 3/4"x11 3/4"x3/8"
100156227 - L241711911 - G-524



TRAVERTINE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
TIME BIG LINE WHITE	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100153584 L241710951	G-524	10 x Cj 360 x Pal	0,89 x Cj 31,97 x Pal	16,60 x Cj 597,60 x Pal
TIME BIG LINE CREAM	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100156228 L241711891	G-524	10 x Cj 360 x Pal	0,89 x Cj 31,97 x Pal	17,59 x Cj 633,24 x Pal
TIME BIG LINE SILVER WOOD	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100156240 L241711921	G-524	10 x Cj 360 x Pal	0,89 x Cj 31,97 x Pal	17,59 x Cj 633,24 x Pal
TIME BIG LINE SILK WOOD	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100156229 L241711901	G-524	10 x Cj 360 x Pal	0,89 x Cj 31,97 x Pal	17,59 x Cj 633,24 x Pal
TIME BIG LINE BLACK	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100156227 L241711911	G-524	10 x Cj 360 x Pal	0,89 x Cj 31,97 x Pal	17,59 x Cj 633,24 x Pal

*NOTE: The order of the composition of stone and crystal is random.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk rapid cemento
Wet areas: epotech

TIME TEXT. BIG LIN. SILK WOOD

29,8x29,8x0,8cm - 11 3/4"x11 3/4"x3/8"
100146075 - L241710021 - G-527



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid gris
Wet areas: epotech

TIME TEXT. BIG LIN. SILVER WOOD

29,8x29,8x0,8cm - 11 3/4"x11 3/4"x3/8"
100146076 - L241709941 - G-527



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

TIME TEXT. BIG LIN. THASSOS

29,8x29,8x0,8cm - 11 3/4"x11 3/4"x3/8"
100146077 - L241709971 - G-527



USE RECOMMENDATIONS


Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Wall Coverings: Time Texture Big Linear Thassos 29,8x29,8x0,8 cm, Crystal White (Venis).

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
TIME TEXT BIG LIN. SILK WOOD	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100146075 L241710021	G-527	11 x Cj 396 x Pal	0,97 x Cj 35,05 x Pal	18,70 x Cj 673,20 x Pal
TIME TEXT BIG LIN. SILVER WOOD	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100146076 L241709941	G-527	11 x Cj 396 x Pal	0,97 x Cj 35,05 x Pal	18,70 x Cj 673,20 x Pal
TIME TEXT BIG LIN. THASSOS	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100146077 L241709971	G-527	11 x Cj 396 x Pal	0,97 x Cj 35,05 x Pal	18,70 x Cj 673,20 x Pal

*NOTE: The order of the composition of stone and crystal is random.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butch: colorstuk rapid antracita
Wet areas: epotech

ELEMENTS MINI PATTERN DARKNESS

29,8x29,8x0,9cm - 11 3/4"x11 3/4"x3/8"
100135752 - L241709571 - G-522



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid gris
Wet areas: epotech

ELEMENTS MINI PATTERN DAWN

29,8x29,8x0,9cm - 11 3/4"x11 3/4"x3/8"
100153529 - L241710811 - G-522



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid beige
Wet areas: epotech


ELEMENTS MINI PATTERN EARTH

29,8x29,8x0,9cm - 11 3/4"x11 3/4"x3/8"
100135753 - L241709581 - G-522



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid antracita
Wet areas: epotech

ELEMENTS PATTERN DARKNESS

29,7x29,7x0,9cm - 11 3/4"x11 3/4"x3/8"
100135756 - L241709511 - G-522



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid gris
Wet areas: epotech

ELEMENTS PATTERN DAWN

29,7x29,7x0,9cm - 11 3/4"x11 3/4"x3/8"
100153540 - L241710801 - G-522



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk rapid beige
Wet areas: epotech

ELEMENTS PATTERN EARTH

29,7x29,7x0,9cm - 11 3/4"x11 3/4"x3/8"
100135757 - L241709461 - G-522



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ELEMENTS MINI PATTERN DARKNESS	29,8x29,8x0,9 cm 11 3/4"x11 3/4"x3/8"	100135752 L241709571	G-522	11 x Cj 594 x Pal	0,97 x Cj 52,75 x Pal	18,94 x Cj 1022,87 x Pal
ELEMENTS MINI PATTERN DAWN	29,8x29,8x0,9 cm 11 3/4"x11 3/4"x3/8"	100153529 L241710811	G-522	11 x Cj 594 Pa	0,97 x Cj 52,75 x Pal	15,07 x Cj 813,78 x Pal
ELEMENTS MINI PATTERN EARTH	29,8x29,8x0,9 cm 11 3/4"x11 3/4"x3/8"	100135753 L241709581	G-522	11 x Cj 594 Pa	0,97 x Cj 52,75 x Pal	18,94 x Cj 1022,87 x Pal
ELEMENTS PATTERN DARKNESS	29,7x29,7x0,9 cm 11 3/4"x11 3/4"x3/8"	100135756 L241709511	G-522	11 x Cj 594 Pa	0,97 x Cj 52,39 x Pal	18,80 x Cj 1015,14 x Pal
ELEMENTS PATTERN DAWN	29,7x29,7x0,9 cm 11 3/4"x11 3/4"x3/8"	100153540 L241710801	G-522	11 x Cj 594 Pa	0,97 x Cj 52,39 x Pal	15,73 x Cj 849,42 x Pal
ELEMENTS PATTERN EARTH	29,7x29,7x0,9 cm 11 3/4"x11 3/4"x3/8"	100135757 L241709461	G-522	11 x Cj 594 Pa	0,97 x Cj 52,39 x Pal	18,80 x Cj 1015,14 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

ELEMENTS MINI PATTERN WATER

29,8x29,8x0,9cm - 11 3/4"x11 3/4"x3/8"
100135754 - L241709601 - G-522



MARBLE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid gris
Wet areas: epotech

ELEMENTS MINI PATTERN WIND

29,8x29,8x0,9cm - 11 3/4"x11 3/4"x3/8"
100135755 - L241709591 - G-522



TRAVERTINE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid gris
Wet areas: epotech

ELEMENTS PATTERN WIND

29,7x29,7x0,9cm - 11 3/4"x11 3/4"x3/8"
100135759 - L241709531 - G-522



TRAVERTINE
GLASS - RESINA

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

ELEMENTS PATTERN WATER

29,7x29,7x0,9cm - 11 3/4"x11 3/4"x3/8"
100135758 - L241709491 - G-522



MARBLE
GLASS - RESIN

USE RECOMMENDATIONS


Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Wall Coverings: Elements Pattern Water 29,7x29,7x0,9 cm, Glass Blanco (Porcelanosa).

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ELEMENTS MINI PATTERN WATER	29,8x29,8x0,9 cm 11 3/4"x11 3/4"x3/8"	100135754 L241709601	G-522	11 x Cj 594 x Pal	0,97 x Cj 52,75 x Pal	18,94 x Cj 1022,87 x Pal
ELEMENTS MINI PATTERN WIND	29,8x29,8x0,9 cm 11 3/4"x11 3/4"x3/8"	100135755 L241709591	G-522	11 x Cj 594 x Pal	0,97 x Cj 52,75 x Pal	18,94 x Cj 1022,87 x Pal
ELEMENTS PATTERN WIND	29,7x29,7x0,9 cm 11 3/4"x11 3/4"x3/8"	100135759 L241709531	G-522	11 x Cj 594 x Pal	0,97 x Cj 52,39 x Pal	18,80 x Cj 1015,14 x Pal
ELEMENTS PATTERN WATER	29,7x29,7x0,9 cm 11 3/4"x11 3/4"x3/8"	100135758 L241709491	G-522	11 x Cj 594 x Pal	0,97 x Cj 52,39 x Pal	18,80 x Cj 1015,14 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk rapid antracita
Wet areas: epotech

RENAISSANCE BRICKS BLACK

29,8x29,8x0,8 cm - 11 3/4"x11 1/2"x3/8"
100153541 - L241710781 - G-522

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid gris
Wet areas: epotech

RENAISSANCE BRICKS SILVER WOOD

29,8x29,8x0,8 cm - 11 3/4"x11 1/2"x3/8"
100153542 - L241710821 - G-522

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic




Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

RENAISSANCE BRICKS WHITE

29,8x29,8x0,8 cm - 11 3/4"x11 1/2"x3/8"
100153543 - L241710851 - G-522

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid antracita
Wet areas: epotech

RENAISSANCE LINES BLACK

29,8x29,8x0,8 cm - 11 3/4"x11 3/4"x3/8"
100153544 - L241710791 - G-522

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid gris
Wet areas: epotech

RENAISSANCE LINES SILVER WOOD

29,8x29,8x0,8 cm - 11 3/4"x11 3/4"x3/8"
100153545 - L241711401 - G-522

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

RENAISSANCE LINES WHITE

29,8x29,8x0,8 cm - 11 3/4"x11 3/4"x3/8"
100153546 - L241710831 - G-522

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
RENAISSANCE BRICKS BLACK	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100153541 L241710781	G-522	11 x Cj 594 x Pal	0,97 x Cj 52,74 x Pal	16,50 x Cj 891 x Pal
RENAISSANCE BRICKS SILVER WOOD	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100153542 L241710821	G-522	11 x Cj 594 x Pal	0,97 x Cj 52,74 x Pal	16,50 x Cj 891 x Pal
RENAISSANCE BRICKS WHITE	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100153543 L241710851	G-522	11 x Cj 594 x Pal	0,97 x Cj 52,74 x Pal	16,50 x Cj 891 x Pal
RENAISSANCE LINES BLACK	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100153544 L241710791	G-522	11 x Cj 594 x Pal	0,97 x Cj 52,74 x Pal	16,50 x Cj 891 x Pal
RENAISSANCE LINES SILVER WOOD	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100153545 L241711401	G-522	11 x Cj 594 x Pal	0,97 x Cj 52,74 x Pal	16,50 x Cj 891 x Pal
RENAISSANCE LINES WHITE	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100153546 L241710831	G-522	11 x Cj 594 x Pal	0,97 x Cj 52,74 x Pal	16,50 x Cj 891 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech: colorstuk rapid antracita
Wet areas: epotech

RENAISSANCE SQUARES
BLACK

30,5x30,5x0,8 cm - 12"x12"x3/8"
100153547 - L241710841 - G-522



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid gris
Wet areas: epotech


RENAISSANCE SQUARES
SILVER WOOD

30,5x30,5x0,8 cm - 12"x12"x3/8"
100153548 - L241711431 - G-522



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

RENAISSANCE SQUARES
WHITE

30,5x30,5x0,8 cm - 12"x12"x3/8"
100153550 - L241710861 - G-522



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Wall Coverings: Renaissance Bricks Black 29,8x29,2x0,8 cm.

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
RENAISSANCE SQUARES BLACK	30,5x30,5x0,8 cm 12"x12"x3/8"	100153547 L241710841	G-522	11 x Cj 594 x Pal	1,02 x Cj 55,25 x Pal	17,16 x Cj 926,64 x Pal
RENAISSANCE SQUARES SILVER WOOD	30,5x30,5x0,8 cm 12"x12"x3/8"	100153548 L241711431	G-522	11 x Cj 594 x Pal	1,02 x Cj 55,25 x Pal	17,16 x Cj 926,64 x Pal
RENAISSANCE SQUARES WHITE	30,5x30,5x0,8 cm 12"x12"x3/8"	100153550 L241710861	G-522	11 x Cj 594 x Pal	1,02 x Cj 55,25 x Pal	17,16 x Cj 926,64 x Pal


*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.





NOOHN AIR MOSAICS

Wall Coverings: Air White (1, 1) 30x30x0,7 cm, Marmi Blanco (Porcelanosa).



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

AIR WHITE
1x1cm - 3/8"x3/8"


30x30x1cm - 11 3/4"x11 3/4"x3/8"
100156914 - L241711991 - G-512



CERAMICS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: colorstuk rapid blanco
Wet areas: epotech

AIR WHITE & SILVER DECOR
1,5x1,5cm - 5/8"x5/8"

29,8x29,8x1cm - 11 3/4"x11 3/4"x3/8"
100156915 - L241711971 - G-512



ENAMELED TRAVERTINE
CERAMICS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Wall Coverings: Air White (1,1) 30x30x0,7 cm.

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
AIR WHITE (1,1)	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100156914 L241711991	G-512	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	12,01 x Cj 648,64 x Pal
AIR WHITE&SILVER DECOR (1,5)	29,8x29,8x1 cm 11 3/4"x11 3/4"x3/8"	100156915 L241711971	G-512	11 x Cj 594 x Pal	0,97 x Cj 52,75 x Pal	13,41 x Cj 724,08 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



Board recommends Butech; colorstuk rapid negro
Wet areas: epotech


AIR BLACK
1x1cm - 3/8"x3/8"

30x30x1cm - 11 3/4"x11 3/4"x3/8"
100156912 - L241711981 - G-512



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech; colorstuk rapid negro
Wet areas: epotech

AIR BLACK & SILVER DECOR
1,5x1,5cm - 5/8"x5/8"

29,8x29,8x1cm - 11 3/4"x11 3/4"x3/8"
100156913 - L241711961 - G-512



USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Wall Coverings: Air Black (1,1) 30x30x0,7 cm.

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
AIR BLACK (1,1)	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100156912 L241711981	G-512	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	12,01 x Cj 648,64 x Pal
AIR BLACK&SILVER DECOR (1,5)	29,8x29,8x1 cm 11 3/4"x11 3/4"x3/8"	100156913 L241711961	G-512	11 x Cj 594 x Pal	0,97 x Cj 52,75 x Pal	13,41 x Cj 724,08 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.





NOOHN METAL MOSAICS

Wall Coverings: Metal Acero Highlights Golden (2)
30,5x30,5x0,8 cm, Seúl Nácar (Porcelanosa).



Board recommends Butch: colorstuk 0-4 manhattan
Wet areas: epotech

METAL ACERO

1,85x1,85cm - 5/8"x5/8"

29,5x29,5x0,8cm - 11 5/8"x11 5/8"x3/8"
100095850 - L159800261 - G-535



METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk 0-4 manhattan
Wet areas: epotech

METAL ACERO HIGHLIGHTS

2x2cm - 3/4"x3/4"

30,5x30,5x0,8cm - 12"x12"x3/8"
100089009 - L153401521 - G-526



METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk 0-4 manhattan
Wet areas: epotech

METAL ACERO HIGHLIGHTS GOLDEN

2x2cm - 3/4"x3/4"

30,5x30,5x0,8cm - 12"x12"x3/8"
100089008 - L153401531 - G-526



METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butch: colorstuk 0-4 manhattan
Wet areas: epotech

METAL BRICK ACERO

2x4cm - 3/4"x1 5/8"

29,5x28x0,8cm - 11 5/8"x11"x3/8"
100095851 - L159800271 - G-533



METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

METAL ACERO HEXAGON

24,5x24,5x0,8cm - 9 5/8"x9 5/8"x3/8"
100146063 - L241710081 - G-518



METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

METAL ACERO HEXAGON ANTHRACITE

24,5x24,5x0,8cm - 9 5/8"x9 5/8"x3/8"
100146064 - L241710111 - G-520



METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
METAL ACERO (1,85)	29,5x29,5x0,8 cm 11 5/8"x11 5/8"x3/8"	100095850 L159800261	G-535	10 x Cj 540 x Pal	0,87 x Cj 46,99 x Pal	16,64 x Cj 898,77 x Pal
METAL ACERO HIGHLIGHTS (2)	30,5x30,5x0,8 cm 12"x12"x3/8"	100089009 L153401521	G-526	10 x Cj 540 x Pal	0,93 x Cj 50,23 x Pal	16,73 x Cj 903,60 x Pal
METAL ACERO HIGHLIGHTS GOLDEN (2)	30,5x30,5x0,8 cm 12"x12"x3/8"	100089008 L153401531	G-526	10 x Cj 540 x Pal	0,93 x Cj 50,23 x Pal	16,73 x Cj 903,60 x Pal
METAL BRICK ACERO (2x4)	29,5x28x0,8 cm 11 5/8"x11"x3/8"	100095851 L159800271	G-533	10 x Cj 540 x Pal	0,83 x Cj 44,60 x Pal	16,64 x Cj 898,77 x Pal
METAL ACERO HEXAGON	24,5x24,5x0,8 cm 9 5/8"x9 5/8"x3/8"	100146063 L241710081	G-518	8 x Cj 576 x Pal	0,48 x Cj 34,70 x Pal	8 x Cj 576 x Pal
METAL ACERO HEXAGON ANTHRACITE	24,5x24,5x0,8 cm 9 5/8"x9 5/8"x3/8"	100146064 L241710111	G-520	8 x Cj 576 x Pal	0,48 x Cj 34,70 x Pal	8 x Cj 576 x Pal

*NOTE: It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.



No supported grouting

METAL ACERO RETRO

7,5x15,2x0,8cm - 3"x6"x3/8"
100146065 - L241710141 - G-500



METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

METAL ACERO RETRO ANTHRACITE

7,5x15,2x0,8cm - 3"x6"x3/8"
100146066 - L241710101 - G-501



METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Wall Coverings: Metal Acero Highlights (2) 30,5x30,5x0,8 cm, Ruggine Aluminio (Venis).

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
METAL ACERO RETRO	7,5x15,2x0,8 cm 3"x6"x3/8"	100146065 L241710141	G-500	88 x Cj 4752 x Pal	0,99 x Cj 53,46 x Pal	10,56 x Cj 570,24 x Pal
METAL ACERO RETRO ANTHRACITE	7,5x15,2x0,8 cm 3"x6"x3/8"	100146066 L241710101	G-501	88 x Cj 4752 x Pal	0,99 x Cj 53,46 x Pal	10,56 x Cj 570,24 x Pal

*NOTE: A minimum joint of 1 mm should be left between the pieces.





NOOHN MOSAICS

NOOHN WOOD MOSAICS

Wall Coverings: Wood Feel (6) 30x30x1 cm, Tibet Black (Porcelanosa).



No supported grouting

WOOD MODUL

26x26,4x0,6-2,6cm - 10 1/4"x10 3/8"x1/4"-1"
100086262 - L154806021 - G-537

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No admite rejuntado

WOOD BRICK

27,3x28x1cm - 10 3/4"x11"x3/8"
100097155 - L108015181 - G-532

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

WOOD EVEN
1,9x1,9cm - 3/4"x3/4"

28x28x1cm - 11"x11"x3/8"
100062522 - L108004601 - G-533

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

WOOD FEEL
6x6cm - 2 3/8"x2 3/8"

30x30x1cm - 11 3/4"x11 3/4"x3/8"
100086257 - L108010211 - G-533

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

WOOD BRICK ANTIQUE

30x30x1-1,5cm - 11 3/4"x11 3/4"x3/8"-5/8"
100146085 - L241710201 - G-515

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

WOOD SQUARE ANTIQUE


29,7x29,7x1cm - 11 3/4"x11 3/4"x1/4"-3/8"
100146086 - L241710161 - G-520

**USE RECOMMENDATIONS**

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
WOOD BRICK	27,3x28x1 cm 10 3/4"x11"x3/8"	100097155 L108015181	G-532	6 x Cj 216 x Pal	0,47 x Cj 16,93 x Pal	5,36 x Cj 192,89 x Pal
WOOD BRICK ANTIQUE*	30x30x1-1,5 cm 11 3/4"x11 3/4"x3/8"-5/8"	100146085 L241710201	G-515	22 x Cj 858 x Pal	1,60 x Cj 62,54 x Pal	19,80 x Cj 772,20 x Pal
WOOD EVEN (1,9)	28x28x1 cm 11"x11"x3/8"	100062522 L108004601	G-533	6 x Cj 216 x Pal	0,47 x Cj 16,93 x Pal	6,21 x Cj 223,56 x Pal
WOOD FEEL (6)	30x30x1 cm 11 3/4"x11 3/4" x3/8"	100086257 L108010211	G-533	5 x Cj 180 x Pal	0,45 x Cj 16,20 x Pal	7,89 x Cj 284 x Pal
WOOD MODUL	26x26,4x0,6-2,6 cm 10 1/4"x10 3/8"x1/4"-1"	100086262 L154806021	G-537	4 x Cj 144 x Pal	0,28 x Cj 9,92 x Pal	6,19 x Cj 222,91 x Pal
WOOD SQUARE ANTIQUE*	29,7x29,7x1 cm 11 3/4"x11 3/4"x1/4"-3/8"	100146086 L241710161	G-520	22 x Cj 858 x Pal	1,94 x Cj 75,68 x Pal	19,80 x Cj 772,20 x Pal

***NOTE:** the wood used in the preparation of these mosaics comes from the recycling of wooden boats which is subjected to heat and phytosanitary treatment. Holes, small traces of paint and some uneven edges are normal characteristics of the wood. Wood is a hygroscopic product that absorbs or emits moisture depending on the surrounding atmosphere. To prevent changes to its size or structure, it is best to keep the environment at a relative humidity of 45-65 % and a temperature of 20-23 °C.



No supported grouting

WOOD DUNA

10,8x29,7x0,8-3,8 cm - 4 1/4"x11 3/4"x3/8"-1 1/2"
100153531 - L241711031 - G-527

CUMARÚ
(TROPICAL WOOD)


USE RECOMMENDATIONS

- Indoor Floors
- Outdoor Floors
- Worktops
- Indoor Walls
- Outdoor Walls
- Swimming-Pool Surrounds
- Shower Walls
- Shower Floors
- Pool / Spa
- Light Traffic
- Medium Traffic
- High Traffic



Wall Coverings: Wood Duna 10,8x29,7x0,8-3,8 cm.

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
WOOD DUNA	10,8x29,7x0,8-3,8 cm 4 1/4"x11 3/4"x3/8"-1 1/2"	100153531 L241711031	G-527	7 x Cj 24 x Pal	0,22 x Cj 5,38 x Pal	5,88 x Cj 141,12 x Pal

**1. PREPARING THE SUBSTRATE**

Surfaces where the material is to be laid must be smooth and consistent, and dry and clean. They should be levelled to create a white background, using specific products for levelling layers thicker than 2mm. To keep the levelling material in good condition, the environmental temperature must be between 5°C and 30°C.

2. LAYING THE MOSAICS

To ensure that the mosaics are correctly laid, we recommend the use of white One-Flex, a high-performance cement-based adhesive which is specially designed for laying terracotta mosaics, stone mosaics, glass mosaics and porcelain tiles. Use the smooth side of a notched trowel to spread the adhesive evenly over the wall and then "comb" it with the notched side (minimum notch size 3mm). The adhesive should not be spread all at one go over large surfaces to prevent it from drying before the mosaics are laid.

To lay the mosaic sheets, press them down evenly with a rubber trowel and make sure that the distance between each sheet is the same as the joint between the mosaic chips to ensure a uniform appearance and joints of the same width. If there is a particularly big joint between the sheets, separate some chips from the mesh backing with a sharp instrument and rotate them to ensure more subtle gaps and an optimum random pattern. Before grouting them, leave the adhesive to dry for at least 24-48 hours. After this drying time has elapsed, clean the surface with a moist cloth and leave to dry before grouting.

3. GROUTING (only applicable to mosaics with joint)


We recommend the use of Colorstuk Rapid, a fast setting grouting mortar available in different colours, with an excellent mechanical resistance, low water absorption and anti-fungal qualities. Colorstuk in black or anthracite should not be used, as it may be difficult to clean the tile joints. For polished surfaces prone to scratching, we recommend Colorstuck especial n.

Application: Use a rubber trowel to spread the grout, making sure that the joints are filled completely. Use the same trowel to remove any surplus grout.

4. CLEANING

Use a sponge or cloth to remove any traces of adhesive before it sets. It is important that the grout does not dry too hard as this may make it difficult to clean the mosaic tiles. This operation should be repeated at least two or three times until the mosaic tiles are thoroughly clean. Clean the surface of the tiles well using a sponge or cloth.

The use of detergents or abrasives as cleaning agents may cause irreversible damage. If you are not sure, please contact the manufacturer.



1. PREPARING THE SUBSTRATE

Surfaces where the material is to be laid must be smooth and consistent, and dry and clean. They should be levelled to create a white background, using specific products for levelling layers thicker than 2mm. To keep the levelling material in good condition, the environmental temperature must be between 5°C and 30°C.

2. LAYING THE TILES

2.1 General Laying Instructions.

To ensure laying the mosaic correctly, we recommend using white One-Flex, a high-performance cement-based adhesive which is specially designed for installing glass mosaics and porcelain tiles. Use the smooth side of a notched trowel to spread the adhesive over the wall, and then "comb" the adhesive with the notched side (minimum notch size 3mm). The adhesive must not be spread over large surfaces, to prevent it from drying before laying the material.

NOTE: L'Antic specifically recommends for installations in which the material is going to be in contact (direct or indirect) with water, the use of a type R2 T high-tech two-component polyurethane-based adhesive, in accordance with EN 12004. Politech by Butech is recommended as the attaching material and Epotech by Butech for the grouting. These should always be applied in accordance with the manufacturer's instructions. Both materials are made up of a polyurethane base (component A) and a specific hardener (component B). Hardening occurs by means of a chemical reaction, creating an elastic film that is completely waterproof. For exterior installations, protect from rain and frost for the first 8 hours.

2.2.a Instructions for laying film-faced mosaics.

Lay the mosaic sheets so that the side with the film is facing the tile layer. After laying the sheet, the surface must be pressed down evenly, using a rubber trowel, making sure that the distance between each sheet is the same as between each chip, so that the final result is uniform and all of the joints are the same distance apart.

When the adhesive is dry enough, remove the protective film from the surface and clean any remnants of paper with a damp sponge. Then remove the film by holding one corner, slowly pulling it off diagonally and in line with the substrate, taking care not to detach the pieces. Correct any misalignments using a small spatula. Repeat all of the steps until completing the surface to be tiled. Before grouting the adhesive must be left to dry for at least 24-48 hours. Once the adhesive is dry, clean off any remnants from the mosaic chips using a nylon brush and water, then cleaning with a damp cloth. Allow to dry before grouting. If necessary, a stronger cleaning product can be used, testing the surface beforehand to make sure it does not damage the material.

2.2.b Instructions for laying mesh-mounted mosaics.

After laying the sheet, the surface must be pressed down evenly, using a rubber trowel, making sure that the distance between each sheet is the same as between each chip, so that the final result is uniform and all of the joints are the same distance apart. Before grouting, leave the adhesive to dry for at least 24-48 hours. Once dry, clean the surface with a damp cloth and leave to dry before grouting.

2.3. Laying mosaics in swimming pools.

Apart from following the General Laying instructions, a capacity test must be carried out on the pool shell to check for leaks, if any waterproofing treatment is required, and a static test of the structure. Remember that the products used for levelling are not waterproof.

The working area must be protected from rain and direct sunlight, taking special care to avoid water pooling on the surfaces where tiles have been laid for at least 20 days after work is completed. The covering should also be used to maintain the temperature of the substrate between 5°C and 30°C from the start of the laying process until at least 10 days after work is completed.

To ensure that the adhesive bonds correctly, any remnants of the product should be removed with a cement remover or similar product.

Important: The pool must not be filled until at least 20 days after completing work on laying the mosaic.

3. GROUTING

We recommend the use of Colorstuk Rapid, a fast setting grouting mortar available in different colours, with an excellent mechanical resistance, low water absorption and anti-fungal qualities.

Application: Use a rubber trowel to spread the grout, making sure that the joints are grouted completely. Use the same trowel to remove any surplus grout.

Cleaning after grouting: Before the mortar sets, any remnants must be removed with a sponge or cloth. This operation must be carried out at least twice, rinsing the surface thoroughly and then removing any remnants of mortar the following day in the same way.

4. INSTRUCTIONS FOR CUTTING GLASS

Follow the instructions given below in order to work with the glass correctly.

The following tools are recommended, depending on the type of work to be carried out:

- For small cuts and clippings, we recommend using the special Butech clippers for glass mosaics.
- Dry cuts should be made using a SIGMA machine, specially designed for cutting glass mosaics.
- Cuts made on whole sections should be made using a water-cooled Butech diamond disc cutter, specially designed for glass mosaics with a continuous crown; after marking the required cuts on the mosaic or glass section with a pencil, cut the section using a series of increasingly deeper radial cuts to prevent it from breaking.
- To drill holes in glass sections to hang mirrors, countertops, lamps etc., a FLEX BHW 1549 VR drill with water supply and Butech diamond bits should be used. These bits must be water-cooled, and are available in 6, 8, 10 and 12mm diameters.






Important: Rubber washers must be used to ensure a secure fit and to prevent the glass from breaking.

5. CLEANING

For daily cleaning we recommend using glass cleaner and neutral soaps, then drying with a soft clean cloth to prevent scratches and flaking. For perfect maintenance we recommend applying a marble repairer or polish to the glass surface once a year.

Comments:

- When laying sections with a matt finish, take special care not to stain the front part with adhesive or grouting in order to maintain a perfect appearance.
- The use of detergents or abrasives as cleaning agents may cause irreversible damage. If you are not sure, please contact the manufacturer.

**IMPORTANT**

These instructions offer a general guide for the installation of L'Antic Colonial products. Some installations may require different or more detailed specifications. The product may be laid by a professional installer, who is familiar with the procedures described below.

We recommend ordering 10-15% more than the calculated amount of the product, to cover losses during cutting, and to keep some material available for future repairs. If the order is to be used with pieces purchased some time ago, please indicate the date of purchase, the amount purchased, the description, code and control digit shown on the boxes, in order to try to supply material from the same batch, or from a batch as similar as possible to the product already installed. We recommend you keep the product in its original box, with the purchase invoices.

1. PREPARING THE SUBSTRATE

Surfaces where the material is to be laid must be smooth and consistent, and dry and clean. They should be levelled to create a white background, using specific products for levelling layers thicker than 2mm. To keep the levelling material in good condition, the environmental temperature must be between 5°C and 30°C

2. RECEPTION OF THE MATERIAL

Open and check each box before installation, as CLAIMS FOR THE COST OF LIFTING OR LAYING THE PRODUCT WILL, IN NO EVENT, BE ACCEPTED. If there is a problem due to a defect in the pieces, this must be detected PRIOR TO INSTALLATION. Therefore it is essential to inspect the material prior to starting the work.

3. INSTRUCTIONS FOR LAYING

To correctly lay the product, we recommend the use of one-flex white high-performance cement-based adhesive, especially designed for laying glass mosaic. Use the flat side of a notched trowel to spread the cement – glue evenly across the wall, then “comb” it with the notched side (minimum notch size). 3mm). Do not spread the cement-glue over large areas in one go to prevent it from drying before the tiles are laid.

a) Cladding walls

After the laying surface has been cleaned, dried and levelled, mark the movement joints.

Next, prepare the adhesive, following the manufacturer's instructions, and apply it to the laying surface (and to the back of the pieces if using the double gluing system). Work on small areas at a time, applying the adhesive and coming it with a notched trowel, in accordance with the manufacturer's instructions.

Do not immerse the pieces in water prior to laying. Lay the pieces, using spacers to leave the necessary joints between each one, pressing down evenly with a gentle rocking movement to ensure the back of the tiles is thoroughly covered with adhesive. Next, place a stiff rubber board over the tiles and tap the pieces into place using a rubber mallet.

For interior cladding, perimeter joints should also be left at any point where the tiles meet a restraining surface or especially on unstable supports (plasterboard, wood, etc.). For large surfaces, intermediate joints should be placed every 8 m. These joints will have a minimum width of 6 mm. Excess adhesive that collects in the spaces for the joints when laying the pieces should be wiped away before it hardens, to enable the correct completion of the grouting. It is also important to remove the spacers between the pieces before the adhesive hardens.

a.1) Offset Layout

For a better aesthetic finish, we recommend laying the pieces alternately so that one by one, pieces with the joints in vertical position are alternated with pieces with the joints in horizontal position.

Do not allow traces of grouting to dry hard after laying and grouting, as this will make subsequent cleaning more difficult.

a.2) Metro Layout

In the offset layouts, for the vertical finishes, due to the bevelling of the pieces, we recommend the use of square pieces rather than cutting rectangular pieces. If, due to the dimensions of the wall to be covered, it is

necessary to cut the pieces, we recommend cutting those that form interior corners rather than exterior corners.

a.3) Basic Layout

It is not necessary to grout the pieces after laying.

b) Laying in Pools.

Apart from following the General Laying instructions, a capacity test must be carried out on the pool shell to check for leaks, if any waterproofing treatment is required, and a static test of the structure. Remember that the products used for levelling are not waterproof.

The working area must be protected from rain and direct sunlight, taking special care to avoid water pooling on the surfaces where tiles have been laid for at least 20 days after work is completed. The covering should also be used to maintain the temperature of the substrate between 5°C and 30°C from the start of the laying process until at least 10 days after work is completed.

Important: The pool must not be filled until at least 20 days after completing work or laying the pieces.

NOTE: L'Antic specifically recommends for installations in which the material is going to be in contact (direct or indirect) with water, the use of a type R2 T high-tech two-component polyurethane-based adhesive, in accordance with EN 12004. Politech by Butech is recommended as the attaching material and Epotech by Butech for the grouting. These should always be applied in accordance with the manufacturer's instructions. Both materials are made up of a polyurethane base (component A) and a specific hardener (component B). Hardening occurs by means of a chemical reaction, creating an elastic film that is completely waterproof. For exterior installations, protect from rain and frost for the first 8 hours.

4. INSTRUCTIONS FOR GROUTING

The grouting operation requires as much care and attention as the laying of the pieces. The durability of the covering and the aesthetic quality depend on the quality of the grouting.

We recommend using Colorstuk Rapid, a fast setting grouting mortar which is available in different colours, with excellent mechanical resistance, low water absorption and anti-fungal qualities. Application: Use a rubber trowel to spread the grout, making sure that the joints are filled completely. Use the same trowel to remove any surplus grout. Cleaning after grouting: Before the mortar sets, any remnants must be removed with a sponge or cloth. This operation must be carried out at least twice, rinsing the surface thoroughly and then removing any remnants of mortar the following day in the same way.

5. INSTRUCTIONS FOR CUTTING GLASS

Follow the instructions given below in order to work with the glass correctly. The following tools are recommended, depending on the type of work to be carried out:

-For small cuts and clippings, we recommend using the special Butech clippers for glass mosaics.

-Dry cuts should be made using a SIGMA machine, specially designed for cutting glass mosaics.


-Cuts made on whole sections should be made using a water-cooled Butech diamond disc cutter, specially designed for glass mosaics with a continuous crown; after marking the required cuts on the mosaic or glass section with a pencil, cut the section using a series of increasingly deeper radial cuts to prevent it from breaking.

-To drill holes in glass sections to hang mirrors, countertops, lamps etc., a FLEX BHW 1549 VR drill with water supply and Butech diamond bits should be used. These bits must be water-cooled, and are available in 6, 8, 10 and 12mm diameters.

Important: Rubber washers must be used to ensure a secure fit and to prevent the glass from breaking.

6. MAINTENANCE

For daily cleaning we recommend using glass cleaner and neutral soaps, then drying with soft cloth to prevent scratches and flaking. For perfect maintenance we recommend applying a repairer or polish to the glass surface once a year.



The following instructions are intended to guarantee the correct installation of glass and mosaic sections. All installation work must be carried out by a qualified professional. Please read the following installation instructions carefully. Safety goggles and gloves should be worn when handling glass to reduce the risk of injury. Minor variations in size and colour are inherent features of handmade glass. Please check the sections before laying.

1. PREPARING THE SUBSTRATE

Surfaces where the material is to be laid must be smooth and consistent, and dry and clean. They should be levelled to create a white background, using specific products for levelling layers thicker than 2mm. To keep the levelling material in good condition, the environmental temperature must be between 5°C and 30°C.

2. LAYING THE TILES

2.1 General Laying Instructions.

To lay the mosaic correctly, we recommend the use of fr-one, a single-part, technologically advanced adhesive, easy-to-apply and suitable for use with all types of glass mosaics. Its excellent degree of deformation capacity and high bonding strength make it suitable for use in environments requiring extra strength: laying over existing ceramic tiles, walls and swimming pools. Water- and frost-resistant.

It complies to European legislation. Thickness up to 15 mm.

Use the flat side of a notched trowel to spread the cement – glue evenly across the wall, then “comb” it with the notched side (minimum notch size). 8 mm). Do not spread the cement-glue over large areas in one go to prevent it from drying before the tiles are laid.

1. Lay the mesh sheets, starting at the bottom and working upwards. Take note of the direction in which each mesh is laid. Continue until the entire surface has been covered. Leave the corners and internal angles.
2. Mark out the straight line on the surface of the mesh to obtain the straight cut required to finish internal angles.
3. Remove each piece that requires cutting.
4. Cut each piece using a wet-cutting diamond saw. To avoid cutting too much or incorrectly, do not cut more than 2 meshes at once.
5. Stick the cut pieces back on the mesh.

2.2 Instructions for laying mesh-mounted mosaics.

After laying the sheet, the surface must be pressed down evenly, using a rubber trowel, making sure that the distance between each sheet is the same as between each chip, so that the final result is uniform and all of the joints are the same distance apart. Before grouting, leave the adhesive to dry for at least 24-48 hours. Once dry, clean the surface with a damp cloth and leave to dry before grouting.

2.3. Laying mosaics in swimming pools.

Apart from following the General Laying instructions, a capacity test must be carried out on the pool shell to check for leaks, if any waterproofing treatment is required, and a static test of the structure.

Remember that the products used for levelling are not waterproof.

The working area must be protected from rain and direct sunlight, taking special care to avoid water pooling on the surfaces where tiles have been laid for at least 20 days after work is completed. The covering should also be used to maintain the temperature of the substrate between 5°C and 30°C from the start of the laying process until at least 10 days after work is completed.

To ensure that the adhesive bonds correctly, any remnants of the product should be removed with a cement remover or similar product.

Important: The pool must not be filled until at least 20 days after completing work on laying the mosaic.

3. GROUTING

We recommend using Epotech aqua, a high performance, two-component epoxy system, easy-to-apply and clean, and suitable for ceramic and glass mosaics and ceramic tiles.

Epotech aqua is suitable for grouting for joints measuring 0 to 10 mm on floors and cladding, both indoors and out. Suitable for residential, industrial and commercial use. Excellent resistance to chemical substances. Suitable for use in swimming pools, spas. Suitable for ceramic tiles with any degree of absorption and format, klinker, natural stone, ceramic and glass mosaics.

Application: Use a rubber trowel to spread the grout, making sure that the joints are filled completely. Use the same trowel to remove any surplus grout.

Cleaning after grouting: Before the mortar sets, any remnants must be removed with a sponge or cloth. This operation must be carried out at least twice, rinsing the surface thoroughly and then removing any remnants of mortar the following day in the same way.

4. INSTRUCTIONS FOR CUTTING GLASS

Follow the instructions given below in order to work with the glass correctly.

The following tools are recommended, depending on the type of work to be carried out:

- For small cuts and clippings, we recommend using the special Butech clippers for glass mosaics.
- Dry cuts should be made using a SIGMA machine, specially designed for cutting glass mosaics.
- Cuts made on whole sections should be made using a water-cooled Butech diamond disc cutter, specially designed for glass mosaics with a continuous crown; after marking the required cuts on the mosaic or glass section with a pencil, cut the section using a series of increasingly deeper radial cuts to prevent it from breaking.
- To drill holes in glass sections to hang mirrors, countertops, lamps etc., a FLEX BHW 1549 VR drill with water supply and Butech diamond bits should be used. These bits must be water-cooled, and are available in 6, 8, 10 and 12mm diameters.


Important: Rubber washers must be used to ensure a secure fit and to prevent the glass from breaking.

5. LIMPIEZA

For daily cleaning we recommend using glass cleaner and neutral soaps, then drying with a soft clean cloth to prevent scratches and flaking. For perfect maintenance we recommend applying a marble repairer or polish to the glass surface once a year.

Comments:

- When laying sections with a matt finish, take special care not to stain the front part with adhesive or grouting in order to maintain a perfect appearance.
- The use of detergents or abrasives as cleaning agents may cause irreversible damage. If you are not sure, please contact the manufacturer.



1. PREPARING THE SUBSTRATE

Surfaces where the material is to be laid must be smooth and consistent, and dry and clean. They should be levelled to create a white background, using specific products for levelling layers thicker than 2mm. To keep the levelling material in good condition, the environmental temperature must be between 5°C and 30°C.

2. LAYING MOSAICS

To ensure properly laid mosaics, white One-Flex should be used. This high-performance cement-based adhesive is specially suited for laying mosaics. Use the smooth side of a notched trowel to spread the cement-based adhesive evenly across the wall. Then comb it with the notched side (using a minimum 3mm notched trowel). Do not spread the adhesive across large surface areas in case it dries before the mosaics can be laid. After laying the sheet, the surface must be pressed down evenly, using a rubber trowel, making sure that the distance between each sheet is the same as between each chip, so that the final result is uniform and all of the joints are the same distance apart. Before grouting, leave the adhesive to dry for at least 24-48 hours. Once dry, clean the surface with a damp cloth and leave to dry before grouting.

NOTE: L'Antic specifically recommends for installations in which the material is going to be in contact (direct or indirect) with water, the use of a type R2 T high-tech two-component polyurethane-based adhesive, in accordance with EN 12004. Politech by Butech is recommended as the attaching material and Epotech by Butech for the grouting. These should always be applied in accordance with the manufacturer's instructions. Both materials are made up of a polyurethane base (component A) and a specific hardener (component B). Hardening occurs by means of a chemical reaction, creating an elastic film that is completely waterproof. For exterior installations, protect from rain and frost for the first 8 hours.

3. GROUTING (only applicable to mosaics with joint)

We recommend the use of Colorstuck Rapid, a fast setting grouting mortar available in different colours, with an excellent mechanical resistance, low water absorption and anti-fungal qualities. For polished surfaces prone to scratching, we recommend Colorstuck especial n.

Application: Use a rubber trowel to spread the grout, making sure that the joints are filled completely. Use the same trowel to remove any surplus grout.



Post-grout cleaning: Before the grout sets, remove any surplus remains with a sponge or cloth. Repeat this process at least twice, rinsing the sponge or cloth out well. The following day, repeat the process one last time to remove any final remains.

4. CLEANING

Use a neutral soap detergent for everyday cleaning, drying the surface afterwards with a soft clean cloth so as not to scratch or chip the mosaics.

Comments:

- When laying sections with a matt finish, take special care not to stain the front part with adhesive or grouting in order to maintain a perfect appearance.
- The use of detergents or abrasives as cleaning agents may cause irreversible damage. If you are not sure, please contact the manufacturer.
- Minor variations in size or shade are typical of hand-made mosaics.



INSTALLATION INSTRUCTIONS

Glass and metal mosaics

The following instructions are intended to guarantee the correct installation of Fusion Mosaics. All installation work must be carried out by a qualified professional. Please read the following installation instructions carefully.

1. PREPARING THE SUBSTRATE

Surfaces on which the product is to be laid should be smooth and even, and dry and clean. We recommend the surface is levelled to create a white background. For levelling layers of more than 2 mm, we recommend the use of specific products. To ensure the levelling compound is kept in good condition, the ambient temperature should be kept between 30 °C and 5 °C.

2. LAYING THE MOSAICS

To ensure the mosaics are laid correctly, we recommend the use of white one-Flex with a number 6 trowel, a high performance cement-based adhesive. When installing, maintain the verticality so that all the aluminium tiles line up with the grooves and apply the material in the opposite direction to the mosaic so that it grips better. Use the flat side of a notched trowel to spread the cement – glue evenly across the wall, then “comb” it with the notched side (minimum notch size 3 mm). Do not spread the cement-glue over large areas in one go to prevent it from drying before the tiles are laid. After positioning the mesh in place, press down with a rubber trowel and make sure that the distance between the each sheet is equal to the distance between each of the tiles to ensure a uniform appearance and evenly spaced joints. Allow the cement-glue to dry for 24 hours before grouting.

Special care should be taken when using hard or sharp tools to avoid damaging the metallic tiles which may be easily scratched.

Fusion 3D mosaics have a compact format. Nevertheless, traces of the gluing compound may enter between the individual tiles if applied in excess.

NOTE: To correctly install the Fusion Dice series, special attention should be given to ensure that, between different mesh sheets, the aluminium tiles on one of the two ends (profile and mouth) line up, i.e. mouth with mouth and profile with profile; otherwise you may find spaces between the pieces.

3. REJUNTADO

Please note when grouting that an adhesive with a non-neutral pH could react with the aluminium. Test the adhesive before applying the paste, to confirm that the natural colour of the tiles is not altered by the adhesive. We recommend the use of Colorstuk rapid gris (with the same grain size as the 0-4, but as it is fast-drying it helps to prevent variations in shade, although the 0-4 could also be used), a fast-drying grout, with excellent mechanical resistance, low water absorption rate and resistance to mould. Excess adhesive must be removed while it is still fresh. Wait until the rest of the adhesive has dried before starting the grouting.

Fusion 3D mosaics have a compact format, and therefore do not require grouting.

Application: Use a rubber trowel to spread the grout, making sure that the joints are filled completely. Use the same trowel to remove any surplus grout.

Cleaning up after grouting: Remove any excess mortar before it sets, using a sponge or cloth. Repeat the procedure at least twice, rinsing well. Remove any remains of paste the next day, protecting the product from getting wet. On completion, protection with tapes is not necessary.

4. CUTTING

The following instructions should be observed to ensure the product is handled correctly:


Use a knife or hand saw to cut mesh-mounted mosaics. After cutting the mosaic, sand the cut edge. Remember that some of the tiles are made of aluminium and dark patches may remain on the pieces where the material has been cut.

When drilling holes in the tiles to hang mirrors, countertops, wall lights, etc., use the special drill bits according to whether the tile is made of glass or metal. When drilling glass tiles, we recommend the use of a drill with a FLEX BHW 1549 VR integrated water supply and Butech diamond drill bits. These drill bits must be water-cooled. They are available in a variety of diameters: 6, 8, 10, 12 mm.

Important: Rubber washers must be used to ensure a secure fit and to prevent the glass from breaking.

5. CLEANING

Use neutral soaps for day-to-day cleaning. Acid cleaners or detergents could cause permanent damage to the pieces. Use a sponge or cloth with soapy water or alcohol. Next, dry product with a soft clean cloth to prevent scratching. For perfect care, we recommend applying a repairing agent or polish to the surface.

**1. PREPARING THE SUBSTRATE**

The substrate on which the Mosaico Acero tiles are to be laid should be smooth and consistent. Make sure that it is clean and dry. We advise you to level the surface to create a white background. When there are deviations in flatness of over 2mm, use special levelling products, making sure that the environmental temperature is between 30°C and 5°C to maintain the product in the right condition.

2. LAYING MOSAICO ACERO TILES

To ensure the correct laying of the Acero Mosaic, we recommend you use white one – Flex, a high performance cement-based adhesive (C2TES1 EN12004). Use the flat side of a notched trowel to spread the cement – glue evenly across the wall, then “comb” it with the notched side (minimum notch size 3 mm). Do not spread the cement-glue over large areas in one go to prevent it from drying before the tiles are laid. After laying the mesh sheets, press them down with a rubber trowel and make sure that the distance between the meshes is equal to the distance between each of the tiles to ensure a uniform appearance and that all the joints are evenly spaced. Allow the cement-glue to dry for 24 hours before grouting.

3. REJUNTADO

Before the tiles are grouted, they should all be absolutely clean, with no dust remains. Any surplus adhesive from the tile-laying process should be removed while it is still wet, and the rest of the adhesive should be left to dry before starting to grout the tiles. We advise you to use Colorstuck (always with a fine grain). This high-performance, fast-drying grouting mortar is available in a range of different colours. It has an excellent mechanical resistance, low water absorption rate, and resistance to mould.

Application: Use a rubber trowel to spread the grout, making sure that the joints are filled completely. Use the same trowel to remove any surplus grout.

Cleaning up after grouting: Any traces of adhesive should be wiped away using a sponge or cloth before the adhesive sets. This operation must be carried out at least twice, rinsing the surface thoroughly and then removing any remnants of mortar the following day in the same way.

4. CUTTING MOSAICO ACERO TILES

To handle Mosaico Acero tiles properly, follow these instructions:

Use a radial tile saw with a steel cutting blade to cut the mesh-mounted tiles. After cutting them, lay the cut part so that it is concealed. (Being a metal, dark patches will always remain where the material has been cut).

To perforate Mosaico Acero tiles in order to hang mirrors, counter tops, wall lights etc., we advise you to use special drill bits for perforating steel.

5. CLEANING

For everyday cleaning, use a neutral soap and then dry the surface with a soft, clean cloth to avoid scratches. To maintain the tiles in good condition, we advise you to treat the surface with a repair product or polish. Using detergents and abrasive materials like cleaning powder can damage the mosaics irretrievably. If in doubt, contact the manufacturer. Small variations in calibre are typical of mosaic tiles that are mesh mounted by hand. We advise you to check the tiles before laying them.

The purpose of this manual is to provide the necessary information to correctly lay the mosaics from our ATELIER series.

PRELIMINARY CONTROL OF THE SUBSTRATES

Before proceeding with the installation, check that the substrates have the following characteristics:

Surface flatness

A fundamental requirement for the substrate is its surface flatness.

For glass mosaics, it is characterised by a thickness of 4 mm, and must not exceed this measurement by ± 1.5 mm. Any unevenness can be corrected by using the adhesive itself as a levelling mortar.

Maturation and maximum humidity permitted

Whatever the nature of the substrates, they must have completed their drying cycle so that they are dimensionally stable and do not undergo contractions after laying the mosaics or slabs. In the case of traditional cement-based screeds, drying time may vary depending on the season from between 7 to 10 days per centimetre thickness.

In the case of concrete surfaces, the minimum setting time is 6 months. Plaster-based substrates, including anhydrite-based screeds or gypsum plasters, shall have reached a maximum residual humidity of 0.5%. For pre-mixed cement-based plasters, the manufacturer's recommendations regarding drying times and mechanical strengths should be observed.

Cleaning

The substrates must be thoroughly clean, without any chipped parts, paint, wax, grease, oil or any other substance that may prevent the adhesive from adhering properly. Concrete substrates shall not have any residues of concrete release agents. Preventive cleaning with a pressure washer with hot water or sandblasting is recommended. Existing ceramic wall coverings should be thoroughly degreased using alkaline detergents or an aqueous solution of caustic soda.

Mechanical resistance

In the case of floorings, substrates must have an adequate mechanical resistance to compression depending on the intended use. For example, an interior cement-based screed in a residential building must have a minimum compressive strength of 20 N/mm², whereas a cement or gypsum-based plaster applied on an interior wall should have a substrate adhesion of at least 0.5 N/mm². If laying tiles on an exterior façade on plaster, it is necessary to ensure that the plaster is suitable for gluing mosaics or natural stone tiles (characterised by their heavy weight) and that it has, therefore, a minimum substrate adhesion value of 1 N/mm². To guarantee a good level of adherence, the substrates should not have loose superficial powder.

General installations

It is necessary to carry out a preventive levelling of the substrate using the cement-based adhesive, fr-one n by BUTECH to make the colour uniform and not alter the colour of the mosaic. In the case of substrates that are very smooth, not very absorbent, or subject to vibrations and expansions, the fr-one n (C2TES1) should be mixed with UNILAX latex to improve adherence. The mosaic may be installed after the leveller has completely hardened, which takes approximately 24 hours, depending on the room temperature. Before laying the tiles, we recommend marking the surface with lines to help in the correct alignment of the sheets. Set squares, level detectors or laser tools can be used at this stage. After spreading the sheets on the ground, measure 3 sheets, laying them together so that the distance between each one is the same as the distance between each tile. Mark this measurement on the surface to be covered, horizontally and vertically, drawing a grid, using a rule and level. In this way the wall is divided into various squares, each of which corresponds to nine sheets of mosaics. If the mosaic forms a picture or must be laid in one direction in particular, observe the instructions for laying. For mosaics with non-square sheets and, therefore with irregular sheet edges, it is important to ensure that the distance between one sheet and the next is the same as the distance between the tiles, so that all the joints are evenly spaced.

Installation on plexiglass, polycarbonate, glass and crystal.

This installation technique can only be used in the case of transparent mosaics mounted on paper. Taking advantage of the transparency of the substrate, we can create exclusive decorative effects and backlit walls.

Remove the transparent protective film from the substrates, if there is one. Before starting the installation, the substrates should be cleaned and thoroughly degreased using specific detergents and a cloth that does not leave residues on the surface. Remember that, depending on the transparency of the mosaic, it is possible that residual dirt or material on the substrate might be visible on completion of the installation. Apply the single-component transparent sealer using a cartridge gun, directly on the substrate, and make a few walnut-sized balls, at a distance of 8-10 cm, both horizontally and vertically, for an area of less than 60x90 cm.

Spread the product with a 2 mm triangular tooth notched trowel (VVVV) and continue with the installation as described above. For this type of installation, it is important to remove all air bubbles by gently pressing the mosaic sheets on the substrate. The paper must be removed 24 hours after installing, once the single-component adhesive has hardened.

Installation in POOLS, HAMMAMS AND THERMAL POOLS

We have considered it appropriate to devote more attention to these types of installations because they are more critical. The main instructions for correct installation are given below:

Swimming pools

Installation in pools, with a reinforced concrete structure requires a series of structural controls and checks in order to ensure the correct duration of the work.

1. In buried reinforced concrete structures, the external walls must be waterproofed before covering the excavation in order to prevent negative water pressures, which may have an impact on the internal surface.

2. Structural concrete requires a maturation time of approximately 6 months in order to be able to carry out all the hygrometric contractions and to be considered dimensionally stable.

3. It is necessary to make a final static test of the rough structure by filling with water in order to speed up the structure's setting procedures and control its waterproofness, detecting potential leaks that can be repaired immediately.

4. The pool's internal walls and flooring must be rectified with suitable cement-based mortars modified with polymers, in order to even out the flatness of the installation, and thus avoid excessive amounts of adhesive, which in the case of thin glass mosaics make their installation difficult or impossible.

5. To ensure the complete watertightness of the pool, two-component cement-based, waterproofing mortars such as Politech (R2T) from BUTECH should be applied prior to installation.

HAMMAMS AND THERMAL POOLS

The hammam or wet sauna is a complete wellness itinerary that takes place in humidity-saturated rooms with temperatures ranging from +30°C to +60°C. Often the structures within these rooms are made up of prefabricated panels and elements with special shapes (couches, benches, alcoves, etc.) made from extruded polystyrene attached to waterproof coverings, onto which the coating materials can be glued directly.

GROUTING

Before grouting the joints it is necessary to check that the adhesive used for the installation is completely dry and has hardened, and that the joints are perfectly dry. After these checks, any adhesive remaining in the joints must be removed mechanically. L'Antic recommends the epoxy mortar Epotech Crystal (R2T) manufactured by BUTECH for grouting mosaics and marble slabs.

Follow the instructions for use on the product packaging closely.

Make sure that the installation site conditions are appropriate for its use.

EPOTECH CRYSTAL

EPOTECH CRYSTAL has been designed for grouting transparent glass and artistic mosaics. Its special composition, based on inert agents made up of glass spheres, allows the product to pick up the colour of the transparent glass tiles when applied on the joints and, therefore, it changes depending on their colour. The best results are obtained when used on transparent substrates such as plexiglass, polycarbonate glass and crystal, sometimes backlit by a light source.

Another potential use for EPOTECH CRYSTAL involves the caulking of artistic mosaics, i.e. compositions made up of mosaics that, suitably shaped and combined, reproduce exclusive images full of diffusions and shadows. If these compositions are caulked using traditional coloured sealants, it damages the look of the depicted image as the colour caulking creates a discontinuity between the mosaic tiles. On the contrary, if EPOTECH CRYSTAL is used, thanks to its semi-transparency, the original composition diffusions are maintained, making a neutral, colourless caulking that does not interfere with the image. In the case of slim mosaic caulking with Crystal, we recommend using a 2 mm triangular-tooth spatula (VVVV) to spread the adhesive, to prevent the higher spots of adhesive from being visible through the caulking.

The application phases for Epotech Crystal are described below.

1-Pour the catalyst contained in the packet onto the coloured paste. We recommend you use the full contents of the packet.

2-Mix, using a drill equipped with a propeller mixer at low speed, until a uniform lump-free paste is obtained.

3-Carefully add the special finishes (optional) to obtain exclusive effects. These additives are available separately and are provided in doses suited to the 5 kg and 2.5 kg containers.

4-Stir slowly until the additive is evenly mixed in.

5-Apply as an adhesive directly onto the substrate using a 3.5 mm notched trowel.

6-Apply as a sealant on the joints using a rubber trowel.

7-Make an initial cleaning, while the sealant is still fresh, using water and a white lint-free cloth.

8-Go over the caulking immediately with a Sweepex sponge and water.


9-Once the caulking has hardened (after about 24 hours depending on the temperature), clean the surface using a neutral detergent and a white lint-free cloth, removing any transparent stains.

10-To clean the covering, use Epotech cleaner.

11-Rinse with clean water to remove all traces of detergent.

12-Dry the surface with a dry cloth, without waiting for the rinse water to evaporate.

The information obtained in this document is provided in good faith and on the basis of extensive research carried out by L'Antic and BUTECH at their own internal laboratories. Nevertheless, as the conditions and methods of use are beyond the control of the companies, this information does not replace the preliminary essential testing required to ensure the total suitability and safety of the product for its specific application. Sicis and Litokol do not accept any responsibility for results obtained from other operational methods, over which they do not have any control. The user is responsible for determining the usage suitability in terms of the required application, as well as taking suitable precautions to safeguard property and persons against any risks associated with the use of the product. We recommend that each user conducts verification tests of the potential application before using it. Suggestions for use should not be interpreted as encouragement to break any patent-protected rights. The information contained in this document may be subject to change without prior notice. Tests have been conducted on materials as they are typically produced and sold, maintained in good condition and without any defects caused by improper transport and storage.



1 CONDITIONS FOR THE RECEPTION AND STORAGE OF MATERIAL ON SITE

1.1 Reception

On reception, the consignments of mosaic should be checked, considering the following aspects:

- Type, colour and design. As with all natural materials, the wood may present minor variations in tone.
- Quantity supplied;
- Dimensions and quality class or appearance;
- Moisture content of the elements;
- General condition and physical integrity of the elements.

The best way to obtain a harmonious finish is to create a panel on the ground, combining the different tones of the mosaics before mounting them on the wall. Installation of the material supposes acceptance of the consignment.

1.2 Storage of the mosaic

The mosaic should be stored, protected from outdoor weather conditions, in a well-ventilated, clean and dry building, and stacked leaving spaces between the wood, the ground and the walls. If the mosaics are delivered skin-wrapped in plastic, they should be kept in their unopened packets until use.

1.3 Storage of adhesives

These should be stored in well-ventilated, cool, dry buildings at temperatures between 10 °C and 25 °C, in their unopened packaging and protected from direct sunlight and other sources of heat. In these conditions, they can normally be stored for up to 6 months without losing their properties.

1.4 Recommendations for use

Mosaics with relief and without joints are recommended for installation as wall covering, in interior premises with ambient conditions within the normal humidity and temperature parameters. Wood mosaics are not recommended for use outdoors or in direct contact with water in bathrooms, spas, pools, etc.

1.5 Instructions for assembly WOOD ANTIQUE (BRICK, SQUARE).

The WOOD ANTIQUE (BRICK, SQUARE) series, given its hygroscopic nature, should be unpacked from the plastic and cardboard packaging at the site of installation for 24-48 hours, to allow the wood to adjust to the temperature and humidity conditions of the site.

Before starting the installation, spread the material on the ground and fit the bricks together to ensure that they fit correctly, before mounting on the wall.

Use a rubber mallet to tap the pieces into place, gently tapping on the side of the piece, thus helping the anchorage of the bricks.

Once you have confirmed that the pieces fit together correctly, proceed to the installation of the material on the wall.

2 PRELIMINARY CONDITIONS OF THE BUILDING

2.1 Windows and doors

The mosaic is mounted after the exterior windows and doors have been glazed, to prevent the entrance of rainwater, the effect of frosts, excessive changes in relative humidity and temperature, etc.

2.2 Site humidity of walls and ceilings

The materials used in the walls and ceilings in the same room as the one in which the mosaic is to be installed should have a moisture content of less than 2.5 %, except for plasterwork and paintwork that may reach 5 %.

2.3 Relative humidity and temperature of the buildings

The hygrothermal conditions listed below shall be maintained throughout

the mosaic installation process. Installation work must not be started until the relative humidity conditions of the building reach and remain between 30 and 65 %. Temperature is an important factor in the gluing and finishing of the mosaic. Gluing and finishing work should not be carried out at temperatures below 10 °C, or above 27 °C.

2.4 Maintenance of the conditions of the buildings

If necessary, use auxiliary means to prepare the building. These may include fan heaters, humidifiers or dehumidifiers as required. They should be used for as long as necessary to guarantee the correct conditions for installation.

3 GENERAL CONDITIONS OF THE SUBSTRATE

3.1 General conditions

The substrate or installation base must be uniformly compact in depth and on the surface (eliminating friable parts or parts that may be easily detached), thoroughly dry, free of dust, grease or any other substance. Do not install on substrates at risk of humidity due to capillary ascension as this may affect the adherence and the wood mosaic. Similarly, the surface should be plumb perfect, level and flat with defects measuring a maximum of 2 mm, measured using a 2 m rule. The retraction joints of flooring may be filled with flexible materials. The joints of the building must be left free.

3.2 Cement mortar substrates

The moisture content of the substrate prior to installation must be less than or equal to 2.5 %.

The moisture content can be measured using a capacitive-, microwave- or carbide-type electronic hygrometer. In each case, the manufacturer's instructions for the equipment used must be observed.

In all cases, and irrespective of the measurement or estimation method used, remember that the sample must be representative of the thickness of the substrate.

Written records shall be kept of the measurements made.

3.3 Existing wood substrate

If using a wood substrate, it is necessary to guarantee the release of moisture, prevent the risk of attack by insects and general problems of sanitation. Wood is a hygroscopic element that absorbs and releases moisture from and to the surrounding atmosphere and consequently may undergo dimensional changes.

3.4 Existing ceramic or stone substrates

The necessary tests must be carried out with this type of substrate to guarantee the correct adherence of the mosaic to the substrate and that there is no moisture transmission. When applying wood mosaics on masonry walls, check that these are completely dry.

3.5 Existing textile pavings

In general, we do not recommend the installation of wood mosaics on textile substrates to prevent problems of sanitation.


4 SPECIFICATIONS FOR LAYING THE MOSAIC

4.1 General points

The materials used in the installation, including the mosaics and the adhesives, filler materials, etc. must all comply to the necessary technical specifications for the design and the manufacturer's instructions for the same must be observed.

4.2 Mosaic moisture content

The moisture content of wood mosaics, whether in conditions of heating or air conditioning, shall be between 7% and 9% humidity.



4.3 Perimeter joints

A perimeter joint of between 4 and 6 mm should be left. This joint can be filled with flexible materials. The purpose of the perimeter joint is to prevent moisture from passing from the walls to the wood and to act as an acoustic barrier (to prevent acoustic bridges). It is not intended to absorb possible movements due to swelling that may occur in the installation.

4.4 Gluing the pieces

The use of a type R2 T high-tech two-component polyurethane-based adhesive is recommended in general, and specifically for special substrates where it is not possible to use cement-based adhesives, in accordance with EN 12004. L'Antic Colonial recommends Politech from Butech. Always apply a fine coat using a notched trowel with notching of 8 mm at maximum. Use the flat part of the trowel to spread the adhesive across the substrate, and then comb it with the notched part. Mount the mosaic, making sure that it is clean, there is no waste or residue from the building work, before the adhesive forms a surface film (within the adhesive open time). In general, the manufacturer's instructions should be observed for the use of adhesives regarding open times, gel times, useful life, dose, application, products, formats, etc.

4.5 Installation tolerances

4.5.1 Joints

As a consequence of the hygroscopic nature of the wood, dimensional variations may take place which should be considered as normal. The reduction in the width of the pieces results in the appearance of the joints between the mosaic elements. To the contrary, excess moisture will cause the wood mosaic to absorb moisture and increase in size. In order to control this factor, IT IS VITAL to maintain the hygrometric conditions of the environment in which the mosaic is being installed stable. Please refer to the instructions in the maintenance section, as failure to comply with the instructions could result in damage to the installation and the loss of cover under any applicable guarantee.

4.5.2 Fillers and repairs

Specific repair fillers should be used for this type of work. Strange mixtures, for example flour based glues or sawdust mixed with adhesive or varnishes should not be used.

4.5.3 Variations in the colour and appearance of the mosaic

Every species of timber as a characteristic colour depending on the colour of the cell walls and the substances in the lumen of the cell wall.

The wood used in this mosaic may vary in appearance (colour, grain, texture etc.), and this is one of the most appreciable aspects of the installation and an inherent feature of the wood.

All timber undergoes changes in colour on exposure to light, although the changes may be more noticeable in some species than in others. Variations in colour should be considered as a natural phenomenon inherent to the wood.

4.6 Protection, maintenance and inspection of the wood mosaic

4.6.1 Provisional protection of the mosaic

Schedule the installation to coincide with the final stages of the work, where possible after the paintwork. During the finishing work, the hygrometric conditions specified in section 2 must be maintained in the buildings.

4.6.2 Preparation of the buildings

Wood and wood products are hygroscopic materials that absorb and release moisture from and to the surrounding atmosphere depending on the hygrothermal conditions (humidity and temperature). The finish

applied to the mosaic is only intended to offer protection against the absorption from or release to the air of moisture by the paving. A high relative humidity in the building (above 65% for more than 15 days) may result in excess absorption of moisture by the mosaic. A low relative humidity in the building (below 35 %) for the same period may result in excessive loss of moisture from the mosaic. It is necessary to ensure the building is suitably prepared (ventilation, heating, protection from direct sunlight, etc.) so that the mosaic is not subjected to unwanted fluctuations in moisture content and the consequent unexpected dimensional variations.

Buildings should be kept at between 50 and 70 % relative humidity in coastal zones and between 35 and 60 % in inland zones.

On completion of the installation work, maintenance of these conditions is the responsibility of the party in charge of the project at any time.

4.6.3 Inspection for reception

On completion of the installation work, an inspection is made in the company of the customer who is provided with a copy of the Maintenance and Conservation Manual for the covering mounted.

The mosaic is inspected from a standing position, with natural light behind the observer. Angular sources of light should not be used, nor should the work be inspected for surface irregularities while standing against the light. The final inspection of the installed mosaic shall take place at most seven days after the installation and a project acceptance document should be prepared for signing by the installer and the customer, noting any relevant observations.

4.6.4 Instructions for use and maintenance

On completion of the installation work, the installation company shall provide the subcontractor with a manual or instructions for use and maintenance which should contain, at minimum, the following information:

- Name of the company
- Technical specifications for the mosaic installed.
- Hygrothermal conditions that must be maintained for the mosaic until delivery and afterwards by the user;
- Prevention treatments and recommendations for suitable cleaning products and procedures;
- Certificate of guarantee of work.

4.6.5 Maintenance and care

To keep wood mosaics in optimum conditions after installation, the room should be kept at a relative humidity of 45 to 60%, and a temperature of 15 to 20 °C.

In dry climates it is necessary to maintain the correct degree of humidity, either using traditional methods such as containers of water or by using humidifiers.

On the other hand, in humid climates, the use of dehumidifiers or air conditioners is recommended to avoid damage to the wood.

For the care, maintenance and cleaning of the wood mosaics by L'Antic Colonial, we recommend the use of Woca products, to offer the best guarantees and longer life for your mosaics:

- Dry cleaning: as a general rule wipe with a cloth, mop, brush or vacuum.
- Wet cleaning: use Woca Natural Soap for oiled woods. Clean&Green Aqua Oil.
- Intense cleaning: use Woca intensive cleaner. After cleaning, apply Woca Natural Oil.





CUSTOMIZED MOSAICS

NOOHN MOSAICS

Wall Coverings: Mosaico Personalizado.

**NORMAL PRECISION SYSTEM:**

Customized mosaics with an image made up of uncut square mosaic chips. A high-definition end result is not required. These mosaics are classified into 3 groups, depending on how hard it is to recreate the drawing with mosaic chips:



L'ANTIC COLONIAL
Inspiring spaces. Inspired by nature

Low complexity:

G-010*

**Medium complexity:**

G-011*

**High complexity:**

G-012*

*NOTE: The price groups are intended for guidance only and may vary depending on the size of the mosaic.
Depending on the details of the drawing or photo, the measurements requested for the mosaic may vary, adapting to the size requirements so that the whole drawing or photo is visible.
The smaller the size of the mosaic, the more difficult it is to adapt the drawing to the size.




HIGH PRECISION SYSTEM:

Customized mosaics made up of chips that can be cut and arranged in different shapes to achieve high-definition end results. These mosaics are classified into 3 groups, depending on how complex it is to cut the mosaic chips:



NOOHN MOSAICS



Low complexity: G-013*



Medium complexity: G-014*



High complexity: G-015*

***NOTE:** The price groups are intended for guidance only and may vary depending on the size of the mosaic.
Depending on the details of the drawing or photo, the measurements requested for the mosaic may vary, adapting to the size requirements so that the whole drawing or photo is visible.
The smaller the size of the mosaic, the more difficult it is to adapt the drawing to the size.