

CATALOGUE 2021/2022



GROHE

TABLE OF CONTENTS

Bath fittings	SmartControl	SmartControl mixers	14
	Fittings	Allure Brilliant	16
		Allure	23
		Atrio	30
		Grandera	41
		Lineare	50
		Eurocube Joy	56
		Eurocube	59
		GROHE Plus	66
		GROHE Essence	72
		Eurodisc Joy	81
		Eurodisc Cosmopolitan	83
		Concetto	87
		Eurostyle Cosmopolitan	92
		Eurostyle	96
		Eurocosmo	102
		Eurosmart	107
		BauEdge	110
		BauLoop	115
		BauClassic	119
		BauCurve	122
		BauFlow	125
	Two Handle fittings	Costa L	128
	Universal	Universal	130
	Bath sets	Talentofill	131
	Accessories	Selection	132
		Selection Cube	137
		Essentials	140
		Essentials Cube	147
		BauCosmopolitan	151
		Essentials Authentic	154

GROHE

TABLE OF CONTENTS

Thermostats	Grohtherm	Grohtherm SmartControl	160
		Grohtherm 2 handle trim sets	168
		Grohtherm 2000	173
		Grohtherm Cube	174
		Grohtherm 1000	176
		Grohtherm 1000 Performance	177
		Grohtherm 800 Cosmopolitan	178
		Grohtherm 800	179
Concealed solutions		GROHE Rapido SmartBox	182
		GROHE Rapido C / stop valves	183
Showers	GROHE Digital	F-digital Deluxe	186
	Shower Systems	Rainshower System SmartControl	191
		Rainshower SmartActive System	192
		Euphoria SmartControl System	194
		Euphoria system	196
		Tempesta system	200
		Shower system accessories	206
	Showers	Head showers	207
		Sena	225
		Rainshower SmartActive	226
		Euphoria	233
		Tempesta	238
		Sena trigger sprays	246
		Tempesta-F trigger sprays	247
		Shower hoses	249
		Shower accessories	251
Kitchen fittings	Water systems	GROHE Blue Professional	260
		GROHE Blue Home	263
		GROHE Blue Pure	264
		GROHE Blue accessories	266
		GROHE Red	268

GROHE

TABLE OF CONTENTS

	Premium lines	K7	271
		Minta / Minta SmartControl / Minta Touch	272
		Zedra / Zedra SmartControl / Zedra Touch	275
		Atrio	276
		Essence	277
		Eurocube	279
	Competence lines	Parkfield	280
		Eurodisc Cosmopolitan	281
		Concetto	282
		Eurostyle Cosmopolitan	284
		Eurocosmo	286
		Eurosmart	287
		Costa	289
		Bau Lines	290
		Soap dispensers	292
	Kitchen sinks	Stainless steel sinks	293
		Composite sinks	303
Special fittings	Electronic fittings	Eurocube E	312
		Essence E	314
		Europlus E	317
		Eurosmart Cosmopolitan E	319
		Euroeco Cosmopolitan E	326
		Bau Cosmopolitan E	328
	Special thermostats	Grohtherm Micro	330
		Grohtherm Special	331
	Single-lever mixer	Euroeco Special	333
		Euroeco Single Sequential	334
	Self-closing fittings	Eurosmart Cosmopolitan T	335
		Euroeco Cosmopolitan T	337
Smart toilet		GROHE Sensia Arena	340
		Manual bidet seat	342

GROHE

TABLE OF CONTENTS

Ceramics		Essence	346
		Cube Ceramic	349
		Euro Ceramic	353
		Bau Ceramic	358
		Acrylic shower trays	363
Installation Systems	Rapid SLX	Rapid SLX	368
	Rapid SL	Rapid SL for WC	369
		Rapid SL for urinal	374
		Rapid SL for wash basin and bidet	375
		Rapid SL for the disabled	377
		Rapid SL accessories	378
	Uniset	Uniset frames and accessories	379
Flushing systems	WC	Flushing cisterns	386
		Accessories for flushing cisterns	387
		WC flush valves	390
		Electronic actuations for WC	392
	Urinal	Electronic actuations for urinal	393
		Urinal flush valves	396
Actuations	WC	Wall plates for WC	400
		GROHE Fresh	406
		Wall plates for WC flush valves	407
	Urinal	Wall plates for urinal	408
Connections and Security		Angle valves	412
		WAS valves	414
		Safety systems	415
Spare parts	Cartridges		418
	Thermo elements and thermostatic cartridges		419
	Head parts		420
	Extension sets		421
	Flow straighteners		422
	Waste sets and traps		423

GROHE

TABLE OF CONTENTS

	Cleaning and care	424
	Spare parts for shower toilet	425
Survey of contents		426
LIXIL makes better homes		436

PURE FREUDE AN WASSER.

Life-giving, universal, joyful – water itself is the source of inspiration for the whole of our distinctive product portfolio.

Each of these products is always based on our four core values: Quality, Technology, Design and Sustainability. Balancing these in everything we do, allows us to deliver unrivalled water enjoyment to our customers.







QUALITY

From the first design sketch to the final product to after-sales services: Our customers can rely on our Made in Germany sense of perfectionism.

*"No.1 most trusted brand in the sanitary industry" –
Wirtschaftswoche, 2017*



TECHNOLOGY

We constantly drive innovation to enrich your everyday water experience, delivering smart solutions on the path of the digitization of water.

*"Top 50 companies to change the world" –
Fortune Magazine, 2017*



DESIGN

Our highly awarded design DNA's recipe for success is simple: Merging the contemporary and the timeless into products that feel like they were designed just for you.

Over 400 design awards won since 2003



SUSTAINABILITY

Water is our passion. We care about every drop and our CSR commitment goes even beyond one element alone: We strive to protect all of our planet's resources for future generations.

CSR Award winner of the German Government, 2017

GROHE
BATH FITTINGS






CONTENTS

SmartControl	SmartControl mixers	14
Fittings	Allure Brilliant	16
	Allure	23
	Atrio	30
	Grandera	41
	Lineare	50
	Eurocube Joy	56
	Eurocube	59
	GROHE Plus	66
	GROHE Essence	72
	Eurodisc Joy	81
	Eurodisc Cosmopolitan	83
	Concetto	87
	Eurostyle Cosmopolitan	92
	Eurostyle	96
	Eurocosmo	102
	Eurosmart	107
	BauEdge	110
	BauLoop	115
	BauClassic	119
	BauCurve	122
	BauFlow	125
Two Handle fittings	Costa L	128
Universal	Universal	130
Bath sets	Talentofill	131
Accessories	Selection	132
	Selection Cube	137
	Essentials	140
	Essentials Cube	147
	BauCosmopolitan	151
	Essentials Authentic	154

GROHE SMARTCONTROL MIXERS

Ref. no.

Colour



29 147 000

chrome

SmartControl

Concealed mixer with one valve

final installation for Rapido SmartBox (35 600)

GROHE FastFixation metal wall escutcheon, retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment


exchangeable symbols

cartridge for temperature mixing

outlet B = 27 l/min, outlet C = 27 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



29 148 000

chrome

SmartControl

Concealed mixer with 2 valves

final installation for Rapido SmartBox (35 600)

GROHE FastFixation metal wall escutcheon, retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment

exchangeable symbols


cartridge for temperature mixing

multiple outlets can be run simultaneously

outlet B = 23 l/min, outlet C = 25 l/min, outlet B+C = 27 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



29 149 000

chrome

SmartControl

Concealed mixer with 3 valves

final installation for Rapido SmartBox (35 600)

GROHE FastFixation metal wall escutcheon, retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment

exchangeable symbols

cartridge for temperature mixing


multiple outlets can be run simultaneously

outlet A = 22 l/min, outlet B = 26 l/min, outlet C = 22 l/min, outlet A+B = 31 l/min,

outlet A+B+C = 34 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



29 144 000

chrome

SmartControl

Concealed mixer with one valve

final installation for Rapido SmartBox (35 600)

GROHE FastFixation metal wall escutcheon, retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment


exchangeable symbols

cartridge for temperature mixing

outlet B = 27 l/min, outlet C = 27 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



29 145 000

chrome

SmartControl

Concealed mixer with 2 valves

final installation for Rapido SmartBox (35 600)

GROHE FastFixation metal wall escutcheon, retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment

exchangeable symbols

cartridge for temperature mixing

multiple outlets can be run simultaneously

outlet B = 23 l/min, outlet C = 25 l/min, outlet B+C = 27 l/min


35 600 000

GROHE Rapido SmartBox universal rough-in box

GROHE SMARTCONTROL MIXERS

Ref. no.

Colour

**29 146 000****chrome****SmartControl****Concealed mixer with 3 valves**

final installation for Rapido SmartBox (35 600)

GROHE FastFixation metal wall escutcheon, retroactively 6° adjustable**GROHE StarLight** chrome finish**GROHE SmartControl** push for ON-OFF, turn for volume adjustment


exchangeable symbols

cartridge for temperature mixing

multiple outlets can be run simultaneously

outlet A = 22 l/min, outlet B = 26 l/min, outlet C = 22 l/min, outlet A+B = 31 l/min,

outlet A+B+C = 34 l/min

35 600 000**GROHE Rapido SmartBox universal rough-in box****34 709 000****chrome****SmartControl****Perfect shower set**

concealed mixer with 3 valves

SmartControl mixer (29 146)

Rapido SmartBox (35 600)


Rainshower SmartActive 310 head shower set (26 475), rough-in (26 483)

Euphoria Cosmopolitan Stick handshower (27 367)

Rainshower wall holder (27 074)

Rainshower wall union 1/2" (27 057)

Silverflex shower hose 1500 mm 1/2" x 1/2" (28 364)

**34 712 000****chrome****SmartControl****Perfect shower set**

concealed mixer with 3 valves

SmartControl mixer (29 149)

Rapido SmartBox (35 600)

Rainshower SmartActive 310 Cube head shower set (26 479), rough-in (26 483)

hand shower Euphoria Cube Stick (27 698)

Euphoria Cube wall union with integrated shower holder (26 370)

Silverflex shower hose 1500 mm 1/2" x 1/2" (28 364)

new**14 077 XH0****chrome/frosted granite****SmartControl****Caps concealed**


9 caps with 6 different symbols

fits Grohtherm SmartControl and SmartControl mixer

GROHE ALLURE BRILLIANT

Ref. no.

Colour




23 029 000
23 029 DC0
23 029 AL0

chrome
supersteel
brushed hard graphite

Allure Brilliant
Single-lever basin mixer 1/2"
M-Size
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE FastFixation installation system
spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses

23 033 000
23 033 DC0
23 033 AL0
ditto, smooth body

chrome
supersteel
brushed hard graphite




23 109 000
23 109 DC0
23 109 AL0

chrome
supersteel
brushed hard graphite

Allure Brilliant
Single-lever basin mixer 1/2"
L-Size
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE FastFixation installation system
spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses

23 112 000
23 112 DC0
23 112 AL0
ditto, smooth body


chrome
supersteel
brushed hard graphite



23 114 000
23 114 DC0
23 114 AL0

chrome
supersteel
brushed hard graphite

Allure Brilliant
Single-lever basin mixer 1/2"
XL-Size
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE FastFixation installation system
spout with integrated mousseur
smooth body
flexible connection hoses



20 344 000
20 344 DC0
20 344 AL0


chrome
supersteel
brushed hard graphite

Allure Brilliant
3-hole basin mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses between spout and side valves

GROHE ALLURE BRILLIANT

Ref. no.



Colour



20 342 000
20 342 DC0
20 342 AL0

chrome
supersteel
brushed hard graphite

Allure Brilliant
3-hole basin mixer 1/2"
S-Size
ceramic headparts 1/2", 90°
GROHE EcoJoy 5.0 l/min. flow limiter
low spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses between spout and side valves



20 346 000
20 346 DC0
20 346 AL0


chrome
supersteel
brushed hard graphite

Allure Brilliant
3-hole basin mixer 1/2"
S-Size
wall mounted
without concealed body
final installation for 29 025
headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
spout with integrated mousseur
centre distance 200 mm
projection 161 mm

20 348 000
20 348 DC0
20 348 AL0


chrome
supersteel
brushed hard graphite

ditto, projection 210 mm



29 025 002

Concealed body
for 3-hole wash-basin mixer
wall installation
Installation depth 43 - 85 mm
DR-brass
installation device
with sealing sleeve



19 781 000
19 781 DC0
19 781 AL0

chrome
supersteel
brushed hard graphite

Allure Brilliant
2-hole basin mixer
S-Size
wall mounted
without concealed body
final installation for 23 200
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
spout with integrated mousseur
centre distance 110 mm
projection 161 mm

19 783 000
19 783 DC0
19 783 AL0


chrome
supersteel
brushed hard graphite

ditto, projection 210 mm

GROHE ALLURE BRILLIANT

Ref. no.

Colour




23 200 000

Single-lever mixer 1/2"
concealed body

for 2-hole basin mixers
wall installation

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
DR-brass
installation device



23 117 000

23 117 DC0

23 117 AL0


chrome

supersteel

brushed hard graphite

Allure Brilliant
Single-lever bidet mixer 1/2"
M-Size

GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses



24 071 000

24 071 DC0

24 071 AL0

chrome

supersteel

brushed hard graphite

Allure Brilliant
Single-lever shower mixer

final installation for Rapido SmartBox (35 600)


GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

GROHE FastFixation escutcheon with covered shaft sealing and covered fixing
metal escutcheon, retroactively 6° adjustable
flow performance: outlet B or C = 30 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



24 072 000

24 072 DC0

24 072 AL0

chrome

supersteel

brushed hard graphite

Allure Brilliant
Single-lever mixer with 2-way diverter

final installation for Rapido SmartBox (35 600)


GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

GROHE FastFixation escutcheon with covered shaft sealing and covered fixing
metal escutcheon, retroactively 6° adjustable
automatic 2-way diverter
outlet B = 27 l/min, outlet C = 27 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



24 099 000

chrome

Allure Brilliant
Single-lever mixer with 3-way diverter

final installation for Rapido SmartBox (35 600)

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

GROHE FastFixation escutcheon with covered shaft sealing and covered fixing
metal escutcheon, retroactively 6° adjustable

3-way diverter

flow performance: outlet A = 27 l/min, outlet B = 27 l/min, outlet C = 27 l/min


35 600 000

GROHE Rapido SmartBox universal rough-in box

GROHE ALLURE BRILLIANT

Ref. no.


Colour



19 787 001
19 787 DC1
19 787 AL1

chrome
supersteel
brushed hard graphite

Allure Brilliant
4-hole bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
pre-assembled spout fixing
single lever mixer operating element
bath spout with integrated mousseur
diverter bath/shower
hand shower Euphoria Cube+ 6.5 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037




29 037 000

4/5-hole bath/shower combination (optional)
base frame for installation

drainage box with integrated outlet for splash water
caps to cover screw fixations always come in chrome color

45 388 000


Supporting legs for baseframe



23 119 000
23 119 DC0
23 119 AL0

chrome
supersteel
brushed hard graphite


Allure Brilliant
Single-lever bath mixer 1/2", floor mounted
final installation for 29 086 / 45 984
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with integrated mousseur
projection 270 mm
integrated non-return valve in shower outlet
with shower holder
hand shower Euphoria Cube+
metal shower hose 1250 mm
protected against backflow



45 984 001

Rough-in set 1/2"

for floor-mounted bath mixers/spouts and shower mixers
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/spouts,
depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket included
fixing material



29 086 000

Rough-in set 1/2"

for floor-mounted bath spouts and mixers
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug


GROHE ALLURE BRILLIANT

	Ref. no.	Colour
	13 319 000 13 319 DC0 13 319 AL0	chrome supersteel brushed hard graphite
	Allure Brilliant Cascade spout for bath and shower wall mounted GROHE StarLight chrome finish projection 180 mm	
	13 299 000 13 299 DC0 13 299 AL0	chrome supersteel brushed hard graphite
	Allure Brilliant Bath spout wall mounted GROHE StarLight chrome finish projection 161 mm spout with integrated mousseur	
	19 798 000 19 798 DC0 19 798 AL0	chrome supersteel brushed hard graphite
	Allure Brilliant 5-way diverter final installation for 29 033 GROHE StarLight chrome finish installation depth infinitely adjustable 66 - 113 mm	
	19 796 000 19 796 DC0 19 796 AL0	chrome supersteel brushed hard graphite
	Allure Brilliant Concealed valve exposed part final installation for 29 032 000, 35 028 000 GROHE StarLight chrome finish installation depth infinitely adjustable 43 - 91 mm	


GROHE ALLURE BRILLIANT

Ref. no.


Colour

**40 494 000****chrome**


Allure Brilliant
Holder with soap dispenser
 material: glass / metal
 filling quantity 150 ml
 concealed fastening
GROHE StarLight chrome finish

**40 493 000****chrome**


Allure Brilliant
Holder with tumbler
 material: glass / metal
 concealed fastening
GROHE StarLight chrome finish

**40 503 000****chrome**


Allure Brilliant
Shelf with tumbler
 material: glass / metal
 concealed fastening
GROHE StarLight chrome finish

**40 504 000****chrome**

Allure Brilliant
Shelf with soap dish
GROHE StarLight chrome finish




**40 496 000****chrome**

Allure Brilliant
Towel holder
 2 arms, not pivotable
 length 431 mm
 concealed fastening
GROHE StarLight chrome finish

**40 497 000****chrome**

Allure Brilliant
Towel holder
 650 mm (drilling length 600 mm)
 material: metal
 concealed fastening
GROHE StarLight chrome finish


GROHE ALLURE BRILLIANT

Ref. no.		Colour
 	40 498 000 Allure Brilliant Bathrobe hook material: metal concealed fastening GROHE StarLight chrome finish	chrome
 	40 499 000 Allure Brilliant Toilet paper holder without cover material: metal concealed fastening GROHE StarLight chrome finish	chrome
 	40 500 000 Allure Brilliant Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish	chrome


GROHE ALLURE

Ref. no.

Colour

**32 757 000****chrome**


Allure
Single-lever basin mixer 1/2"
M-Size
 GROHE SilkMove 28 mm ceramic cartridge
 GROHE StarLight chrome finish
 GROHE EcoJoy 6.0 l/min. flow limiter
 rapid installation system
 mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses

**32 146 000****chrome**


Allure
Single-lever basin mixer 1/2"
L-Size
 GROHE SilkMove 28 mm ceramic cartridge
 GROHE StarLight chrome finish
 GROHE EcoJoy 6.0 l/min. flow limiter
 rapid installation system
 mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses

23 076 000**chrome**



ditto, without pop-up waste set

**23 403 000****chrome**

Allure
Single-lever basin mixer 1/2"
XL-Size
for free-standing basins
 GROHE SilkMove 28 mm ceramic cartridge
 GROHE StarLight chrome finish
 GROHE EcoJoy 6.0 l/min. flow limiter
 GROHE FastFixation Plus installation system
 smooth body
 flexible connection hoses
 temperature limiter

**20 188 000****chrome**


Allure
3-hole basin mixer 1/2"
M-Size
 with lever handles
 metal escutcheon
 ceramic headparts 1/2", 90°
 GROHE StarLight chrome finish
 flow limiter 8 l/min.
 spout with mousseur
 flexible connection hoses between spout and side valves
 pop-up waste set 1 1/4"

**20 189 000****chrome**

Allure
3-hole basin mixer 1/2"
S-Size
 wall mounted
 without concealed body
 final installation for 29 025
 with lever handles
 headparts 1/2" - 90°
 GROHE StarLight chrome finish
 flow limiter 8 l/min.
 spout with mousseur
 centre distance 200 mm
 projection 172 mm


20 193 000**chrome**

ditto, projection 220 mm



29 025 002

Concealed body
for 3-hole wash-basin mixer
wall installation
Installation depth 43 - 85 mm
DR-brass
installation device
with sealing sleeve



19 309 000


chrome

Allure
2-hole basin mixer
S-Size
wall mounted
without concealed body
final installation for 33 769
GROHE StarLight chrome finish
flow limiter 8 l/min.
spout with mousseur
centre distance 110 mm
projection 172 mm

19 386 000


chrome

ditto, projection 220 mm



33 769 000


Single-lever mixer 1/2"
concealed body
for 2-hole basin mixers
wall installation
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
installation device



32 147 000

chrome

Allure
Single-lever bidet mixer 1/2"
M-Size
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
rapid installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses



32 846 000


chrome

Allure
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE FastFixation system
adjustable flow rate limiter
shower outlet with integrated non return-valve
flat wall installation with covered unions
protected against backflow

GROHE ALLURE

Ref. no.

Colour

**32 826 000****chrome****Allure****Single-lever bath mixer 1/2"**

wall mounted

GROHE SilkMove 46 mm ceramic cartridge**GROHE StarLight** chrome finish**GROHE FastFixation** system

adjustable flow rate limiter


automatic diverter: bath/shower

mousseur

integrated non-return valve in shower outlet

flat wall installation with covered unions

protected against backflow


**24 069 000****chrome****Allure****Single-lever shower mixer**

final installation for Rapido SmartBox (35 600)

GROHE SilkMove 46 mm ceramic cartridge**GROHE StarLight** chrome finish**GROHE FastFixation** escutcheon with covered shaft sealing and covered fixing

metal escutcheon, retroactively 6° adjustable

flow performance: outlet B or C = 30 l/min

35 600 000**GROHE Rapido SmartBox universal rough-in box****24 070 000****chrome****Allure****Single-lever mixer with 2-way diverter**


final installation for Rapido SmartBox (35 600)

GROHE SilkMove 46 mm ceramic cartridge**GROHE StarLight** chrome finish**GROHE FastFixation** escutcheon with covered shaft sealing and covered fixing

metal escutcheon, retroactively 6° adjustable

automatic 2-way diverter

outlet B = 27 l/min, outlet C = 27 l/min

35 600 000**GROHE Rapido SmartBox universal rough-in box****19 316 000****chrome****Allure****3-hole bath combination**

for installation under tiled surround

GROHE StarLight chrome finish

trim set for 33 339


without base frame

single lever mixer operating element

bath inlet with automatic diverter bath/shower

handshower (28 034)

metal shower hose 2000 mm

**33 339 000****3-hole bath combination
base frame for installation**

without finishing trim set

mounting plate and base frame

GROHE SilkMove 46 mm cartridge and

spout fixing pre-assembled

flexible connection hoses


connection for shower hose

drainage box with integrated outlet for splash water

protected against backflow



Ref. no.

Colour



45 388 000


Supporting legs
for baseframe
for direct floor installation
fixing material
in units of 2



32 754 002


chrome

Allure
Single-lever bath mixer 1/2", floor mounted
final installation for 29 086 / 45 984
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
swivel spout with mousseur and stop limiter
projection 300 mm
integrated non-return valve in shower outlet
with shower holder
Sena hand shower 6.6 l/min
protected against backflow




45 984 001

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/spouts,
depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket included
fixing material



29 086 000

Rough-in set 1/2"
for floor-mounted bath spouts and mixers
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug



13 317 000


chrome

Allure
Cascade spout for bath and shower
wall mounted
GROHE StarLight chrome finish
projection 180 mm


GROHE ALLURE

Ref. no.


Colour

**13 264 000****chrome**









Allure
Bath spout 3/4"
 wall mounted
GROHE StarLight chrome finish
 projection 172 mm
 mousseur

**19 590 000****chrome**




Allure
5-way diverter
 final installation for 29 033
 without concealed body
 bayonet union escutcheon
 installation depth infinitely adjustable
 66 - 113 mm
GROHE StarLight chrome finish


**19 384 000****chrome**

Allure
Concealed valve exposed part
 with lever handle
 final installation for
 29 032 or 35028 Rapido C
 installation depth infinitely adjustable
 43 - 91 mm
 metal rosette
GROHE StarLight chrome finish

Ref. no.		Colour
		40 363 000 Allure Soap dispenser material: glass / metal wall mounted filling quantity 160 ml consisting of holder and tank concealed fastening GROHE StarLight chrome finish
		40 278 000 Allure Holder for glass or soap dish without glass without soap dish GROHE StarLight chrome finish
		40 254 000 Glass
		40 278 000 Allure Holder for glass or soap dish without glass without soap dish GROHE StarLight chrome finish
		40 256 000 Soap dish
		40 339 000 Allure Towel ring material: metal concealed fastening GROHE StarLight chrome finish
		40 342 000 Allure Towel holder 2 arms, not pivotable length 426 mm concealed fastening GROHE StarLight chrome finish
		40 341 000 Allure Towel holder 640 mm (drilling length 600 mm) material: metal concealed fastening GROHE StarLight chrome finish

GROHE ALLURE

Ref. no.		Colour	
		40 284 000	chrome
		Allure Bathrobe hook material: metal concealed fastening GROHE StarLight chrome finish	
		40 279 000	chrome
		Allure Toilet paper holder without cover material: metal concealed fastening GROHE StarLight chrome finish	
		40 340 000	chrome
		Allure Toilet brush set wall mounted GROHE StarLight chrome finish	



32 043 003
32 043 DC3
32 043 GL3
32 043 DA3
32 043 AL3

chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite

Atrio


Single-lever basin mixer 1/2"

M-Size

GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter

GROHE StarLight chrome finish

GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur, stop limiter
Push-open waste set 1 1/4"
flexible connection hoses



32 042 003
32 042 DC3
32 042 GL3
32 042 DA3
32 042 AL3

chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite

Atrio


Single-lever basin mixer 1/2"

L-Size

GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter

GROHE StarLight chrome finish

GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur, stop limiter
Push-open waste set 1 1/4"
flexible connection hoses



32 647 003
32 647 DC3
32 647 GL3
32 647 DA3
32 647 AL3

chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite

Atrio

Single-lever basin mixer 1/2"


XL-Size

for free-standing basins

GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter

GROHE StarLight chrome finish

GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur, stop limiter
Push-open waste set 1 1/4"
flexible connection hoses



19 287 003
19 287 DC3
19 287 GL3
19 287 DA3
19 287 AL3

chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite

Atrio

Two-hole basin mixer joystick

wall mounted

without concealed body


final installation for 23 429

GROHE FeatherControl Joystick cartridge

GROHE StarLight chrome finish


GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 110 mm
projection 185 mm

Colour




chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite

projection 221 mm




with sealing sleeve




chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite

flexible connection hoses



chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite

protected against backflow




chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite

protected against backflow

Ref. no.

Colour



24 065 003
24 065 DC3
24 065 GL3
24 065 DA3
24 065 AL3

chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite

Atrio

Single-lever shower mixer

final installation for Rapido SmartBox (35 600)

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish


GROHE FastFixation escutcheon with covered shaft sealing and covered fixing

metal escutcheon, retroactively 6° adjustable

flow performance: outlet B or C = 30 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



24 066 003
24 066 DC3
24 066 GL3
24 066 DA3
24 066 AL3

chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite

Atrio

Single-lever mixer with 2-way diverter

final installation for Rapido SmartBox (35 600)

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

GROHE FastFixation escutcheon with covered shaft sealing and covered fixing


metal escutcheon, retroactively 6° adjustable

automatic 2-way diverter

outlet B = 27 l/min, outlet C = 27 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



24 096 003
24 096 DC3
24 096 GL3
24 096 DA3
24 096 AL3

chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite

Atrio

Single-lever mixer with 3-way diverter

final installation for Rapido SmartBox (35 600)

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

GROHE FastFixation escutcheon with covered shaft sealing and covered fixing


metal escutcheon, retroactively 6° adjustable

3-way diverter

flow performance: outlet A = 27 l/min, outlet B = 27 l/min, outlet C = 27 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



24 134 003
24 134 DC3
24 134 GL3
24 134 DA3
24 134 AL3

chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite

Atrio

Safety mixer for 1 outlet with shut off valve

final installation for Rapido SmartBox (35 600)

GROHE TurboStat compact cartridge

GROHE StarLight chrome finish

GROHE FastFixation escutcheon with covered shaft sealing and covered fixing

metal escutcheon, retroactively 6° adjustable

GROHE SafeStop safety button at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non-return valves and dirt strainers

ceramic stop valve, 120°

flow performance: outlet B = 27 l/min, outlet C = 30 l/min

35 600 000


GROHE Rapido SmartBox universal rough-in box

GROHE

ATRIO

Ref. no.

Colour



24 135 003
24 135 DC3
24 135 GL3
24 135 DA3
24 135 AL3

chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite

Atrio

Safety shower mixer for 2 outlets with integrated shut off/diverter valve
final installation for Rapido SmartBox (35 600)

GROHE TurboStat compact cartridge

GROHE StarLight chrome finish

GROHE FastFixation escutcheon with covered shaft sealing and covered fixing metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol

GROHE SafeStop safety button at 38C


GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

flow performance: outlet B = 27 l/min, outlet C = 30 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



24 138 003
24 138 DC3
24 138 GL3
24 138 DA3
24 138 AL3

chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite

Atrio

Safety bath tub mixer for 2 outlets with integrated shut off/diverter valve
final installation for Rapido SmartBox (35 600)

GROHE TurboStat compact cartridge

GROHE StarLight chrome finish

GROHE FastFixation escutcheon with covered shaft sealing and covered fixing metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol

GROHE SafeStop safety button at 38C


GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

flow performance: outlet B = 27 l/min, outlet C = 30 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



32 653 003
32 653 DC3
32 653 GL3
32 653 DA3
32 653 AL3

chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite

Atrio

Single-lever bath mixer, floor mounted

final installation for 29 086 / 45 984

without roughing-in-set

GROHE SilkMove 35 mm ceramic cartridge

with temperature limiter

GROHE StarLight chrome finish

automatic diverter: bath/shower

spout with mousseur

projection 301 mm


integrated non-return valve in shower outlet

with shower holder

hand shower Sena Stick (26 465)

Silverflex shower hose 1250 mm

protected against backflow



45 984 001

Rough-in set 1/2"

for floor-mounted bath mixers/spouts and shower mixers

installation plate with 360° horizontal and 3° vertical adjustment

installation depth 53-157 mm for bath mixers/spouts,

depth compensation 104 mm


installation depth 65-157 mm for shower mixers, depth compensation 92 mm

two 1/2" female connections (hot/cold supplies)

flushing plug

gasket included


fixing material



20 021 003
20 021 DC3
20 021 GL3
20 021 DA3
20 021 AL3

chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite


Atrio
Pillar tap 1/2" XS-Size
headpart 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
mousseur
flexible connection hoses



21 022 003
21 022 DC3
21 022 GL3
21 022 DA3
21 022 AL3

chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite


Atrio
Single-hole basin mixer 1/2"
L-Size
ceramic headparts 1/2", 90°
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular spout with mousseur and stop limiter
Push-open waste set 1 1/4"
flexible connection hoses
with lever handles
Sets of caps with „H“ and „C“ marking and without marking



21 019 003
21 019 DC3
21 019 GL3
21 019 DA3
21 019 AL3

chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite

Atrio
Single-hole basin mixer 1/2"
L-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular spout with mousseur and stop limiter
Push-open waste set 1 1/4"
flexible connection hoses
with cross handles
Sets of caps with „H“ and „C“ marking and without marking



21 044 003
21 044 DC3
21 044 GL3
21 044 DA3
21 044 AL3

chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite


Atrio
Single-hole basin mixer 1/2"
XL-Size
for free-standing basins
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular spout with mousseur and stop limiter
Push-open waste set 1 1/4"
flexible connection hoses
with cross handles
Sets of caps with „H“ and „C“ marking and without marking

GROHE

ATRIO

Ref. no.

Colour



20 009 003
20 009 DC3
20 009 GL3
20 009 DA3
20 009 AL3

chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite

Atrio

3-hole basin mixer 1/2"

M-Size

ceramic headparts 1/2", 90°

GROHE StarLight chrome finish

GROHE EcoJoy 5.7 l/min laminar mousseur


swivel tubular spout with mousseur and stop limiter

pop-up waste set 1 1/4"

flexible connection hoses between spout and side valves

with lever handles

Sets of caps with „H“ and „C“ marking and without marking



20 008 003
20 008 DC3
20 008 GL3
20 008 DA3
20 008 AL3

chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite

Atrio

3-hole basin mixer 1/2"

M-Size

ceramic headparts 1/2", 90°

GROHE StarLight chrome finish

GROHE EcoJoy 5.7 l/min laminar mousseur


swivel tubular spout with mousseur and stop limiter

pop-up waste set 1 1/4"

flexible connection hoses between spout and side valves

with cross handles

Sets of caps with „H“ and „C“ marking and without marking



20 169 003
20 169 DC3
20 169 GL3
20 169 DA3
20 169 AL3

chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite

Atrio

3-hole basin mixer 1/2"

S-Size

wall mounted

final installation for 29 025

without concealed body

headparts 1/2" - 90°

GROHE StarLight chrome finish


GROHE EcoJoy 5.7 l/min laminar mousseur

centre distance 200 mm

projection 180 mm

with lever handles

Sets of caps with „H“ and „C“ marking and without marking



20 164 003
20 164 DC3
20 164 GL3
20 164 DA3
20 164 AL3

chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite

Atrio

3-hole wash-basin mixer

wall mounted

final installation for 29 025

without concealed body

headparts 1/2" - 90°

GROHE StarLight chrome finish


GROHE EcoJoy 5.7 l/min laminar mousseur

centre distance 200 mm

projection 180 mm

with cross handles


Sets of caps with „H“ and „C“ marking and without marking



29 025 002

Concealed body

for 3-hole wash-basin mixer
wall installation
Installation depth 43 - 85 mm
DR-brass
installation device
with sealing sleeve



24 027 003

24 027 DC3

24 027 GL3

24 027 DA3

24 027 AL3

chrome

supersteel

cool sunrise

warm sunset


brushed hard graphite

Atrio

Single-hole bidet mixer 1/2"

M-Size

ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
with cross handles
Sets of caps with „H“ and „C“ marking and without marking



26 003 003

26 003 DC3

26 003 GL3

26 003 DA3

26 003 AL3

chrome

supersteel

cool sunrise


warm sunset

brushed hard graphite

Atrio

Shower mixer 1/2"

wall mounted
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
1/2" shower outlet
integrated non-return valve in shower outlet
covered S-unions
protected against backflow
with cross handles
Sets of caps with „H“ and „C“ marking and without marking



25 010 003

25 010 DC3

25 010 GL3

25 010 DA3

25 010 AL3

chrome

supersteel

cool sunrise

warm sunset

brushed hard graphite

Atrio

Bath mixer 1/2"


wall mounted
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
automatic diverter: bath/shower
swivel tubular spout with stop restriction
mousseur
integrated non-return valve in shower outlet
covered S-unions
protected against backflow
with cross handles
Sets of caps with „H“ and „C“ marking and without marking

GROHE

ATRIO

Ref. no.

Colour




25 044 003
25 044 DC3
25 044 GL3
25 044 DA3
25 044 AL3

chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite

Atrio

Bath mixer 1/2"


floor-mounted installation
final installation for 45 984
without roughing-in-set
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
automatic diverter: bath/shower
swivel tubular spout with mousseur and stop limiter
projection 301 mm
integrated non-return valve in shower outlet
hand shower Sena Stick (26 465)
with shower holder
Silverflex shower hose 1.250 mm (28 362)
protected against backflow
with cross handles
Sets of caps with „H“ and „C“ marking and without marking



45 984 001

Rough-in set 1/2"

for floor-mounted bath mixers/spouts and shower mixers
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/spouts,
depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket included
fixing material




19 088 003
19 088 DC3
19 088 GL3
19 088 DA3
19 088 AL3

chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite

Atrio

Concealed valve exposed part

for concealed valve 35 028 or 29 032
GROHE StarLight chrome finish
installation depth infinitely adjustable
20-80 mm
escutcheon with screwable wall sealing
with lever handle




19 069 003
19 069 DC3
19 069 GL3
19 069 DA3
19 069 AL3

chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite

Atrio

Concealed valve exposed part


for concealed valve 35 028 or 29 032
GROHE StarLight chrome finish
installation depth infinitely adjustable
20-80 mm
escutcheon with screwable wall sealing
with cross handle



19 922 003
19 922 DC3
19 922 GL3
19 922 DA3
19 922 AL3

chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite


Atrio
5-hole bath/shower combination
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
pre-assembled spout fixing
with lever handles
bath spout with mousseur and diverter bath/shower
Sena hand shower 6.6 l/min
shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037
Sets of caps with „H“ and „C“ marking and without marking




19 923 003
19 923 DC3
19 923 GL3
19 923 DA3
19 923 AL3

chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite

Atrio
5-hole bath/shower combination
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
pre-assembled spout fixing
with cross handles
bath spout with mousseur and diverter bath/shower
Sena hand shower 6.6 l/min
shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037
Sets of caps with „H“ and „C“ marking and without marking



29 037 002
4/5-hole bath/shower combination (optional)
base frame for installation
drainage box with integrated outlet for splash water
caps to cover screw fixations always come in chrome color



13 139 003
13 139 DC3
13 139 GL3
13 139 DA3
13 139 AL3

chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite


Atrio
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
projection 171 mm

GROHE

ATRIO

Ref. no.

Colour



40 304 003
40 304 DC3
40 304 GL3
40 304 DA3
40 304 AL3

chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite


Aerio Holder

for Aerio glass (40 254 003) or Aerio soap dispenser (40 306 xx3)

material: metal

concealed fastening

GROHE StarLight chrome finish



40 306 003
40 306 DC3
40 306 GL3
40 306 DA3
40 306 AL3

chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite


Soap dispenser

material: glass / metal

filling quantity 160 ml

fits in the following holder:

Aerio (40 304)




40 254 003

Glass

material: glass

fits in the following holder:

Aerio (40 304)



40 305 003
40 305 DC3
40 305 GL3
40 305 DA3
40 305 AL3

chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite


Aerio Holder

for Aerio soap dish (40 256 003)

material: metal

concealed fastening

GROHE StarLight chrome finish



40 256 003


glass matt

Soap dish

material: glass

fits in the following holder:

Aerio (40 305)



40 307 003
40 307 DC3
40 307 GL3
40 307 DA3
40 307 AL3

chrome
supersteel
cool sunrise
warm sunset
brushed hard graphite

Aerio Towel ring







material: metal

concealed fastening

GROHE StarLight chrome finish

GROHE


ATRIO

	Ref. no.	Colour
 	40 308 003 40 308 DC3 40 308 GL3 40 308 DA3 40 308 AL3	chrome supersteel cool sunrise warm sunset brushed hard graphite
	Atrio Towel holder material: metal 2 arms, not pivotable length 489 mm concealed fastening GROHE StarLight chrome finish	
 	40 309 003 40 309 DC3 40 309 GL3 40 309 DA3 40 309 AL3	chrome supersteel cool sunrise warm sunset brushed hard graphite
	Atrio Towel holder 650 mm (drilling length 600 mm) material: metal concealed fastening GROHE StarLight chrome finish	
 	40 312 003 40 312 DC3 40 312 GL3 40 312 DA3 40 312 AL3	chrome supersteel cool sunrise warm sunset brushed hard graphite
	Atrio Bathrobe hook material: metal concealed fastening GROHE StarLight chrome finish	
 	40 313 003 40 313 DC3 40 313 GL3 40 313 DA3 40 313 AL3	chrome supersteel cool sunrise warm sunset brushed hard graphite
	Atrio Toilet paper holder material: metal concealed fastening without cover GROHE StarLight chrome finish	
 	40 314 003 40 314 DC3 40 314 GL3 40 314 DA3 40 314 AL3	chrome supersteel cool sunrise warm sunset brushed hard graphite
	Atrio Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish	
	40 791 001 40 791 KS1 Spare brush head	white velvet black

GROHE GRANDERA

Ref. no.


Colour



23 303 000
23 303 IG0

chrome
chrome/gold


Grandera
Single-lever basin mixer 1/2"
M-Size
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy for less water and perfect flow
GROHE FastFixation installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4"
flexible connection hoses



23 310 000
23 310 IG0

chrome
chrome/gold


Grandera
Single-lever basin mixer 1/2"
M-Size
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy for less water and perfect flow
GROHE FastFixation installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
smooth body
flexible connection hoses



21 107 000
21 107 IG0

chrome
chrome/gold


Grandera
Two-handle basin mixer, 1/2" L-Size
headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
swivel spout
pop-up waste set 1 1/4"
flexible connection hoses



23 313 000
23 313 IG0

chrome
chrome/gold

Grandera
Single-lever basin mixer 1/2"
XL-Size
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy for less water and perfect flow
GROHE FastFixation installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
smooth body
flexible connection hoses



20 417 000
20 417 IG0


chrome
chrome/gold

Grandera
3-hole basin mixer 1/2"
S-Size
headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4"
flexible connection hoses between spout and side valves

GROHE GRANDERA

Ref. no.


Colour



23 315 000
23 315 IG0

chrome
chrome/gold


Grandera
Single-lever bidet mixer 1/2"
M-Size
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses



23 316 000
23 316 IG0

chrome
chrome/gold


Grandera
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
integrated hand shower holder
1/2" shower outlet
integrated non-return valve
covered S-unions
protected against backflow



23 317 000
23 317 IG0

chrome
chrome/gold

Grandera
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
integrated hand shower holder
automatic diverter: bath/shower
mousseur
integrated non-return valve in shower outlet
covered S-unions
protected against backflow




24 067 000
24 067 IG0

chrome
chrome/gold

Grandera
Single-lever shower mixer
final installation for
Rapido SmartBox (35 600)
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE FastFixation escutcheon with covered shaft sealing and covered fixing
metal escutcheon, retroactively 6° adjustable
flow performance: outlet B or C = 30 l/min

35 600 000
GROHE Rapido SmartBox universal rough-in box




24 068 000
24 068 IG0

chrome
chrome/gold

Grandera
Single-lever mixer with 2-way diverter
final installation for
Rapido SmartBox (35 600)
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE FastFixation escutcheon with covered shaft sealing and covered fixing
metal escutcheon, retroactively 6° adjustable
automatic 2-way diverter
outlet B = 27 l/min, outlet C = 27 l/min


35 600 000
GROHE Rapido SmartBox universal rough-in box



19 936 000
19 936 IG0

chrome
chrome/gold


Grandera
4-hole bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 pre-assembled spout fixing
 single lever mixer operating element
 bath spout with mousseur and diverter bath/shower
 Grandera hand shower 7,6 l
 metal shower hose
 flexible connection hoses
 connection for shower hose
 protected against backflow
 can be used with 29 037



19 919 000
19 919 IG0

chrome
chrome/gold

Grandera
5-hole bath/shower combination
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
 pre-assembled spout fixing
 single lever mixer operating element
 bath spout with mousseur and diverter bath/shower
 Grandera hand shower 7,6 l
 metal shower hose
 flexible connection hoses
 connection for shower hose
 protected against backflow
 can be used with 29 037




29 037 000

**4/5-hole bath/shower combination (optional)
base frame for installation**

drainage box with integrated outlet for splash water
caps to cover screw fixations always come in chrome color

45 388 000

Supporting legs for baseframe



23 318 000
23 318 IG0


chrome
chrome/gold

Grandera
Single-lever bath mixer 1/2", floor mounted
 final installation for
 29 086 / 45 984
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 automatic diverter: bath/shower
 spout with mousseur
 projection 320 mm
 integrated non-return valve in shower outlet
 with shower holder
 Grandera hand shower 7,6 l
 Silverflex shower hose 1250 mm
 protected against backflow


GROHE GRANDERA

Ref. no.


Colour

**45 984 001****Rough-in set 1/2"**

for floor-mounted bath mixers/spouts and shower mixers
 installation plate with 360° horizontal and 3° vertical adjustment
 installation depth 53-157 mm for bath mixers/spouts,
 depth compensation 104 mm
 installation depth 65-157 mm for shower mixers, depth compensation 92 mm
 two 1/2" female connections (hot/cold supplies)
 flushing plug
 gasket included
 fixing material

**29 086 000****Rough-in set 1/2"**

for floor-mounted bath spouts and mixers
 installation plate with 360° horizontal and 3° vertical adjustment
 installation depth 47-151 mm
 depth compensation 104 mm
 two 1/2" female connections (hot/cold supplies)
 flushing plug


**13 341 000****13 341 IG0**

chrome

chrome/gold

Grandera**Bath spout**

wall mounted
GROHE StarLight chrome finish
 mousseur
 projection 177 mm


**19 942 000****19 942 IG0**

chrome

chrome/gold

Grandera**5-way diverter**

final installation for 29 708
 without concealed body
GROHE StarLight chrome finish


**19 944 000****19 944 IG0**

chrome

chrome/gold

Grandera**Volume Control Trim**

final installation for 29 032 000
GROHE StarLight chrome finish
 installation depth infinitely adjustable
 43 - 91 mm



27 974 000
27 974 IG0

chrome
chrome/gold

Grandera 210

Head shower 1 spray

Rain

221 x 221 mm

material: metal


with ball joint rotation angle $\pm 15^\circ$

connection thread 1/2"

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system



27 986 000
27 986 IG0

chrome
chrome/gold

Rainshower Grandera


Shower arm 285 mm

projection 282 mm

material: metal

connection thread 1/2"

GROHE StarLight chrome finish



27 978 000

chrome

Rainshower Grandera


Shower arm ceiling 142 mm

material: metal

length 142 mm

connection thread 1/2"

GROHE StarLight chrome finish



26 037 001

chrome

Grandera Stick

Hand shower 1 spray

spray pattern: Rain

material: metal

GROHE EcoJoy 6.6 l/min flow limiter


GROHE DreamSpray perfect spray pattern

Inner WaterGuide for a longer life

GROHE CoolTouch no risk of scalding

GROHE StarLight chrome finish

SpeedClean anti-lime system



26 037 IG0

chrome/gold

Grandera Stick

Hand shower 1 spray

spray pattern: Rain

material: metal

GROHE EcoJoy 7.6 l/min flow limiter

GROHE DreamSpray perfect spray pattern

Inner WaterGuide for a longer life

GROHE CoolTouch no risk of scalding


GROHE StarLight chrome finish

SpeedClean anti-lime system

GROHE GRANDERA

Ref. no.

Colour



27 993 000
27 993 IG0

chrome
chrome/gold

Grandera Stick

Wall holder set 1 spray

Stick hand shower (26 037)

Wall hand shower holder (27 969)

Rotaflex shower hose 1500 mm (28 417)

GROHE EcoJoy 7.6 l/min flow limiter


GROHE DreamSpray perfect spray pattern

Inner WaterGuide for a longer life

GROHE CoolTouch no risk of scalding

GROHE StarLight chrome finish

SpeedClean anti-lime system



26 038 000
26 038 IG0

chrome
chrome/gold

Grandera Stick

Shower rail set 1 spray

Stick hand shower (26 037)

shower rail, 900 mm (27 785)

Rotaflex metal shower hose 1750 mm (28 025)

GROHE EcoJoy 7.6 l/min flow limiter

GROHE DreamSpray perfect spray pattern


Inner WaterGuide for a longer life

GROHE CoolTouch no risk of scalding

GROHE FastFixation Plus adjustable distance between brackets for fixing to existing drilling holes

GROHE StarLight chrome finish

SpeedClean anti-lime system



27 970 000
27 970 IG0

chrome
chrome/gold

Grandera


Shower outlet elbow 1/2"

material: metal

male thread

protected against backflow

GROHE StarLight chrome finish



27 969 000
27 969 IG0







chrome
chrome/gold

Grandera

Wall hand shower holder

material: metal


GROHE StarLight chrome finish

Ref. no.		Colour	
		40 627 000	chrome
		40 627 IG0	chrome/gold
Grandera Holder with ceramic soap dispenser material: ceramic/metal filling quantity 110 ml GROHE StarLight chrome finish			
		40 626 000	chrome
		40 626 IG0	chrome/gold
Grandera Holder with ceramic tumbler material: ceramic/metal concealed fastening GROHE StarLight chrome finish			
		40 628 000	chrome
		40 628 IG0	chrome/gold
Grandera Holder with ceramic soap dish material: ceramic/metal concealed fastening GROHE StarLight chrome finish			
		40 630 000	chrome
		40 630 IG0	chrome/gold
Grandera Towel ring Ø 205 mm material: metal concealed fastening GROHE StarLight chrome finish			
		40 629 000	chrome
		40 629 IG0	chrome/gold
Grandera Towel holder 600 mm GROHE StarLight chrome finish			
		40 631 000	chrome
		40 631 IG0	chrome/gold
Grandera Bathrobe hook material: metal concealed fastening GROHE StarLight chrome finish			

GROHE GRANDERA

Ref. no.


Colour



40 633 000
40 633 IG0

chrome
chrome/gold


Grandera
Bath grip, 300mm
material: metal
length 385 mm
concealed fastening
GROHE StarLight chrome finish



40 625 000
40 625 IG0

chrome
chrome/gold

Grandera
Toilet paper holder
without cover
material: metal
concealed fastening
GROHE StarLight chrome finish




40 632 000
40 632 IG0

chrome
chrome/gold

Grandera
Toilet brush set
material: ceramic
GROHE StarLight chrome finish

Ref. no.


Colour



32 109 001
32 109 DC1
32 109 AL1

chrome
supersteel
brushed hard graphite


Lineare
Single-lever basin mixer 1/2"
XS-Size
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses



23 791 001
23 791 DC1
23 791 AL1

chrome
supersteel
brushed hard graphite


Lineare
Single-lever basin mixer 1/2"
XS-Size
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses



23 790 001

chrome


Lineare
Single-lever basin mixer 1/2"
XS-Size
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses



32 114 001
32 114 DC1
32 114 AL1

chrome
supersteel
brushed hard graphite

Lineare
Single-lever basin mixer 1/2"
S-Size
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses



23 106 001
23 106 DC1
23 106 AL1


chrome
supersteel
brushed hard graphite

Lineare
Single-lever basin mixer 1/2"
S-Size
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

GROHE LINEARE

Ref. no.


Colour



23 296 001
23 296 DC1
23 296 AL1

chrome
supersteel
brushed hard graphite


Lineare
Single-lever basin mixer 1/2"
L-Size
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
swivel spout with mousseur and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses



23 405 001
23 405 DC1
23 405 AL1

chrome
supersteel
brushed hard graphite


Lineare
Single-lever basin mixer 1/2"
XL-Size
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses



20 304 001

chrome

Lineare
3-hole basin mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
pop-up waste set 1 1/4"
flexible connection hoses between spout and side valves





19 409 001
19 409 DC1
19 409 AL1

chrome
supersteel
brushed hard graphite

Lineare
2-hole basin mixer
M-Size
wall mounted
final installation for 23 571
without concealed body
metal rosette
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 149 mm

Ref. no.


Colour



23 444 001
23 444 DC1
23 444 AL1


chrome
supersteel
brushed hard graphite

Lineare
2-hole basin mixer
L-Size
wall mounted
final installation for 23 571
without concealed body
metal rosette
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 207 mm



23 571 000


Single-lever mixer 1/2", universal concealed body
for 2-hole basin mixers
wall installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device
with sealing sleeve



33 848 001
33 848 DC1
33 848 AL1

chrome
supersteel
brushed hard graphite



Lineare
Single-lever bidet mixer 1/2"
S-Size
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation Plus installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses



33 865 001
33 865 DC1
33 865 AL1

chrome
supersteel
brushed hard graphite

Lineare
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
1/2" shower outlet
integrated non-return valve
covered S-unions
protected against backflow



33 849 001
33 849 DC1
33 849 AL1


chrome
supersteel
brushed hard graphite

Lineare
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
1/2" shower outlet
integrated non-return valve
covered S-unions
protected against backflow

GROHE LINEARE

Ref. no.

Colour

33 850 001**chrome****Lineare****Single-lever bath mixer 1/2"**

wall mounted

GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter**GROHE StarLight** chrome finishautomatic diverter: bath/shower
mousseur

1/2" shower outlet

integrated non-return valve

covered S-unions


protected against backflow

with shower set

hand shower Sena Stick (26 465)

wall shower holder Tempesta 100 Cosmopolitan (27 594)

Silverflex shower hose 1500 mm 1/2" x 1/2" (28 364)

24 063 001**chrome****24 063 DC1****supersteel****24 063 AL1****brushed hard graphite****Lineare****Single-lever shower mixer**


final installation for

Rapido SmartBox (35 600)

GROHE SilkMove 46 mm ceramic cartridge**GROHE StarLight** chrome finish**GROHE FastFixation** escutcheon with covered shaft sealing and covered fixing

metal escutcheon, retroactively 6° adjustable

flow performance: outlet B or C = 30 l/min

35 600 000**GROHE Rapido SmartBox universal rough-in box****24 064 001****chrome****24 064 DC1****supersteel****24 064 AL1****brushed hard graphite****Lineare****Single-lever mixer with 2-way diverter**

final installation for


Rapido SmartBox (35 600)

GROHE SilkMove 46 mm ceramic cartridge**GROHE StarLight** chrome finish**GROHE FastFixation** escutcheon with covered shaft sealing and covered fixing

metal escutcheon, retroactively 6° adjustable

automatic 2-way diverter

outlet B = 27 l/min, outlet C = 27 l/min

35 600 000**GROHE Rapido SmartBox universal rough-in box****24 095 001****chrome****24 095 DC1****supersteel****24 095 AL1****brushed hard graphite****Lineare****Single-lever mixer with 3-way diverter**

final installation for

Rapido SmartBox (35 600)

GROHE SilkMove 46 mm ceramic cartridge**GROHE StarLight** chrome finish**GROHE FastFixation** escutcheon with covered shaft sealing and covered fixing

metal escutcheon, retroactively 6° adjustable


3-way diverter

flow performance: outlet A = 27 l/min, outlet B = 27 l/min, outlet C = 27 l/min

35 600 000**GROHE Rapido SmartBox universal rough-in box**

Ref. no.

Colour



19 577 001
19 577 DC1
19 577 AL1


chrome
supersteel
brushed hard graphite

Lineare

4-hole bath combination

GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter

GROHE StarLight chrome finish
pre-assembled spout fixing
single lever mixer operating element
bath inlet with mousseur
diverter bath/shower
hand shower Sena Stick (26 465)
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037



19 965 001

chrome


Lineare

3-hole bath combination

Three hole installation

GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter

GROHE StarLight chrome finish
single lever mixer operating element
diverter bath/shower
hand shower Sena Stick (26 465)
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037
for combination with 28 990 / 28 991



29 037 000


4/5-hole bath/shower combination (optional)

base frame for installation

drainage box with integrated outlet for splash water
caps to cover screw fixations always come in chrome color

45 388 000

Supporting legs for baseframe



23 792 001
23 792 DC1
23 792 AL1

chrome
supersteel
brushed hard graphite

Lineare

Single-lever bath mixer 1/2", floor mounted

final installation for

29 086 / 45 984


GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter

GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur
projection 271 mm
integrated non-return valve in shower outlet
with shower holder
hand shower Sena Stick (26 465)
Silverflex shower hose 1.250 mm (28 362)
protected against backflow


GROHE LINEARE

Ref. no.


Colour

**45 984 001****Rough-in set 1/2"**

for floor-mounted bath mixers/spouts and shower mixers
 installation plate with 360° horizontal and 3° vertical adjustment
 installation depth 53-157 mm for bath mixers/spouts,
 depth compensation 104 mm
 installation depth 65-157 mm for shower mixers, depth compensation 92 mm
 two 1/2" female connections (hot/cold supplies)
 flushing plug
 gasket included
 fixing material

**29 086 000****Rough-in set 1/2"**

for floor-mounted bath spouts and mixers
 installation plate with 360° horizontal and 3° vertical adjustment
 installation depth 47-151 mm
 depth compensation 104 mm
 two 1/2" female connections (hot/cold supplies)
 flushing plug

**13 383 001
13 383 DC1****chrome
supersteel****Lineare****Bath spout**

wall mounted

GROHE StarLight chrome finish

mousseur


male thread 1/2"

projection 170 mm

GROHE EUROCUBE JOY

Ref. no.

Colour




23 654 000

chrome

Eurocube Joy
Single-lever basin mixer 1/2"
S-Size

GROHE FeatherControl Joystick cartridge
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses




23 656 000

chrome

Eurocube Joy
Single-lever basin mixer 1/2"
S-Size

GROHE FeatherControl Joystick cartridge
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses




23 657 000

chrome

Eurocube Joy
Single-lever basin mixer 1/2"
M-Size

GROHE FeatherControl Joystick cartridge
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses




23 658 000

chrome

Eurocube Joy
Single-lever basin mixer 1/2"
M-Size

GROHE FeatherControl Joystick cartridge
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses



23 661 000

chrome


Eurocube Joy
Single-lever basin mixer 1/2"
XL-Size

for free-standing basins
GROHE FeatherControl Joystick cartridge
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses


GROHE EUROCUBE JOY

Ref. no.


Colour

**19 997 000****chrome**
**Eurocube Joy
2-hole basin mixer
M-Size**


wall mounted
final installation for 23 429
without concealed body
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
centre distance 110 mm
projection 170 mm

19 998 000**chrome****ditto, projection 230 mm****23 429 000**
Joystick mixer 1/2", concealed body


for 2-hole basin mixers
without finishing trim set
GROHE FeatherControl Joystick cartridge
wall installation
installation device
DR-brass
with sealing sleeve

**23 664 000****chrome**
**Eurocube Joy
Single-lever bidet mixer 1/2"**

GROHE FeatherControl Joystick cartridge
GROHE EcoJoy ball-joint mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

**23 665 000****chrome**
**Eurocube Joy
Single-lever shower mixer 1/2"**

wall mounted
GROHE FeatherControl Joystick cartridge
shower bottom outlet with integrated non return-valve
protected against backflow


**23 666 000****chrome**
**Eurocube Joy
Single-lever bath mixer 1/2"**

wall mounted
GROHE FeatherControl Joystick cartridge
GROHE XL Waterfall
integrated non-return valve in shower outlet
S-unions
protected against backflow

GROHE EUROCUBE JOY

Ref. no.

Colour



23 667 001

chrome

Eurocube Joy

Single-lever bath mixer 1/2", floor mounted

final installation for 45 984, 29 086

without roughing-in-set

GROHE FeatherControl Joystick cartridge

GROHE StarLight finish

automatic diverter: bath/shower

spout with mousseur

hand shower Euphoria Cube+ 6.6 l/min


Silverflex shower hose 1.250 mm (28 362)

projection 298 mm

integrated non-return valve in shower outlet

with shower holder

protected against backflow



45 984 001

Rough-in set 1/2"

for floor-mounted bath mixers/spouts and shower mixers

installation plate with 360° horizontal and 3° vertical adjustment

installation depth 53-157 mm for bath mixers/spouts,

depth compensation 104 mm


installation depth 65-157 mm for shower mixers, depth compensation 92 mm

two 1/2" female connections (hot/cold supplies)

flushing plug

gasket included

fixing material



29 086 000

Rough-in set 1/2"

for floor-mounted bath spouts and mixers

installation plate with 360° horizontal and 3° vertical adjustment

installation depth 47-151 mm

depth compensation 104 mm


two 1/2" female connections (hot/cold supplies)

flushing plug


GROHE EUROCUBE

Ref. no.

Colour

**23 137 000****chrome**


Eurocube
Pillar tap XS-Size
 ceramic headpart
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min

**23 127 00E****chrome**

Eurocube
Single-lever basin mixer 1/2"
S-Size
GROHE SilkMove 28 mm ceramic cartridge
 temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses

23 127 000**chrome****23 127 DC0****supersteel****23 127 AL0****brushed hard graphite**


ditto, with non-restricted flow

**23 132 00E****chrome**


Eurocube
Single-lever basin mixer 1/2"
S-Size
GROHE SilkMove 28 mm ceramic cartridge
 temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
 smooth body
 flexible connection hoses

23 132 000**chrome**

ditto, with non-restricted flow

**23 390 00E****chrome**

Eurocube
Single-lever basin mixer 1/2"
S-Size
GROHE SilkMove ES 28 mm ceramic cartridge
 with energy saving function via cold start
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses


**23 445 000****chrome****23 445 DC0****supersteel****23 445 AL0****brushed hard graphite**

Eurocube
Single-lever basin mixer 1/2"
M-Size
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses

GROHE EUROCUBE

Ref. no.

Colour




23 446 000

chrome

Eurocube
Single-lever basin mixer 1/2"
M-Size

GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses



23 135 00E

chrome

Eurocube
Single-lever basin mixer 1/2"
L-Size

GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
swivel tubular spout
pop-up waste set 1 1/4"
flexible connection hoses

23 135 000

chrome


23 135 DC0

supersteel

23 135 AL0

brushed hard graphite

ditto, with non-restricted flow



23 406 000

chrome

23 406 DC0


supersteel

23 406 AL0

brushed hard graphite

Eurocube
Single-lever basin mixer 1/2"
XL-Size

for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses



20 351 000

chrome

20 351 DC0

supersteel

20 351 AL0

brushed hard graphite


Eurocube
3-hole basin mixer 1/2"
S-Size

ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE FastFixation Plus installation system
spout with mousseur
pop-up waste set 1 1/4"
flexible connection hoses between spout and side valves

GROHE EUROCUBE

Ref. no.

Colour



19 895 000
19 895 DC0
19 895 AL0

chrome
supersteel
brushed hard graphite

Eurocube
2-hole basin mixer
S-Size

wall mounted
final installation for 23 200
without concealed body
metal rosette

GROHE StarLight chrome finish

GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 171 mm


23 447 000

23 447 DC0

23 447 AL0

ditto, projection 231 mm

chrome
supersteel
brushed hard graphite



23 200 000

Single-lever mixer 1/2"
concealed body

for 2-hole basin mixers
wall installation


GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

installation depth 45 to 75 mm

DR-brass

installation device



23 138 000

23 138 DC0

23 138 AL0

chrome
supersteel
brushed hard graphite

Eurocube
Single-lever bidet mixer 1/2"
S-Size

GROHE SilkMove 28 mm ceramic cartridge
temperature limiter


GROHE StarLight chrome finish

GROHE FastFixation Plus installation system

ball-joint mousseur

pop-up waste set 1 1/4"

flexible connection hoses



23 145 000

23 145 DC0

23 145 AL0

chrome
supersteel
brushed hard graphite

Eurocube
Single-lever shower mixer 1/2"
wall mounted

GROHE SilkMove 46 mm ceramic cartridge


GROHE StarLight chrome finish

adjustable flow rate limiter

shower bottom outlet with integrated non return-valve

covered S-unions

protected against backflow



23 140 000

23 140 DC0

23 140 AL0

chrome
supersteel
brushed hard graphite

Eurocube
Single-lever bath mixer 1/2"
wall mounted

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

adjustable flow rate limiter

automatic diverter: bath/shower

mousseur


integrated non-return valve in shower outlet

covered S-unions

protected against backflow

Ref. no.

Colour



23 141 000

chrome

Eurocube

Single-lever bath mixer 1/2"

wall mounted

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

adjustable flow rate limiter

automatic diverter: bath/shower

mousseur

integrated non-return valve in shower outlet


covered S-unions

protected against backflow

hand shower (27 698)

wall shower holder (27 693)

shower hose 1500 mm (28 151)



24 061 000

chrome

24 061 DC0

supersteel

24 061 AL0

brushed hard graphite

Eurocube

Single-lever shower mixer

final installation for

Rapido SmartBox (35 600)

GROHE SilkMove 46 mm ceramic cartridge


GROHE FastFixation escutcheon with covered shaft sealing and covered fixing

metal escutcheon, retroactively 6° adjustable

flow performance: outlet B or C = 30 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



24 062 000

chrome

24 062 DC0

supersteel

24 062 AL0

brushed hard graphite

Eurocube

Single-lever mixer with 2-way diverter

final installation for

Rapido SmartBox (35 600)

GROHE SilkMove 46 mm ceramic cartridge

GROHE FastFixation escutcheon with covered shaft sealing and covered fixing


metal escutcheon, retroactively 6° adjustable

automatic 2-way diverter

outlet B = 27 l/min, outlet C = 27 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



24 094 000

chrome

24 094 DC0

supersteel

24 094 AL0

brushed hard graphite

Eurocube

Single-lever mixer with 3-way diverter

final installation for

Rapido SmartBox (35 600)

GROHE SilkMove 46 mm ceramic cartridge

GROHE FastFixation escutcheon with covered shaft sealing and covered fixing

metal escutcheon, retroactively 6° adjustable

3-way diverter


flow performance: outlet A = 27 l/min, outlet B = 27 l/min, outlet C = 27 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box

Ref. no.


Colour



45 984 001

Rough-in set 1/2"


for floor-mounted bath mixers/spouts and shower mixers
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/spouts,
depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket included
fixing material



29 086 000

Rough-in set 1/2"

for floor-mounted bath spouts and mixers
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug



13 303 000

13 303 DC0

13 303 AL0

Eurocube

Bath spout

wall mounted

GROHE StarLight chrome finish

mousseur


male thread 1/2"

projection 170 mm

chrome

supersteel

brushed hard graphite



13 304 000

Bath spout

wall mounted

GROHE StarLight chrome finish

mousseur


automatic diverter: bath/shower

with concealed connection piece

male thread 1/2"

projection 170 mm

chrome



19 910 000

Eurocube

Volume Control Trim

for concealed valves 29 800 1/2", 29 802 3/4", 29 805 1"

without concealed body


16 - 38 mm

metal handle

sliding escutcheon with wall sealing

GROHE StarLight chrome finish

chrome



22 012 000

22 012 DC0

22 012 AL0

Eurocube

Angle valve 1/2"

wall connection 1/2"

outlet thread 3/8"

Cartridge headpart

metal handle

marking: neutral

metal push-on escutcheon

chrome


supersteel

brushed hard graphite

GROHE EUROCUBE

Ref. no.

Colour

**22 013 000****chrome****Eurocube****Angle valve 1/2"**

wall connection 1/2"


outlet 1/2"

Cartridge headpart

metal handle

marking: neutral


metal push-on escutcheon



32 612 003
32 612 DC3
32 612 AL3

chrome
supersteel
brushed hard graphite


GROHE Plus
Single-lever basin mixer 1/2"
S-Size
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses



33 163 003

chrome


GROHE Plus
Single-lever basin mixer 1/2"
S-Size
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses



23 871 003
23 871 DC3
23 871 AL3

chrome
supersteel
brushed hard graphite


GROHE Plus
Single-lever basin mixer 1/2"
M-Size
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking, swivel area 90°
pop-up waste set 1 1/4"
flexible connection hoses



23 872 003

chrome

GROHE Plus
Single-lever basin mixer 1/2"
M-Size
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking, swivel area 90°
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses



23 851 003
23 851 DC3
23 851 AL3


chrome
supersteel
brushed hard graphite

GROHE Plus
Single-lever basin mixer 1/2"
L-Size
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking, swivel area 90°
pop-up waste set 1 1/4"
flexible connection hoses

GROHE PLUS

Ref. no.

Colour



23 843 003
23 843 DC3
23 843 AL3

chrome
supersteel
brushed hard graphite

GROHE Plus

Single-lever basin mixer 1/2"
L-Size

GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter

GROHE StarLight chrome finish

GROHE EcoJoy SpeedClean mousseur 5.7 l/min

GROHE AquaGuide adjustable mousseur


rapid installation system

pull out spout

GROHE EasyDock easy retraction and smooth docking

pop-up waste set 1 1/4"

flexible connection hoses



23 844 003

chrome

GROHE Plus

Single-lever basin mixer 1/2"
L-Size

GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter

GROHE StarLight chrome finish

GROHE EcoJoy SpeedClean mousseur 5.7 l/min

GROHE AquaGuide adjustable mousseur


rapid installation system

pull out spout

GROHE EasyDock easy retraction and smooth docking

smooth body with push-open pop-up waste set 1 1/4"

flexible connection hoses



32 618 003
32 618 DC3
32 618 AL3

chrome
supersteel
brushed hard graphite

GROHE Plus

Single-lever basin mixer 1/2"
XL-Size

for free-standing basins

GROHE SilkMove 28 mm ceramic cartridge

with temperature limiter

GROHE StarLight chrome finish


GROHE EcoJoy SpeedClean mousseur 5.7 l/min

GROHE AquaGuide adjustable mousseur

rapid installation system

smooth body

flexible connection hoses



20 301 003

chrome

GROHE Plus

3-hole basin mixer 1/2"
M-Size

ceramic headparts 1/2", 90°

GROHE StarLight chrome finish

GROHE EcoJoy SpeedClean mousseur 5.7 l/min

GROHE AquaGuide adjustable mousseur

rapid installation system


pop-up waste set 1 1/4"

GROHE FastFixation installation system

flexible connection hoses between spout and side valves

Ref. no.

Colour



29 303 003
29 303 DC3
29 303 AL3

chrome
supersteel
brushed hard graphite

GROHE Plus
2-hole basin mixer
M-Size

wall mounted
final installation for 23 200
without concealed body
metal rosette

GROHE StarLight chrome finish

GROHE EcoJoy SpeedClean mousseur 5.7 l/min

GROHE AquaGuide adjustable mousseur


centre distance 110 mm

projection 147 mm

29 306 003

ditto, projection 203 mm

chrome



23 200 000

Single-lever mixer 1/2"
concealed body

for 2-hole basin mixers

wall installation


GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

installation depth 45 to 75 mm

DR-brass

installation device



33 241 003

33 241 DC3

33 241 AL3

chrome
supersteel
brushed hard graphite

GROHE Plus
Single-lever bidet mixer 1/2"

GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter


GROHE StarLight chrome finish

rapid installation system

ball-joint mousseur

pop-up waste set 1 1/4"

flexible connection hoses



33 577 003

33 577 DC3

33 577 AL3

chrome
supersteel
brushed hard graphite

GROHE Plus

Single-lever shower mixer 1/2"

wall mounted

GROHE SilkMove 35 mm ceramic cartridge

with temperature limiter


GROHE StarLight chrome finish

1/2" shower outlet

integrated non-return valve

covered S-unions

protected against backflow



33 553 003

33 553 DC3

33 553 AL3

chrome
supersteel
brushed hard graphite

GROHE Plus
Single-lever bath mixer 1/2"

wall mounted

GROHE SilkMove 35 mm ceramic cartridge

with temperature limiter

GROHE StarLight chrome finish

automatic diverter: bath/shower

laminar mousseur

1/2" shower outlet


integrated non-return valve

covered S-unions

protected against backflow

Ref. no.

Colour

**33 547 003****chrome****GROHE Plus****Single-lever bath mixer 1/2"**

wall mounted

GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter**GROHE StarLight** chrome finish

automatic diverter: bath/shower

laminar mousseur

1/2" shower outlet

integrated non-return valve

covered S-unions


protected against backflow

with shower set

hand shower Euphoria Cube Stick (27 698)

wall shower holder (27 693)

Silverflex shower hose 1500 mm 1/2" x 1/2" (28 364)


**40 954 000****chrome****GROHE Plus****Tray**

suitable for

33 553 003

33 547 003

33 577 003

**24 059 003****chrome****24 059 DC3****supersteel****24 059 AL3****brushed hard graphite****GROHE Plus****Single-lever shower mixer**


final installation for

Rapido SmartBox (35 600)

GROHE SilkMove 46 mm ceramic cartridge**GROHE StarLight** chrome finish**GROHE FastFixation** escutcheon with covered shaft sealing and covered fixing

metal escutcheon, retroactively 6° adjustable

flow performance: outlet B or C = 30 l/min

35 600 000**GROHE Rapido SmartBox universal rough-in box****24 060 003****chrome****24 060 DC3****supersteel****24 060 AL3****brushed hard graphite****GROHE Plus****Single-lever mixer with 2-way diverter**

final installation for

Rapido SmartBox (35 600)


GROHE SilkMove 46 mm ceramic cartridge**GROHE StarLight** chrome finish**GROHE FastFixation** escutcheon with covered shaft sealing and covered fixing

metal escutcheon, retroactively 6° adjustable

automatic 2-way diverter

outlet B = 27 l/min, outlet C = 27 l/min

35 600 000**GROHE Rapido SmartBox universal rough-in box**



24 093 003
24 093 DC3
24 093 AL3

chrome
supersteel
brushed hard graphite

GROHE Plus

Single-lever mixer with 3-way diverter

final installation for

Rapido SmartBox (35 600)

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish


GROHE FastFixation escutcheon with covered shaft sealing and covered fixing metal escutcheon, retroactively 6° adjustable

3-way diverter

flow performance: outlet A = 27 l/min, outlet B = 27 l/min, outlet C = 27 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



29 307 003
29 307 DC3
29 307 AL3

chrome
supersteel
brushed hard graphite

GROHE Plus

4-hole bath combination

GROHE SilkMove 35 mm ceramic cartridge

with temperature limiter

GROHE StarLight chrome finish

pre-assembled spout with laminar mousseur

single lever mixer operating element

diverter bath/shower

hand shower Euphoria Cube 6.6 l/min


metal shower hose 2000 mm

flexible connection hoses

connection for shower hose

protected against backflow

can be used with 29 037



23 845 003

chrome

GROHE Plus

3-hole bath combination

GROHE SilkMove 35 mm ceramic cartridge

with temperature limiter

GROHE StarLight chrome finish

single lever mixer operating element

diverter bath/shower

without spout

Euphoria Cube hand shower 7.6 l/min

metal shower hose 2000 mm


flexible connection hoses

connection for shower hose

protected against backflow

can be used with 29 037

for combination with 28 990 / 28 991



29 037 002

4/5-hole bath/shower combination (optional)

base frame for installation

drainage box with integrated outlet for splash water

caps to cover screw fixations always come in chrome color


45 388 000

Supporting legs for baseframe

GROHE PLUS

Ref. no.

Colour



23 846 003
23 846 DC3
23 846 AL3

chrome
supersteel
brushed hard graphite

GROHE Plus

Single-lever bath mixer 1/2", floor mounted
final installation for 45 984

GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter

GROHE StarLight chrome finish

automatic diverter: bath/shower

spout with laminar mousseur

projection 282 mm


integrated non-return valve in shower outlet

with shower holder

hand shower Euphoria Cube 6.6 l/min

Silverflex shower hose 1.250 mm (28 362)

protected against backflow



45 984 001

Rough-in set 1/2"

for floor-mounted bath mixers/spouts and shower mixers

installation plate with 360° horizontal and 3° vertical adjustment

installation depth 53-157 mm for bath mixers/spouts,

depth compensation 104 mm


installation depth 65-157 mm for shower mixers, depth compensation 92 mm

two 1/2" female connections (hot/cold supplies)

flushing plug

gasket included

fixing material



29 086 000

Rough-in set 1/2"

for floor-mounted bath spouts and mixers


installation plate with 360° horizontal and 3° vertical adjustment

installation depth 47-151 mm

depth compensation 104 mm

two 1/2" female connections (hot/cold supplies)

flushing plug



13 404 003
13 404 DC3
13 404 AL3

chrome
supersteel
brushed hard graphite

GROHE Plus

Bath spout


wall mounted

GROHE StarLight chrome finish

laminar mousseur

male thread 1/2"


projection 168 mm



23 589 001
23 589 DC1
23 589 BE1
23 589 EN1
23 589 GL1
23 589 GN1
23 589 DA1
23 589 DL1
23 589 A01
23 589 AL1

chrome
supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite


GROHE Essence
Single-lever basin mixer 1/2"
S-Size
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses



23 590 001
23 590 DC1
23 590 BE1
23 590 EN1
23 590 GL1
23 590 GN1
23 590 DA1
23 590 DL1
23 590 A01
23 590 AL1


chrome
supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite

GROHE Essence
Single-lever basin mixer 1/2"
S-Size
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses



32 898 001
GROHE Essence
Single-lever basin mixer 1/2"
S-Size
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

chrome




34 294 001
GROHE Essence
Single-lever basin mixer 1/2"
S-Size
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses

chrome

GROHE ESSENCE

Ref. no.

Colour



23 379 001

chrome

GROHE Essence
Single-lever basin mixer 1/2"
S-Size

GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter


GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min

GROHE FastFixation Plus installation system

pop-up waste set 1 1/4"

flexible connection hoses



23 462 001

chrome

23 462 DC1

supersteel

23 462 BE1

polished nickel

23 462 EN1

brushed nickel

23 462 GL1

cool sunrise

23 462 GN1

brushed cool sunrise

23 462 DA1

warm sunset

23 462 DL1

brushed warm sunset

23 462 A01

hard graphite

23 462 AL1

brushed hard graphite

GROHE Essence
Single-lever basin mixer 1/2"
M-Size

GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter

GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min


GROHE AquaGuide adjustable mousseur

GROHE FastFixation Plus installation system

swivel spout with mousseur and stop limiter

pop-up waste set 1 1/4"

flexible connection hoses



23 463 001

chrome

GROHE Essence
Single-lever basin mixer 1/2"
M-Size

GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter

GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min


GROHE AquaGuide adjustable mousseur

GROHE FastFixation Plus installation system

swivel spout with mousseur and stop limiter

smooth body

flexible connection hoses



32 628 001

chrome

32 628 DC1

supersteel

32 628 BE1

polished nickel

32 628 EN1

brushed nickel

32 628 GL1

cool sunrise

32 628 GN1

brushed cool sunrise

32 628 DA1

warm sunset

32 628 DL1

brushed warm sunset

32 628 A01

hard graphite

32 628 AL1

brushed hard graphite

GROHE Essence
Single-lever basin mixer 1/2"
L-Size

GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter

GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min

GROHE AquaGuide adjustable mousseur

GROHE FastFixation Plus installation system

swivel spout with mousseur and stop limiter


pop-up waste set 1 1/4"

flexible connection hoses

GROHE ESSENCE

Ref. no.

Colour



19 408 001	chrome
19 408 DC1	supersteel
19 408 BE1	polished nickel
19 408 EN1	brushed nickel
19 408 GL1	cool sunrise
19 408 GN1	brushed cool sunrise
19 408 DA1	warm sunset
19 408 DL1	brushed warm sunset
19 408 A01	hard graphite
19 408 AL1	brushed hard graphite


GROHE Essence 2-hole basin mixer M-Size

wall mounted
final installation for 23 571
without concealed body
metal rosette

GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min

GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 183 mm



19 967 001	chrome
19 967 DC1	supersteel
19 967 BE1	polished nickel
19 967 EN1	brushed nickel
19 967 GL1	cool sunrise
19 967 GN1	brushed cool sunrise
19 967 DA1	warm sunset
19 967 DL1	brushed warm sunset
19 967 A01	hard graphite
19 967 AL1	brushed hard graphite


GROHE Essence 2-hole basin mixer L-Size

wall mounted
final installation for 23 571
without concealed body
metal rosette

GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min


GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 230 mm



23 571 000

Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers

wall installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device
with sealing sleeve



- 32 935 001 chrome
- 32 935 DC1 supersteel
- 32 935 BE1 polished nickel
- 32 935 EN1 brushed nickel
- 32 935 GL1 cool sunrise
- 32 935 GN1 brushed cool sunrise
- 32 935 DA1 warm sunset
- 32 935 DL1 brushed warm sunset
- 32 935 A01 hard graphite
- 32 935 AL1 brushed hard graphite

GROHE Essence
Single-lever bidet mixer 1/2"
S-Size

GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter


GROHE StarLight chrome finish

GROHE FastFixation Plus installation system

ball-joint mousseur

pop-up waste set 1 1/4"

flexible connection hoses



- 33 636 001 chrome
- 33 636 DC1 supersteel
- 33 636 BE1 polished nickel
- 33 636 EN1 brushed nickel
- 33 636 GL1 cool sunrise
- 33 636 GN1 brushed cool sunrise
- 33 636 DA1 warm sunset
- 33 636 DL1 brushed warm sunset
- 33 636 A01 hard graphite
- 33 636 AL1 brushed hard graphite

GROHE Essence
Single-lever shower mixer 1/2"
wall mounted

GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter


GROHE StarLight chrome finish

1/2" shower outlet

integrated non-return valve

S-unions

protected against backflow



- 33 624 001 chrome
- 33 624 DC1 supersteel
- 33 624 BE1 polished nickel
- 33 624 EN1 brushed nickel
- 33 624 GL1 cool sunrise
- 33 624 GN1 brushed cool sunrise
- 33 624 DA1 warm sunset
- 33 624 DL1 brushed warm sunset
- 33 624 A01 hard graphite
- 33 624 AL1 brushed hard graphite

GROHE Essence
Single-lever bath mixer 1/2"
wall mounted

GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter

GROHE StarLight chrome finish

automatic diverter: bath/shower

mousseur

1/2" shower outlet

integrated non-return valve


S-unions

protected against backflow

GROHE ESSENCE

Ref. no.

Colour

**33 628 001****chrome****GROHE Essence****Single-lever bath mixer 1/2"**

wall mounted

GROHE SilkMove 35 mm ceramic cartridge

with temperature limiter

GROHE StarLight chrome finish

automatic diverter: bath/shower

mousseur

1/2" shower outlet

integrated non-return valve

S-unions

protected against backflow


with shower set

hand shower Euphoria Cosmopolitan Stick (27 400) 6.6 l/min

Euphoria Cosmopolitan Stick handshower (27 367)

wall shower holder Tempesta 100 Cosmopolitan (27 594)

Silverflex shower hose 1500 mm 1/2" x 1/2" (28 364)

**24 057 001****chrome****24 057 DC1****supersteel****24 057 BE1****polished nickel****24 057 EN1****brushed nickel****24 057 GL1****cool sunrise****24 057 GN1****brushed cool sunrise****24 057 DA1****warm sunset****24 057 DL1****brushed warm sunset****24 057 A01****hard graphite****24 057 AL1****brushed hard graphite****GROHE Essence****Single-lever shower mixer**


final installation for

Rapido SmartBox (35 600)

GROHE SilkMove 46 mm ceramic cartridge**GROHE StarLight** chrome finish**GROHE FastFixation** escutcheon with covered shaft sealing and covered fixing

metal escutcheon, retroactively 6° adjustable

flow performance: outlet B or C = 30 l/min

35 600 000**GROHE Rapido SmartBox universal rough-in box****24 058 001****chrome****24 058 DC1****supersteel****24 058 BE1****polished nickel****24 058 EN1****brushed nickel****24 058 GL1****cool sunrise****24 058 GN1****brushed cool sunrise****24 058 DA1****warm sunset****24 058 DL1****brushed warm sunset****24 058 A01****hard graphite****24 058 AL1****brushed hard graphite****GROHE Essence****Single-lever mixer with 2-way diverter**

final installation for

Rapido SmartBox (35 600)


GROHE SilkMove 46 mm ceramic cartridge**GROHE StarLight** chrome finish**GROHE FastFixation** escutcheon with covered shaft sealing and covered fixing

metal escutcheon, retroactively 6° adjustable

automatic 2-way diverter

outlet B = 27 l/min, outlet C = 27 l/min

35 600 000**GROHE Rapido SmartBox universal rough-in box**



24 092 001	chrome
24 092 DC1	supersteel
24 092 BE1	polished nickel
24 092 EN1	brushed nickel
24 092 GL1	cool sunrise
24 092 GN1	brushed cool sunrise
24 092 DA1	warm sunset
24 092 DL1	brushed warm sunset
24 092 A01	hard graphite
24 092 AL1	brushed hard graphite

GROHE Essence

Single-lever mixer with 3-way diverter

final installation for

Rapido SmartBox (35 600)

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish


GROHE FastFixation escutcheon with covered shaft sealing and covered fixing metal escutcheon, retroactively 6° adjustable

3-way diverter

flow performance: outlet A = 27 l/min, outlet B = 27 l/min, outlet C = 27 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



19 578 001	chrome
19 578 DC1	supersteel
19 578 BE1	polished nickel
19 578 EN1	brushed nickel
19 578 GL1	cool sunrise
19 578 GN1	brushed cool sunrise
19 578 DA1	warm sunset
19 578 DL1	brushed warm sunset
19 578 A01	hard graphite
19 578 AL1	brushed hard graphite

GROHE Essence

4-hole bath combination

GROHE SilkMove 35 mm ceramic cartridge

with temperature limiter

GROHE StarLight chrome finish

pre-assembled spout fixing

single lever mixer operating element

bath inlet with mousseur

diverter bath/shower

for chrome: hand shower 27 806, for other colours: hand shower 26 465


metal shower hose 2000 mm

flexible connection hoses

connection for shower hose

protected against backflow

for use with 29 037



19 976 001

chrome

GROHE Essence

3-hole bath combination

GROHE SilkMove 35 mm ceramic cartridge

GROHE StarLight chrome finish

single lever mixer operating element

diverter bath/shower

handshower (27 400)

metal shower hose 2000 mm

flexible connection hoses

connection for shower hose

protected against backflow


for use with 29 037

for combination with 28 990 / 28 991

GROHE ESSENCE

Ref. no.

Colour


**29 037 000**

**4/5-hole bath/shower combination (optional)
base frame for installation**

drainage box with integrated outlet for splash water
caps to cover screw fixations always come in chrome color

45 388 000

Supporting legs for baseframe

**23 741 001****23 741 DC1****chrome****supersteel****GROHE Essence****Single-lever free-standing shower system**

floor-mounted

final installation for 45 984, 29 086

GROHE SilkMove 35 mm ceramic cartridge

with temperature limiter

GROHE StarLight chrome finish

automatic diverter, head shower/hand shower

360° horizontal swivable shower arm

integrated non-return valve in shower outlet

with shower holder


Rainshower Cosmopolitan 310 head shower 9.5 l/min (27 477)

GROHE DreamSpray perfect spray pattern**SpeedClean** anti-lime system

for chrome: hand shower 27 806, for other colours: hand shower 26 465

Silverflex shower hose 1750 mm (28 388)

protected against backflow

**23 491 001****23 491 DC1****23 491 BE1****23 491 EN1****23 491 GL1****23 491 GN1****23 491 DA1****23 491 DL1****23 491 A01****23 491 AL1****chrome****supersteel****polished nickel****brushed nickel****cool sunrise****brushed cool sunrise****warm sunset****brushed warm sunset****hard graphite****brushed hard graphite****GROHE Essence****Single-lever bath mixer 1/2", floor mounted**

final installation for 29 086 / 45 984

GROHE SilkMove 35 mm ceramic cartridge

with temperature limiter

GROHE StarLight chrome finish

automatic diverter: bath/shower

swivel spout with mousseur and stop limiter

projection 277 mm


integrated non-return valve in shower outlet

with shower holder

for chrome: hand shower 27 806, for other colours: hand shower 26 465

Silverflex shower hose 1.250 mm (28 362)


protected against backflow



45 984 001

Rough-in set 1/2"

for floor-mounted bath mixers/spouts and shower mixers
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/spouts,
depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket included
fixing material




29 086 000

Rough-in set 1/2"

for floor-mounted bath spouts and mixers
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug

new



13 449 001

13 449 DC1

13 449 BE1

13 449 EN1

13 449 GL1

13 449 GN1

13 449 DA1

13 449 DL1

13 449 A01

13 449 AL1

chrome

supersteel

polished nickel

brushed nickel

cool sunrise

brushed cool sunrise

warm sunset

brushed warm sunset

hard graphite

brushed hard graphite

GROHE Essence

Bath spout

wall mounted

mousseur

male thread 1/2"

GROHE StarLight chrome finish


projection 230 mm

available July 2021


GROHE EURODISC JOY

Ref. no.


Colour

**23 425 000****chrome**


Eurodisc Joy
Single-lever basin mixer 1/2"
S-Size
 GROHE FeatherControl Joystick cartridge
 GROHE StarLight chrome finish
 GROHE EcoJoy SpeedClean mousseur 5.7 l/min
 GROHE FastFixation Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses

**23 427 000****chrome**


Eurodisc Joy
Single-lever basin mixer 1/2"
M-Size
 GROHE FeatherControl Joystick cartridge
 GROHE StarLight chrome finish
 GROHE EcoJoy SpeedClean mousseur 5.7 l/min
 GROHE FastFixation Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses

**23 428 000****chrome**

Eurodisc Joy
Single-lever basin mixer 1/2"
XL-Size
for free-standing basins
 GROHE FeatherControl Joystick cartridge
 GROHE EcoJoy SpeedClean mousseur 5.7 l/min
 GROHE StarLight chrome finish
 GROHE FastFixation Plus installation system
 smooth body
 flexible connection hoses

**19 968 000****chrome**

Eurodisc Joy
2-hole basin mixer
M-Size
 wall mounted
 final installation for
 23 429 without concealed body
 GROHE StarLight chrome finish
 GROHE EcoJoy SpeedClean mousseur 5.7 l/min
 centre distance 110 mm
 projection 171 mm


**19 969 000****chrome**

Eurodisc Joy
2-hole basin mixer
L-Size
 wall mounted
 final installation for
 23 429 without concealed body
 GROHE StarLight chrome finish
 GROHE EcoJoy SpeedClean mousseur 5.7 l/min
 centre distance 110 mm
 projection 226 mm

GROHE EURODISC JOY

Ref. no.

Colour



23 429 000

Joystick mixer 1/2", concealed body


for 2-hole basin mixers
without finishing trim set

GROHE FeatherControl Joystick cartridge

wall installation
installation device

DR-brass

with sealing sleeve



24 036 000

chrome

Eurodisc Joy

Single-lever bidet mixer 1/2"

S-Size

GROHE FeatherControl Joystick cartridge


GROHE StarLight chrome finish

GROHE EcoJoy ball-joint mousseur 5.7 l/min

GROHE FastFixation Plus installation system

pop-up waste set 1 1/4"

flexible connection hoses



23 430 000

chrome

Eurodisc Joy

Single-lever shower mixer 1/2"

wall mounted


GROHE FeatherControl Joystick cartridge

GROHE StarLight chrome finish

shower bottom outlet with integrated non return-valve

S-unions

protected against backflow



23 431 000

chrome

Eurodisc Joy

Single-lever bath mixer 1/2"

wall mounted

GROHE SilkMove Joystick cartridge

GROHE StarLight chrome finish

automatic diverter: bath/shower

mousseur

integrated non-return valve in shower outlet


S-unions

protected against backflow

GROHE EURODISC COSMOPOLITAN

Ref. no.

Colour


**33 190 20E****chrome**

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
S-Size

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation
pop-up waste set 1 1/4"
flexible connection hoses


33 190 002**chrome**

ditto, with non-restricted flow

**32 469 20E****chrome**


Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
S-Size

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation
smooth body
flexible connection hoses

**23 448 002****chrome**


Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
M-Size

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

**23 449 002****chrome**

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
M-Size

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses

**23 054 003****chrome**


Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
L-Size

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free
GROHE FastFixation Plus installation system
mousseur
swivel tubular spout
with stop restriction
pop-up waste set 1 1/4"
flexible connection hoses

GROHE EURODISC COSMOPOLITAN

Ref. no.

Colour



23 432 000

chrome

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
XL-Size

for free-standing basins

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter


GROHE StarLight chrome finish

GROHE EcoJoy SpeedClean mousseur 5.7 l/min

GROHE FastFixation Plus installation system

smooth body

flexible connection hoses



19 573 002

chrome

Eurodisc Cosmopolitan
2-hole basin mixer
M-Size

wall mounted

final installation for 23 571

without concealed body

metal rosette

GROHE StarLight chrome finish

GROHE AquaGuide


centre distance 110 mm

projection 170 mm

19 974 002

chrome

ditto, L-size, projection 225 mm



23 571 000

Single-lever mixer 1/2", universal concealed body

for 2-hole basin mixers

wall installation

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter


with temperature limiter

spout can be positioned on the right or left

DR-brass

installation device

with sealing sleeve



33 244 002

chrome

Eurodisc Cosmopolitan
Single-lever bidet mixer 1/2"
S-Size

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter


GROHE StarLight chrome finish

GROHE FastFixation Plus installation

ball-joint mousseur

pop-up waste set 1 1/4"

flexible connection hoses



33 569 002

chrome

Eurodisc Cosmopolitan
Single-lever shower mixer 1/2"
wall mounted

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish


adjustable flow rate limiter

shower bottom outlet 1/2"

integrated non-return valve

S-unions

protected against backflow



33 390 002

chrome

Eurodisc Cosmopolitan
Single-lever bath mixer 1/2"

wall mounted

GROHE SilkMove 46 mm ceramic cartridge**GROHE StarLight** chrome finish

adjustable flow rate limiter


automatic diverter: bath/shower

mousseur

integrated non-return valve in shower outlet

S-unions

protected against backflow



33 395 002

chrome

Eurodisc Cosmopolitan
Single-lever shower mixer 1/2"

wall mounted

GROHE SilkMove 46 mm ceramic cartridge**GROHE StarLight** chrome finish

adjustable flow rate limiter

automatic diverter: bath/shower

mousseur

integrated non-return valve in shower outlet

S-unions


protected against backflow

with shower set

hand shower Euphoria 110 Champagne (27 222)

wall shower holder (27 056)

Relaxaflex hose 1500 mm 1/2"x1/2" (28 151)



24 055 002

chrome


Eurodisc Cosmopolitan
Single-lever shower mixer

final installation for Rapido SmartBox (35 600)

GROHE SilkMove 46 mm ceramic cartridge**GROHE StarLight** chrome finish**GROHE FastFixation** escutcheon with covered shaft sealing and covered fixing

metal escutcheon, retroactively 6° adjustable

flow performance: outlet B or C = 30 l/min



24 056 002

chrome

Eurodisc Cosmopolitan
Single-lever mixer with 2-way diverter

final installation for Rapido SmartBox (35 600)


GROHE SilkMove 46 mm ceramic cartridge**GROHE StarLight** chrome finish**GROHE FastFixation** escutcheon with covered shaft sealing and covered fixing

metal escutcheon, retroactively 6° adjustable

automatic 2-way diverter

outlet B = 27 l/min, outlet C = 27 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box

13 278 002

chrome

Eurodisc Cosmopolitan
Bath spout

wall mounted

GROHE StarLight chrome finish

mousseur


male thread 1/2"

projection 170 mm

GROHE EURODISC COSMOPOLITAN

Ref. no.

Colour



13 279 002


chrome

Eurodisc Cosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
automatic diverter: bath/shower
male thread 1/2"
projection 170 mm


GROHE CONCETTO

Ref. no.

Colour

**32 207 001****chrome**


Concetto
Pillar tap XS-Size
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min

**32 204 10E****chrome**


Concetto
Single-lever basin mixer 1/2"
S-Size
GROHE SilkMove 28 mm ceramic cartridge
 temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
 pop-up waste set 1 1/4"
 flexible connection hoses

32 204 001**chrome**


ditto, with non-restricted flow

**23 931 001****chrome**


Concetto
Single-lever basin mixer 1/2"
S-Size
GROHE SilkMove 28 mm ceramic cartridge
 adjustable flow rate limiter
 temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
 smooth body with push-open pop-up waste set 1 1/4"
 flexible connection hoses

**23 450 001****chrome**

Concetto
Single-lever basin mixer 1/2"
M-Size
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation rapid installation system
 pop-up waste set 1 1/4"
 flexible connection hoses

**23 932 001****chrome**

Concetto
Single-lever basin mixer 1/2"
M-Size
GROHE SilkMove 28 mm ceramic cartridge
 temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation rapid installation system
 smooth body with push-open pop-up waste set 1 1/4"
 flexible connection hoses



23 739 002

chrome

Concetto

Single-lever basin mixer 1/2"

L-Size

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter

GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min

GROHE Zero isolated inner water ways - lead and nickel free


GROHE FastFixation installation system

swivel tubular spout

with stop restriction

pop-up waste set 1 1/4"

flexible connection hoses



32 629 002

chrome

Concetto

Single-lever basin mixer 1/2"

L-Size

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter

GROHE StarLight chrome finish

GROHE Zero isolated inner water ways - lead and nickel free

GROHE FastFixation installation system


swivel tubular spout

with stop restriction

pop-up waste set 1 1/4"

flexible connection hoses

new



23 920 001

chrome

Concetto

Single-lever basin mixer 1/2"

XL-Size

for free-standing basins

GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter

GROHE StarLight chrome finish


GROHE EcoJoy mousseur 5.7 l/min

GROHE AquaGuide adjustable mousseur

rapid installation system

smooth body

flexible connection hoses



20 216 001

chrome

Concetto

3-hole basin mixer 1/2"

L-Size

ceramic headpart


GROHE StarLight chrome finish

GROHE FastFixation installation system

spout with mousseur

pop-up waste set 1 1/4"

pressure-proof, flexible connection hoses between spout and side valves



19 575 001

chrome

Concetto

2-hole basin mixer

S-Size

wall mounted

final installation for 23 571

without concealed body

metal rosette

GROHE StarLight chrome finish

GROHE AquaGuide adjustable mousseur


centre distance 110 mm

projection 147 mm

GROHE CONCETTO


Ref. no.

Colour

**23 571 000**


Single-lever mixer 1/2", universal concealed body
for 2-hole basin mixers
wall installation

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device
with sealing sleeve

**32 208 001****chrome**


Concetto
Single-lever bidet mixer 1/2"
S-Size

GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

**32 210 001****chrome**


Concetto
Single-lever shower mixer 1/2"
wall mounted

GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet with integrated non return-valve
S-unions
protected against backflow

**32 211 001****chrome**

Concetto
Single-lever bath mixer 1/2"
wall mounted

GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in shower outlet
S-unions
protected against backflow


**32 212 001****chrome**

Concetto
Single-lever bath mixer 1/2"
wall mounted

GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve in shower outlet
S-unions
protected against backflow
with shower set
Euphoria Cosmopolitan hand shower (27 400)
wall shower holder (27 056)
Relexaflex hose 1500 mm 1/2"x1/2" (28 151)

Ref. no.

Colour



24 053 001

chrome

Concetto

Single-lever shower mixer

final installation for
Rapido SmartBox (35 600)


GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

GROHE FastFixation escutcheon with covered shaft sealing and covered fixing
metal escutcheon, retroactively 6° adjustable
flow performance: outlet B or C = 30 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



24 054 001

chrome

Concetto

Single-lever mixer with 2-way diverter

final installation for
Rapido SmartBox (35 600)


GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

GROHE FastFixation escutcheon with covered shaft sealing and covered fixing
metal escutcheon, retroactively 6° adjustable
automatic 2-way diverter
outlet B = 27 l/min, outlet C = 27 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



19 345 001

chrome


Concetto

Single-lever shower mixer

final installation for 33 964 000
without concealed body

GROHE StarLight chrome finish

escutcheon- and shaft-sealing
wall escutcheon
covered fixing



19 346 001

chrome


Concetto

Single-lever bath mixer

final installation for 33 963 000
without concealed body

GROHE StarLight chrome finish

automatic diverter: bath/shower
escutcheon- and shaft-sealing
wall escutcheon
covered coupling



19 576 002

chrome

Concetto

4-hole bath combination

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

pre-assembled spout fixing

single lever mixer operating element

swivel bath inlet with mousseur

diverter bath/shower

Euphoria Cosmopolitan hand shower 6.6 l/min

metal shower hose 2000 mm

flexible connection hoses

connection for shower hose


protected against backflow

can be used with 29 037

GROHE CONCETTO

Ref. no.

Colour




29 037 000

**4/5-hole bath/shower combination (optional)
base frame for installation**

drainage box with integrated outlet for splash water
caps to cover screw fixations always come in chrome color

45 388 000

Supporting legs for baseframe



13 280 001

chrome

Concetto


Bath spout

wall mounted

GROHE StarLight chrome finish

mousseur

male thread 1/2"



13 281 001

chrome

Concetto

Bath spout with diverter

wall mounted

GROHE StarLight chrome finish

mousseur


automatic diverter: bath/shower

male thread 1/2"

GROHE EUROSTYLE COSMOPOLITAN

Ref. no.

Colour



33 552 20E

chrome

Eurostyle Cosmopolitan
Single-lever basin mixer 1/2"
S-Size

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter

GROHE StarLight chrome finish

GROHE EcoJoy SpeedClean mousseur 5.7 l/min

GROHE FastFixation installation system


pop-up waste set 1 1/4"

flexible connection hoses

33 552 002

chrome

ditto, with non-restricted flow



23 043 003

chrome

Eurostyle Cosmopolitan
Single-lever basin mixer 1/2"
L-Size

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter

GROHE StarLight chrome finish

GROHE Zero isolated inner water ways - lead and nickel free


GROHE FastFixation installation system

mousseur

swivel tubular spout with stop restriction

pop-up waste set 1 1/4"

flexible connection hoses



20 208 002

chrome

Eurostyle Cosmopolitan
3-hole wash-basin mixer
S-Size

ceramic headparts 1/2", 90°


GROHE StarLight chrome finish

GROHE FastFixation installation system

spout with mousseur

pop-up waste set 1 1/4"

pressure-proof, flexible connection hoses between spout and side valves



19 571 002

chrome

Eurostyle Cosmopolitan
2-hole basin mixer
S-Size

wall mounted

final installation for 23 571

without concealed body


metal rosette

GROHE StarLight chrome finish

GROHE AquaGuide adjustable mousseur

centre distance 110 mm

projection 171 mm



23 571 000

Single-lever mixer 1/2", universal concealed body

for 2-hole basin mixers

wall installation

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

with temperature limiter

spout can be positioned on the right or left

DR-brass

installation device


with sealing sleeve

GROHE

EUROSTYLE COSMOPOLITAN

Ref. no.

Colour



33 565 002

chrome

Eurostyle Cosmopolitan
Single-lever bidet mixer 1/2"

S-Size

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter


GROHE StarLight chrome finish

GROHE FastFixation installation system

ball-joint mousseur

pop-up waste set 1 1/4"

flexible connection hoses



33 590 002

chrome

Eurostyle Cosmopolitan
Single-lever shower mixer 1/2"

wall mounted

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish



adjustable flow rate limiter

shower bottom outlet 1/2"

integrated non-return valve

S-unions

protected against backflow



33 591 002

chrome

Eurostyle Cosmopolitan
Single-lever bath mixer 1/2"

wall mounted

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

adjustable flow rate limiter


automatic diverter: bath/shower

mousseur

integrated non-return valve in shower outlet

S-unions

protected against backflow



24 051 002

chrome

Eurostyle Cosmopolitan
Single-lever shower mixer

final installation for

Rapido SmartBox (35 600)

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish


GROHE FastFixation escutcheon with covered shaft sealing and covered fixing

metal escutcheon, retroactively 6° adjustable

flow performance: outlet B or C = 30 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



24 052 002

chrome

Eurostyle Cosmopolitan
Single-lever mixer with 2-way diverter

final installation for

Rapido SmartBox (35 600)

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

GROHE FastFixation escutcheon with covered shaft sealing and covered fixing

metal escutcheon, retroactively 6° adjustable

automatic 2-way diverter

outlet B = 27 l/min, outlet C = 27 l/min


35 600 000

GROHE Rapido SmartBox universal rough-in box

GROHE EUROSTYLE COSMOPOLITAN

Ref. no.

Colour



19 507 002

chrome

Eurostyle Cosmopolitan

Single-lever shower mixer

final installation for 33 964 000


without concealed body

GROHE StarLight chrome finish

escutcheon- and shaft-sealing

wall escutcheon

covered fixing



19 506 002

chrome

Eurostyle Cosmopolitan

Single-lever bath mixer

final installation for 33 963 000

without concealed body


GROHE StarLight chrome finish

automatic diverter: bath/shower

escutcheon- and shaft-sealing

wall escutcheon

covered fixing



23 048 003

chrome

Eurostyle Cosmopolitan

4-hole bath combination

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

pre-assembled spout fixing

single lever mixer operating element

swivel bath inlet with mousseur

diverter bath/shower

Euphoria Cosmopolitan hand shower 6.6 l/min


metal shower hose 2000 mm

flexible connection hoses

connection for shower hose

protected against backflow

can be used with 29 037



29 037 000

4/5-hole bath/shower combination (optional)


base frame for installation

drainage box with integrated outlet for splash water

caps to cover screw fixations always come in chrome color

45 388 000

Supporting legs for baseframe



13 276 002

chrome

Eurostyle Cosmopolitan

Bath spout

wall mounted

GROHE StarLight chrome finish

mousseur

male thread 1/2"


projection 170 mm

GROHE

EUROSTYLE COSMOPOLITAN

Ref. no.

Colour

**13 277 002****chrome****Eurostyle Cosmopolitan****Bath spout**

wall mounted

GROHE StarLight chrome finish

mousseur


automatic diverter: bath/shower

male thread 1/2"

projection 170 mm

Ref. no.


Colour



33 558 003
33 558 LS3

chrome
moon white/chrome


Eurostyle
Single-lever basin mixer 1/2"
S-Size
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses



23 707 003

chrome


Eurostyle
Single-lever basin mixer 1/2"
S-Size
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses



23 564 003

chrome


Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free
GROHE FastFixation rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses



23 708 003

chrome

Eurostyle
Single-lever basin mixer 1/2"
S-Size
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free
GROHE FastFixation rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses



23 567 003


chrome

Eurostyle
Single-lever basin mixer 1/2"
S-Size
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free
GROHE FastFixation rapid installation system
smooth body
flexible connection hoses

GROHE EUROSTYLE

Ref. no.

Colour

**23 716 003****chrome****Eurostyle****Single-lever basin mixer 1/2"****S-Size**

solid metal lever

GROHE SilkMove 35 mm ceramic cartridge


adjustable flow rate limiter

with temperature limiter

GROHE StarLight chrome finish**GROHE EcoJoy** mousseur 5.7 l/min**GROHE Zero** isolated inner water ways - lead and nickel free**GROHE FastFixation** rapid installation system

smooth body

flexible connection hoses

**23 569 003****chrome****23 569 LS3****moon white/chrome****Eurostyle****Single-lever basin mixer 1/2"****L-Size**

loop metal lever

GROHE SilkMove 28 mm ceramic cartridge

with temperature limiter


GROHE StarLight chrome finish**GROHE EcoJoy** mousseur 5.7 l/min**GROHE FastFixation** rapid installation system

swivel cast spout

swivel area 360°

pop-up waste set 1 1/4"

flexible connection hoses

**23 718 003****chrome****Eurostyle****Single-lever basin mixer 1/2"****L-Size**

solid metal lever

GROHE SilkMove 28 mm ceramic cartridge

with temperature limiter


GROHE StarLight chrome finish**GROHE EcoJoy** mousseur 5.7 l/min**GROHE FastFixation** rapid installation system

swivel cast spout

swivel area 360°

pop-up waste set 1 1/4"

flexible connection hoses

**23 570 003****chrome****23 570 LS3****moon white/chrome****Eurostyle****Single-lever basin mixer 1/2"****XL-Size**

loop metal lever


for free-standing basins**GROHE SilkMove** 35 mm ceramic cartridge

with temperature limiter

GROHE StarLight chrome finish**GROHE EcoJoy** mousseur 5.7 l/min**GROHE FastFixation** rapid installation system

smooth body

flexible connection hoses

**23 719 003****chrome****Eurostyle****Single-lever basin mixer 1/2"****XL-Size**

solid metal lever

for free-standing basins**GROHE SilkMove** 35 mm ceramic cartridge

with temperature limiter


GROHE StarLight chrome finish**GROHE EcoJoy** mousseur 5.7 l/min**GROHE FastFixation** rapid installation system

smooth body

flexible connection hoses

Ref. no.


Colour



19 571 003
19 571 LS3

chrome
moon white/chrome


Eurostyle
2-hole basin mixer
M-Size
wall mounted
without concealed body
final installation for 23 571
metal rosette
loop metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 203 mm



29 097 003


chrome

Eurostyle
2-hole basin mixer
M-Size
wall mounted
without concealed body
final installation for 23 571
metal rosette
solid metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 203 mm



23 571 000


Single-lever mixer 1/2", universal concealed body
for 2-hole basin mixers
wall installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device
with sealing sleeve



33 565 003
33 565 LS3

chrome
moon white/chrome

Eurostyle
Single-lever bidet mixer 1/2"
S-Size
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses



23 720 003


chrome

Eurostyle
Single-lever bidet mixer 1/2"
S-Size
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses

GROHE EUROSTYLE

Ref. no.


Colour



33 590 003
33 590 LS3

chrome
moon white/chrome



Eurostyle
Single-lever shower mixer 1/2"
wall mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower outlet 1/2" with integrated non-return valve
covered S-unions
protected against backflow



23 722 003

chrome


Eurostyle
Single-lever shower mixer 1/2"
wall mounted
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower outlet 1/2" with integrated non-return valve
covered S-unions
protected against backflow



33 591 003
33 591 LS3

chrome
moon white/chrome


Eurostyle
Single-lever bath mixer 1/2"
wall mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
protected against backflow



23 726 003

chrome

Eurostyle
Single-lever bath mixer 1/2"
wall mounted
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
protected against backflow



24 048 003
24 048 LS3


chrome
moon white

Eurostyle
Single-lever shower mixer
final installation for
Rapido SmartBox (35 600)
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE FastFixation escutcheon with covered shaft sealing and covered fixing
metal escutcheon, retroactively 6° adjustable
flow performance: outlet B or C = 30 l/min

35 600 000
GROHE Rapido SmartBox universal rough-in box

Ref. no.

Colour



24 046 003

chrome

Eurostyle

Single-lever shower mixer

final installation for
Rapido SmartBox (35 600)


GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

GROHE FastFixation escutcheon with covered shaft sealing and covered fixing metal escutcheon, retroactively 6° adjustable
flow performance: outlet B or C = 30 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



24 049 003

chrome

24 049 LS3

moon white

Eurostyle

Single-lever mixer with 2-way diverter

final installation for
Rapido SmartBox (35 600)


GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

GROHE FastFixation escutcheon with covered shaft sealing and covered fixing metal escutcheon, retroactively 6° adjustable
automatic 2-way diverter
outlet B = 27 l/min, outlet C = 27 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



24 047 003

chrome

Eurostyle

Single-lever mixer with 2-way diverter

final installation for
Rapido SmartBox (35 600)


GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

GROHE FastFixation escutcheon with covered shaft sealing and covered fixing metal escutcheon, retroactively 6° adjustable
automatic 2-way diverter
outlet B = 27 l/min, outlet C = 27 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



19 507 003

chrome

19 507 LS3

moon white/chrome


Eurostyle

Single-lever shower mixer

final installation for 33 964 000
without concealed body
loop metal lever

GROHE StarLight chrome finish

GROHE FastFixation covered fixation escutcheon- and shaft-sealing metal wall escutcheon



29 098 003

chrome

Eurostyle

Single-lever shower mixer

final installation for 33 964 000
without concealed body
solid metal lever


GROHE StarLight chrome finish

GROHE FastFixation covered fixation escutcheon- and shaft-sealing metal wall escutcheon

GROHE EUROSTYLE

Ref. no.

Colour



19 506 003
19 506 LS3

chrome
moon white/chrome

Eurostyle

Single-lever bath mixer

final installation for 33 963 000

without concealed body

loop metal lever


GROHE StarLight chrome finish

GROHE FastFixation covered fixation

automatic diverter: bath/shower

escutcheon- and shaft-sealing

metal wall escutcheon



29 099 003

chrome

Eurostyle

Single-lever bath mixer

final installation for 33 963 000

without concealed body


solid metal lever

GROHE StarLight chrome finish

GROHE FastFixation covered fixation

automatic diverter: bath/shower

escutcheon- and shaft-sealing



32 825 00E

chrome

Eurocosmo

Single-lever basin mixer 1/2"

S-Size

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

temperature limiter


GROHE StarLight chrome finish

GROHE EcoJoy SpeedClean mousseur 5.7 l/min

GROHE FastFixation installation system

pop-up waste set 1 1/4"

flexible connection hoses



23 925 000

chrome

Eurocosmo

Single-lever basin mixer 1/2"

S-Size

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter


GROHE StarLight chrome finish

GROHE FastFixation installation system

GROHE EcoJoy mousseur 5.7 l/min

smooth body with push-open pop-up waste set 1 1/4"

flexible connection hoses



23 377 00E

chrome

Eurocosmo

Single-lever basin mixer 1/2"

S-Size

GROHE SilkMove ES 35 mm ceramic cartridge

with energy saving function via cold start

adjustable flow rate limiter

temperature limiter


GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min

GROHE FastFixation installation system

pop-up waste set 1 1/4"

flexible connection hoses



23 325 000

chrome

Eurocosmo

Single-lever basin mixer 1/2"

M-Size

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter


GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min

GROHE FastFixation rapid installation system

pop-up waste set 1 1/4"

flexible connection hoses



23 926 000

chrome

Eurocosmo

Single-lever basin mixer 1/2"

M-Size

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter


GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min

GROHE FastFixation rapid installation system

smooth body with push-open pop-up waste set 1 1/4"

flexible connection hoses



32 839 000

chrome

Eurocosmo

Single-lever bidet mixer 1/2"

S-Size

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter


GROHE StarLight chrome finish

GROHE FastFixation installation system

ball-joint mousseur

pop-up waste set 1 1/4"

flexible connection hoses



32 837 000

chrome

Eurocosmo

Single-lever shower mixer 1/2"

wall mounted

GROHE SilkMove 46 mm ceramic cartridge


GROHE StarLight chrome finish

adjustable flow rate limiter

shower bottom outlet with integrated non return-valve

S-unions

protected against backflow




18 349 000

Eurocosmo

Plastic tray

for 32 837 000



32 831 000

chrome

Eurocosmo

Single-lever bath mixer 1/2"

wall mounted

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

adjustable flow rate limiter


automatic diverter: bath/shower

mousseur

integrated non-return valve in shower outlet

S-unions

protected against backflow



32 832 000

chrome

Eurocosmo

Single-lever bath mixer 1/2"

wall mounted

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

adjustable flow rate limiter

automatic diverter: bath/shower

mousseur

integrated non-return valve in shower outlet

S-unions

protected against backflow

with shower set

Euphoria Cosmopolitan hand shower (27 367)




wall shower holder (27 056)

Relaxaflex hose 1500 mm 1/2"x1/2" (28 151)

GROHE EUROCOSMO

Ref. no.

Colour

**24 044 000****chrome****Eurocosmo****Single-lever shower mixer**final installation for
Rapido SmartBox (35 600)**GROHE SilkMove** 46 mm ceramic cartridge**GROHE StarLight** chrome finish**GROHE FastFixation** escutcheon with covered shaft sealing and covered fixing
metal escutcheon, retroactively 6° adjustable
flow performance: outlet B or C = 30 l/min**35 600 000****GROHE Rapido SmartBox universal rough-in box****24 045 000****chrome****Eurocosmo****Single-lever mixer with 2-way diverter**final installation for
Rapido SmartBox (35 600)**GROHE SilkMove** 46 mm ceramic cartridge**GROHE StarLight** chrome finish**GROHE FastFixation** escutcheon with covered shaft sealing and covered fixing
metal escutcheon, retroactively 6° adjustable
automatic 2-way diverter
outlet B = 27 l/min, outlet C = 27 l/min**35 600 000****GROHE Rapido SmartBox universal rough-in box****25 219 001****chrome****Eurocosmo****Perfect shower set with Tempesta 210**

Eurocosmo set for final installation with diverter bath / shower (24 045)

GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)


head shower Tempesta 210 9.5 l/min (26 410)

shower arm Rainshower 286 mm (28 576)

hand shower Tempesta 100 II 9.5 l/min (27 597)

shower outlet elbow (28 628)

Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)

**19 383 000****chrome****Eurocosmo****Single-lever shower mixer**

final installation for 33 964 000


without concealed body

GROHE StarLight chrome finish

escutcheon- and shaft-sealing

wall escutcheon

covered fixing

**19 382 000****chrome****Eurocosmo****Single-lever bath mixer**

final installation for 33 963 000

without concealed body

GROHE StarLight chrome finish



automatic diverter: bath/shower

escutcheon- and shaft-sealing

wall escutcheon

covered fixing


GROHE EUROCOSMO

Ref. no.		Colour
		13 261 000 Eurocosmo Bath spout wall mounted GROHE StarLight chrome finish male thread 1/2" projection 170 mm
		

GROHE EUROSMART

Ref. no.

Colour


**33 265 002****chrome****Eurosmart****Single-lever basin mixer 1/2"****S-Size**

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter

GROHE StarLight chrome finish**GROHE EcoJoy** mousseur 5.7 l/min**GROHE FastFixation** rapid installation system

pop-up waste set 1 1/4"

flexible connection hoses


**23 922 002****chrome****Eurosmart****Single-lever basin mixer 1/2"****S-Size**

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter

GROHE StarLight chrome finish**GROHE EcoJoy** mousseur 5.7 l/min**GROHE FastFixation** rapid installation system

smooth body with push-open pop-up waste set 1 1/4"

flexible connection hoses


**23 322 001****chrome****Eurosmart****Single-lever basin mixer 1/2"****M-Size**

GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter

GROHE StarLight chrome finish**GROHE EcoJoy** mousseur 5.7 l/min**GROHE FastFixation** rapid installation system

pop-up waste set 1 1/4"

flexible connection hoses


**23 923 002****chrome****Eurosmart****Single-lever basin mixer 1/2"****M-Size**

GROHE SilkMove 28 mm ceramic cartridge
temperature limiter

GROHE StarLight chrome finish**GROHE EcoJoy** mousseur 5.7 l/min**GROHE FastFixation** rapid installation system

smooth body with push-open pop-up waste set 1 1/4"

flexible connection hoses

**23 537 002****chrome****Eurosmart****Single-lever basin mixer 1/2"****L-Size**

GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter


GROHE StarLight chrome finish**GROHE EcoJoy** mousseur 5.7 l/min**GROHE FastFixation** rapid installation system

swivel tubular spout

swivel area 360°

pop-up waste set 1 1/4"

flexible connection hoses



32 929 002

chrome

Eurosmart

Single-lever bidet mixer 1/2"

S-Size

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

with temperature limiter

GROHE StarLight chrome finish


GROHE EcoJoy mousseur 5.7 l/min

GROHE FastFixation rapid installation system

with ball joint

pop-up waste set 1 1/4"

flexible connection hoses



33 555 002

chrome

Eurosmart

Single-lever shower mixer 1/2"

wall mounted

GROHE SilkMove 35 mm ceramic cartridge

with temperature limiter

GROHE StarLight chrome finish


adjustable flow rate limiter

shower bottom outlet with integrated non return-valve

S-unions

metal wall escutcheons

protected against backflow



33 300 002

chrome

Eurosmart

Single-lever bath mixer 1/2"

wall mounted

GROHE SilkMove 35 mm ceramic cartridge

with temperature limiter

GROHE StarLight chrome finish

adjustable flow rate limiter

automatic diverter: bath/shower


mousseur

integrated non-return valve in shower outlet

S-unions

metal wall escutcheons

protected against backflow



33 302 20A

chrome

Eurosmart

Single-lever bath mixer 1/2"

wall mounted

GROHE SilkMove 35 mm ceramic cartridge

with temperature limiter

GROHE StarLight chrome finish

adjustable flow rate limiter

automatic diverter: bath/shower

mousseur

integrated non-return valve in shower outlet

S-unions

metal wall escutcheons


protected against backflow

with shower set

hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923)

wall shower holder (28 605)

Relexaflex hose 1500 mm 1/2"x1/2" (28 151)



24 042 002

chrome

Eurosmart

Single-lever shower mixer

final installation for

Rapido SmartBox (35 600)

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

GROHE FastFixation escutcheon with covered shaft sealing and covered fixing

metal escutcheon, retroactively 6° adjustable

flow performance: outlet B or C = 30 l/min


35 600 000

GROHE Rapido SmartBox universal rough-in box

GROHE EUROSMART

Ref. no.

Colour


**24 043 002****chrome****Eurosmart****Single-lever mixer with 2-way diverter**

final installation for

Rapido SmartBox (35 600)

GROHE SilkMove 46 mm ceramic cartridge**GROHE StarLight** chrome finish**GROHE FastFixation** escutcheon with covered shaft sealing and covered fixing metal escutcheon, retroactively 6° adjustable automatic 2-way diverter

outlet B = 27 l/min, outlet C = 27 l/min

35 600 000**GROHE Rapido SmartBox universal rough-in box****19 451 002****chrome****Eurosmart****Single-lever shower mixer**


final installation for 33 964 000

without concealed body

GROHE StarLight chrome finish**GROHE FastFixation** covered fixation

escutcheon- and shaft-sealing

metal wall escutcheon

**19 450 002****chrome****Eurosmart****Single-lever bath mixer**

final installation for 33 963 000


without concealed body

GROHE StarLight chrome finish**GROHE FastFixation** covered fixation

automatic diverter: bath/shower

escutcheon- and shaft-sealing

metal wall escutcheon

**19 972 002****chrome****Eurosmart****5-port diverter trim**


for use with diverter rough-in valve

29 708 000

without concealed body

GROHE StarLight chrome finish

new




20 421 001

chrome

BauEdge
Pillar tap 1/2" XS-Size
ceramic headpart
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min

new



23 328 001

chrome


BauEdge
Single-lever basin mixer 1/2"
S-Size
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses

23 895 001

chrome

ditto, smooth body with push open waste set

new




23 330 001

chrome

BauEdge
Single-lever basin mixer 1/2"
S-Size
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses

new




23 894 001

chrome

BauEdge
Single-lever basin mixer 1/2"
S-Size
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free
GROHE LowFlow mousseur 3.5 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses

new



23 757 001


chrome

BauEdge
Single-lever basin mixer 1/2"
S-Size
GROHE Longlife 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses
with shower set consisting of
hand shower with integrated diverter
wall shower holder
shower hose 1500 mm

Ref. no.

Colour

new



23 758 001

chrome

BauEdge**Single-lever basin mixer 1/2"****M-Size****GROHE Longlife** 28 mm ceramic cartridge with temperature limiter**GROHE StarLight** chrome finish**GROHE Zero** isolated inner water ways - lead and nickel free**GROHE EcoJoy** mousseur 5.7 l/min

rapid installation system

plastic pop-up waste set 1 1/4"


flexible connection hoses

23 901 001

chrome

ditto, smooth body with push open waste set

new



23 902 001

chrome


BauEdge**Single-lever basin mixer 1/2"****M-Size****GROHE Longlife** 28 mm ceramic cartridge with temperature limiter**GROHE StarLight** chrome finish**GROHE Zero** isolated inner water ways - lead and nickel free**GROHE LowFlow** mousseur 3.5 l/min

rapid installation system

plastic pop-up waste set 1 1/4"

flexible connection hoses

new



23 760 001

chrome

BauEdge**Single-lever basin mixer 1/2"****L-Size****GROHE Longlife** 28 mm ceramic cartridge with temperature limiter**GROHE StarLight** chrome finish**GROHE EcoJoy** mousseur 5.7 l/min


rapid installation system

swivel tubular spout

plastic pop-up waste set 1 1/4"

flexible connection hoses

new



23 911 001

chrome

BauEdge**Single-lever basin mixer 1/2"****L-Size****GROHE Longlife** 28 mm ceramic cartridge with temperature limiter**GROHE StarLight** chrome finish**GROHE EcoJoy** mousseur 5.7 l/min



rapid installation system

swivel tubular spout

smooth body with plastic push open waste set 1 1/4"

flexible connection hoses

new




23 761 001

chrome

BauEdge
Single-lever basin mixer 1/2"
XL-Size
for free-standing basins
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses

new




20 474 001

chrome

BauEdge
2-hole basin mixer
wall mounted
set for final installation and concealed body
GROHE Longlife 35 mm ceramic cartridge
GROHE StarLight chrome finish
mousseur
centre distance 110 mm
projection 177 mm

new




23 331 001

chrome

BauEdge
Single-lever bidet mixer 1/2"
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
with ball joint
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses

new




23 636 001

chrome

BauEdge
Single-lever shower mixer 1/2"
wall mounted
GROHE Longlife 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet with integrated non return-valve
protected against backflow
S-unions

new



29 040 001


chrome

BauEdge
Single-lever shower mixer 1/2"
concealed installation
set for final installation
concealed body
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
escutcheon- and shaft-sealing

Ref. no.

Colour

new



23 605 001

chrome

BauEdge**Single-lever bath mixer 1/2"**

wall mounted

GROHE Longlife 35 mm ceramic cartridge
with temperature limiter**GROHE StarLight** chrome finish

adjustable flow rate limiter

automatic diverter: bath/shower


spout with mousseur

shower bottom outlet with integrated non return-valve

protected against backflow

S-unions

new



29 079 001

chrome

BauEdge**Single-lever bath mixer 1/2"**

concealed installation

set for final installation

concealed body


GROHE Longlife 46 mm ceramic cartridge**GROHE StarLight** chrome finish

adjustable flow rate limiter

automatic diverter: bath/shower

escutcheon- and shaft-sealing

new



29 039 001

chrome

BauEdge**Single-lever bath mixer 1/2"**

concealed installation

set for final installation

concealed body


GROHE Longlife 46 mm ceramic cartridge**GROHE StarLight** chrome finish

adjustable flow rate limiter

automatic diverter: bath/shower

escutcheon- and shaft-sealing

new



13 255 001

chrome

BauCosmopolitan**Bath spout**

wall mounted


GROHE StarLight chrome finish

mousseur

projection 171 mm

male thread 1/2"

new



13 425 001

chrome

BauCosmopolitan**Bath spout with diverter**

wall mounted




GROHE StarLight chrome finish

mousseur

non-return valve

automatic diverter: bath/shower

female thread 1/2"


new		20 238 001 BauEdge Bibtap 1/2" wall mounted ceramic headpart mousseur GROHE StarLight chrome finish	chrome
new		20 284 001 BauEdge Bibtap 2 in 1 1/2" wall mounted metal lever for spout activation ceramic headpart knob handle for outlet activation 1/2" shower outlet mousseur GROHE StarLight chrome finish	chrome
new		22 009 001 BauEdge Angle valve 1/2" outlet thread 1/2" headpart 3/8" GROHE StarLight chrome finish	chrome

GROHE BAULOOP

Ref. no.

Colour

new



23 335 001

chrome


BauLoop**Single-lever basin mixer 1/2"****S-Size****GROHE Longlife** 28 mm ceramic cartridge
with temperature limiter**GROHE StarLight** chrome finish**GROHE Zero** isolated inner water ways - lead and nickel free**GROHE EcoJoy** mousseur 5.7 l/min

rapid installation system

plastic pop-up waste set 1 1/4"

flexible connection hoses

new



23 878 001

chrome

BauLoop**Single-lever basin mixer 1/2"****S-Size****GROHE Longlife** 28 mm ceramic cartridge
with temperature limiter**GROHE StarLight** chrome finish**GROHE Zero** isolated inner water ways - lead and nickel free**GROHE EcoJoy** mousseur 5.7 l/min

rapid installation system

smooth body with plastic push open waste set 1 1/4"


flexible connection hoses

23 337 001

chrome

ditto, without plastic push open waste set 1 1/4"

new



23 877 001

chrome


BauLoop**Single-lever basin mixer 1/2"****S-Size****GROHE Longlife** 28 mm ceramic cartridge
with temperature limiter**GROHE StarLight** chrome finish**GROHE Zero** isolated inner water ways - lead and nickel free**GROHE LowFlow** mousseur 3.5 l/min

rapid installation system

plastic pop-up waste set 1 1/4"

flexible connection hoses

new



23 762 001

chrome


BauLoop**Single-lever basin mixer 1/2"****M-Size****GROHE Longlife** 28 mm ceramic cartridge
with temperature limiter**GROHE StarLight** chrome finish**GROHE Zero** isolated inner water ways - lead and nickel free**GROHE EcoJoy** mousseur 5.7 l/min

rapid installation system

plastic pop-up waste set 1 1/4"

flexible connection hoses

new



23 886 001

chrome

BauLoop**Single-lever basin mixer 1/2"****M-Size****GROHE Longlife** 28 mm ceramic cartridge
with temperature limiter**GROHE StarLight** chrome finish**GROHE Zero** isolated inner water ways - lead and nickel free**GROHE EcoJoy** mousseur 5.7 l/min

rapid installation system

smooth body with plastic push open waste set 1 1/4"


flexible connection hoses

23 917 001

chrome

ditto, without plastic push open waste set 1 1/4"

new




23 763 001

chrome

BauLoop
Single-lever basin mixer 1/2"
L-Size
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
plastic pop-up waste set 1 1/4"
flexible connection hoses

new




23 891 001

chrome

BauLoop
Single-lever basin mixer 1/2"
L-Size
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses

new




23 764 001

chrome

BauLoop
Single-lever basin mixer 1/2"
XL-Size
for free-standing basins
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses

new




20 289 001

chrome

BauLoop
2-hole basin mixer
wall mounted
set for final installation and concealed body
GROHE Longlife 35 mm ceramic cartridge
GROHE StarLight chrome finish
mousseur
centre distance 110 mm
projection 177 mm

new



23 338 001

chrome


BauLoop
Single-lever bidet mixer 1/2"
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
with ball joint
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses

GROHE BAULOOP

Ref. no.

Colour

new



23 634 001

chrome

BauLoop**Single-lever shower mixer 1/2"**

wall mounted

GROHE Longlife 35 mm ceramic cartridge
with temperature limiter

GROHE StarLight chrome finish


adjustable flow rate limiter

shower bottom outlet with integrated non return-valve

protected against backflow

S-unions

new



29 042 001

chrome

BauLoop**Single-lever shower mixer 1/2"**

concealed installation

set for final installation


concealed body

GROHE Longlife 46 mm ceramic cartridge**GROHE StarLight** chrome finish

adjustable flow rate limiter

escutcheon- and shaft-sealing

new



23 603 001

chrome

BauLoop**Single-lever bath mixer 1/2"**

wall mounted

GROHE Longlife 35 mm ceramic cartridge

with temperature limiter

GROHE StarLight chrome finish

adjustable flow rate limiter

automatic diverter: bath/shower


spout with mousseur

shower bottom outlet with integrated non return-valve

protected against backflow

S-unions

new



29 081 001

chrome

BauLoop**Single-lever bath mixer 1/2"**

concealed installation

set for final installation

concealed body


GROHE Longlife 46 mm ceramic cartridge**GROHE StarLight** chrome finish

adjustable flow rate limiter

automatic diverter: bath/shower

escutcheon- and shaft-sealing

new



29 041 001

chrome

BauLoop**Single-lever bath mixer 1/2"**

concealed installation

set for final installation

concealed body



GROHE Longlife 46 mm ceramic cartridge**GROHE StarLight** chrome finish

adjustable flow rate limiter

automatic diverter: bath/shower

escutcheon- and shaft-sealing


	Ref. no.	Colour
new 	13 255 001 BauCosmopolitan Bath spout wall mounted GROHE StarLight chrome finish mousseur projection 171 mm male thread 1/2"	chrome
new 	13 425 001 BauCosmopolitan Bath spout with diverter wall mounted GROHE StarLight chrome finish mousseur non-return valve automatic diverter: bath/shower female thread 1/2"	chrome




GROHE BAUCLASSIC

Ref. no.


Colour

**32 862 000****chrome**


BauClassic
Single-lever basin mixer 1/2"
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
 mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses
 rapid installation system

**32 863 000****chrome**


BauClassic
Single-lever basin mixer 1/2"
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
 mousseur
 smooth body
 flexible connection hoses
 rapid installation system

**23 095 000****chrome**


BauClassic
Single-lever basin mixer 1/2"
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
 swivel tubular spout
 mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses
 rapid installation system

**32 868 000****chrome**

BauClassic
Single-lever basin mixer 1/2"
for free-standing basins
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
 mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses
 rapid installation system


**32 864 000****chrome**

BauClassic
Single-lever bidet mixer 1/2"
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
 ball-joint mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses
 rapid installation system




chrome

BauClassic
2-hole basin mixer
wall mounted
set for final installation and concealed body
GROHE Longlife 35 mm ceramic cartridge
GROHE StarLight chrome finish
mousseur
centre distance 110 mm
projection 177 mm




chrome

BauClassic
3-hole basin mixer 1/2"
ceramic headpart
GROHE StarLight chrome finish
spout with mousseur
pop-up waste set 1 1/4"
flexible connection hoses




chrome

BauClassic
Single-lever shower mixer 1/2"
wall mounted
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2"
S-unions




chrome

BauClassic
Single-lever bath mixer 1/2"
wall mounted
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
S-unions



chrome

BauClassic
Single-lever shower mixer
concealed installation
set for final installation
concealed body (32 962 001)
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
escutcheon- and shaft-sealing




chrome

BauClassic
Single-lever bath mixer
 concealed installation
 set for final installation
 concealed body (32 963 001)
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
 adjustable flow rate limiter
 automatic diverter: bath/shower
 escutcheon- and shaft-sealing

GROHE BAUCLASSIC

Ref. no.

Colour

**13 258 000****BauClassic****Bath spout**

wall mounted

mousseur


projection 140 mm

female thread 1/2"

chrome

Ref. no.


Colour



32 805 000

chrome


BauCurve
Single-lever basin mixer 1/2"
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
rapid installation system



32 848 000

chrome


BauCurve
Single-lever basin mixer 1/2"
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
mousseur
smooth body
flexible connection hoses
rapid installation system



23 090 000

chrome


BauCurve
Single-lever basin mixer 1/2"
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
swivel tubular spout
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
rapid installation system



20 288 000

chrome

BauCurve
2-hole basin mixer
wall mounted
set for final installation and concealed body
GROHE Longlife 35 mm ceramic cartridge
GROHE StarLight chrome finish
mousseur
centre distance 110 mm
projection 166 mm



23 599 000


chrome

BauCurve
Single-lever bath mixer 1/2"
wall mounted
GROHE Longlife 35 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
S-unions

GROHE BAUCURVE

Ref. no.

Colour


**23 631 000****chrome****BauCurve****Single-lever shower mixer 1/2"**

wall mounted

GROHE Longlife 35 mm ceramic cartridge**GROHE StarLight** chrome finish

shower bottom outlet 1/2"

S-unions


**32 849 000****chrome****BauCurve****Single-lever bidet mixer 1/2"****GROHE Longlife** 28 mm ceramic cartridge**GROHE StarLight** chrome finish

ball-joint mousseur

pop-up waste set 1 1/4"

flexible connection hoses

rapid installation system

**29 043 000****chrome****BauCurve****Single-lever bath mixer**

concealed installation

set for final installation


concealed body (32 963 001)

GROHE Longlife 46 mm ceramic cartridge**GROHE StarLight** chrome finish

adjustable flow rate limiter

automatic diverter: bath/shower

escutcheon- and shaft-sealing

**29 044 000****chrome****BauCurve****Single-lever shower mixer**

concealed installation


set for final installation

concealed body (32 962 001)

GROHE Longlife 46 mm ceramic cartridge**GROHE StarLight** chrome finish

adjustable flow rate limiter

escutcheon- and shaft-sealing

**13 390 000****chrome****BauContemporary****Bath spout with diverter**

wall mounted

GROHE StarLight chrome finish


mousseur

non-return valve

automatic diverter: bath/shower

projection 170 mm

male thread 1/2"

**13 254 000****chrome****BauContemporary****Bath spout**


wall mounted

mousseur

automatic diverter: bath/shower

projection 140 mm

female thread 1/2"



13 252 000


BauContemporary
Bath spout
wall mounted
mousseur
projection 140 mm
female thread 1/2"

chrome

GROHE BAUFLOW

Ref. no.


Colour



23 751 000

chrome


BauFlow
Single-lever basin mixer 1/2"
S-Size
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 plastic pop-up waste set 1 1/4"
 flexible connection hoses



23 752 000

chrome


BauFlow
Single-lever basin mixer 1/2"
S-Size
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 smooth body
 flexible connection hoses



23 753 000

chrome


BauFlow
Single-lever basin mixer 1/2"
L-Size
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 swivel tubular spout
 plastic pop-up waste set 1 1/4"
 flexible connection hoses



20 287 000

chrome


BauFlow
2-hole basin mixer
 wall mounted
 set for final installation
 concealed body
GROHE Longlife 35 mm ceramic cartridge
GROHE StarLight chrome finish
 mousseur
 centre distance 110 mm
 projection 166 mm



23 754 000


chrome

BauFlow
Single-lever bidet mixer 1/2"
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 with ball joint
 pop-up waste set 1 1/4"
 flexible connection hoses




chrome

BauFlow
Single-lever shower mixer 1/2"
wall mounted
GROHE Longlife 35 mm ceramic cartridge
GROHE StarLight chrome finish
shower bottom outlet 1/2"
S-unions




chrome

BauFlow
Single-lever bath mixer 1/2"
wall mounted
GROHE Longlife 35 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
S-unions




chrome

BauFlow
Single-lever bath mixer
 concealed installation
 set for final installation
 concealed body (32 963 001)
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
 adjustable flow rate limiter
 automatic diverter: bath/shower
 escutcheon- and shaft-sealing




chrome

BauFlow
Single-lever shower mixer
concealed installation
set for final installation
concealed body (32 962 001)
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
escutcheon- and shaft-sealing



chrome

BauContemporary
Bath spout with diverter
 wall mounted
GROHE StarLight chrome finish
 mousseur
 non-return valve
 automatic diverter: bath/shower
 projection 170 mm
 male thread 1/2"




chrome

BauContemporary
Bath spout
wall mounted
mousseur
projection 140 mm
female thread 1/2"

GROHE BAUFLOW

Ref. no.

Colour

**13 254 000****chrome****BauContemporary****Bath spout**


wall mounted

mousseur

automatic diverter: bath/shower

projection 140 mm


female thread 1/2"



20 404 001

chrome


Costa L
Pillar tap 1/2"
metal handle
heat insulated
screwable
marking: blue
Longlife headpart
cast spout with mousseur
GROHE StarLight chrome finish



20 393 001

chrome


Costa L
Pillar tap 1/2"
metal handle
heat insulated
screwable
marking: blue
Longlife headpart
swivel tubular spout with mousseur
GROHE StarLight chrome finish



21 375 001

chrome


Costa L
Single-hole basin mixer 1/2"
metal handles
heat insulated
screwable
Longlife headpart
swivel tubular spout with mousseur
pop-up waste set 1 1/4"
flexible connection hoses
GROHE StarLight chrome finish



26 330 001

chrome

Costa L
Shower mixer 1/2"
wall mounted
metal handles
heat insulated
screwable
Longlife headpart
shower connection 1/2"
S-unions
GROHE StarLight chrome finish



25 450 001


chrome

Costa L
Bath mixer 1/2"
wall mounted
metal handles
heat insulated
screwable
Longlife headpart
automatic diverter: bath/shower
mousseur
S-unions
GROHE StarLight chrome finish


GROHE COSTA L

Ref. no.


Colour

**25 452 001****chrome****Costa L****Bath mixer 1/2"**

wall mounted
metal handles
heat insulated
screwable
Longlife headpart
shower top outlet 3/4"
automatic diverter: bath/shower
mousseur
S-unions

GROHE StarLight chrome finish**26 010 001****chrome****Costa L****Shower bibtap, 1/2"**


wall mounted
metal handle
heat insulated
marking: blue
Longlife headpart
shower outlet 3/4"

GROHE StarLight chrome finish**19 854 001****chrome****Costa L****Concealed valve exposed part**

for concealed valves 29 800 1/2", 29 802 3/4", 29 805 1"
installation depth infinitely adjustable
10 - 35 mm
metal handle
heat insulated
marking: blue
escutcheon

GROHE StarLight chrome finish**19 855 001****chrome**


ditto, marking red

**19 808 001****chrome****Costa L****Concealed valve exposed part**

for concealed valves 29 800 1/2", 29 802 3/4", 29 805 1"
installation depth infinitely adjustable
20-80 mm
escutcheon with wall sealing
screwable
metal handle
heat insulated
marking: blue

GROHE StarLight chrome finish**19 809 001****chrome**





ditto, marking red

**19 806 001****chrome****Costa L****Concealed valve exposed part**

for concealed valves 29 800 1/2", 29 802 3/4", 29 805 1"
installation depth infinitely adjustable
20 - 200 mm
escutcheon with wall sealing
screwable
metal handle
heat insulated
marking: blue

GROHE StarLight chrome finish**19 807 001****chrome**


ditto, marking red

Ref. no.		Colour
		20 201 000 Universal pillar tap 1/2" C-spout flow rate: 6l/min at 3 bar flow pressure Flow-Stop mousseur ceramic headpart union nut 1/2" with 10.5 mm drilling GROHE StarLight chrome finish projection 113 mm
		20 202 000 Universal pillar tap 1/2" 7°-spout flow rate: 6l/min at 3 bar flow pressure Flow-Stop mousseur ceramic headpart union nut 1/2" with 10.5 mm drilling GROHE StarLight chrome finish projection 114 mm
		20 205 000 Universal wall-mounted tap 1/2" flow rate: 6l/min at 3 bar flow pressure Flow-Stop mousseur ceramic headpart connection thread 1/2" GROHE StarLight chrome finish projection 106 mm
		20 203 000 Universal wall-mounted tap 1/2" flow rate: 6l/min at 3 bar flow pressure Flow-Stop mousseur ceramic headpart connection thread 1/2" GROHE StarLight chrome finish projection 185 mm

GROHE TALENTOFILL

Ref. no.

Colour



19 952 000
19 952 DC0
19 952 BE0
19 952 EN0
19 952 GL0
19 952 GN0
19 952 DA0
19 952 DL0
19 952 A00
19 952 AL0

chrome
supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite

Talentofill

Inlet, pop-up and waste-system

set for final installation


escutcheon

waste plug

fixing set

in combination with Talentofill 28 990 / 28 991

GROHE StarLight chrome finish



28 990 000
28 990 DC0
28 990 BE0
28 990 EN0
28 990 GL0
28 990 GN0
28 990 DA0
28 990 DL0
28 990 A00
28 990 AL0

supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite

Talentofill


Inlet, pop-up and waste-system

for normal bath tubs

without finishing trim set

with bottle trap and 45°-outlet-bend

plug included



28 991 000

Talentofill

Inlet, pop-up and waste-system


for special bath tubs

without finishing trim set

with bottle trap and 45°-outlet-bend

without anti-vacuum device

plug included



19 025 000

chrome

Talento

Waste and overflow set for bath tubes

set for final installation


escutcheon

waste plug

fixing set

in combination with Talentofill 28 939/28 943

GROHE StarLight chrome finish



28 939 000

Talento

Talento pop-up bath waste and overflow

set for normal bath

and deep shower trays






with bowden cable

without finishing trim set

bottle trap

45° waste elbow

GROHE SELECTION


		Ref. no.	Colour
new			41 027 000 41 027 DC0 41 027 BE0 41 027 EN0 41 027 GL0 41 027 GN0 41 027 DA0 41 027 DL0 41 027 A00 41 027 AL0
			chrome supersteel polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite
		Selection Holder material: metal for Selection soap dispenser (41 028) or Selection glass (41 029 000) concealed fastening GROHE StarLight chrome finish	
new			41 028 000 41 028 DC0 41 028 BE0 41 028 EN0 41 028 GL0 41 028 GN0 41 028 DA0 41 028 DL0 41 028 A00 41 028 AL0
			chrome supersteel polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite
		Selection Soap dispenser material: glass / metal GROHE StarLight chrome finish	
new			41 029 000
			Selection White glass material: glass fits in the following holder: 41 027
new			41 035 000 41 035 DC0 41 035 BE0 41 035 EN0 41 035 GL0 41 035 GN0 41 035 DA0 41 035 DL0 41 035 A00 41 035 AL0
			chrome supersteel polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite
		Selection Towel ring material: metal holder for soap dish (41 036) and shower tray (41 037) length 200 mm concealed fastening GROHE StarLight chrome finish	
new			41 036 000
			Selection Soap dish without holder material: glass for use with towel ring (41 035)
			glass clear

GROHE SELECTION

Ref. no.

Colour

new




41 037 000

Selection**Shower tray without holder**

material: plastic

for use with towel ring (41 035)

new



41 038 000

41 038 DC0

41 038 BE0

41 038 EN0

41 038 GL0

41 038 GN0

41 038 DA0

41 038 DL0

41 038 A00

41 038 AL0

chrome

supersteel

polished nickel

brushed nickel

cool sunrise

brushed cool sunrise

warm sunset

brushed warm sunset

hard graphite

brushed hard graphite


Selection**Corner shower tray with holder**

material: metal/plastic

concealed fastening

GROHE StarLight chrome finish

new



41 039 000

41 039 DC0

41 039 BE0

41 039 EN0

41 039 GL0

41 039 GN0

41 039 DA0

41 039 DL0

41 039 A00

41 039 AL0

chrome

supersteel

polished nickel

brushed nickel

cool sunrise

brushed cool sunrise

warm sunset

brushed warm sunset

hard graphite

brushed hard graphite


Selection**Single robe hook**

material: metal

concealed fastening

GROHE StarLight chrome finish

new



41 049 000

41 049 DC0

41 049 BE0

41 049 EN0

41 049 GL0

41 049 GN0

41 049 DA0

41 049 DL0

41 049 A00

41 049 AL0

chrome

supersteel

polished nickel

brushed nickel

cool sunrise

brushed cool sunrise

warm sunset

brushed warm sunset

hard graphite





brushed hard graphite

Selection**Double robe hook**

material: metal

concealed fastening

GROHE StarLight chrome finish


	Ref. no.	Colour
new 	41 056 000 41 056 DC0 41 056 BE0 41 056 EN0 41 056 GL0 41 056 GN0 41 056 DA0 41 056 DL0 41 056 A00 41 056 AL0 Selection Towel holder material: metal length 600 mm concealed fastening for use with glass shelf (41 057) GROHE StarLight chrome finish	chrome supersteel polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite
new 	41 057 000 Selection Glass shelf material: glass for use with towel rail (41 056)	chrome
new 	41 058 000 41 058 DC0 41 058 BE0 41 058 EN0 41 058 GL0 41 058 GN0 41 058 DA0 41 058 DL0 41 058 A00 41 058 AL0 Selection Towel holder material: metal length 800 mm concealed fastening GROHE StarLight chrome finish	chrome supersteel polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite
new 	41 059 000 41 059 DC0 41 059 BE0 41 059 EN0 41 059 GL0 41 059 GN0 41 059 DA0 41 059 DL0 41 059 A00 41 059 AL0 Selection Towel holder, non pivotable material: metal depth 411 mm (functional depth 360 mm) two arms concealed fastening GROHE StarLight chrome finish	chrome supersteel polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite

GROHE SELECTION

Ref. no.

Colour

new



41 063 000
41 063 DC0
41 063 BE0
41 063 EN0
41 063 GL0
41 063 GN0
41 063 DA0
41 063 DL0
41 063 A00
41 063 AL0

chrome
supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite

Selection**Towel holder, pivotable**

material: metal


depth 441 mm (functional depth 400 mm)

two arms

concealed fastening

GROHE StarLight chrome finish

new



41 064 000
41 064 DC0
41 064 BE0
41 064 EN0
41 064 GL0
41 064 GN0
41 064 DA0
41 064 DL0
41 064 A00
41 064 AL0

chrome
supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite

Selection**Grip bar**


material: metal

length 336 mm (functional length 300 mm)

concealed fastening

GROHE StarLight chrome finish

new



41 066 000
41 066 DC0
41 066 BE0
41 066 EN0
41 066 GL0
41 066 GN0
41 066 DA0
41 066 DL0
41 066 A00
41 066 AL0

chrome
supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite

Selection**Multi-towel rack**


material: metal

length 596 mm

concealed fastening

GROHE StarLight chrome finish

new



41 067 000
41 067 DC0
41 067 BE0
41 067 EN0
41 067 GL0
41 067 GN0
41 067 DA0
41 067 DL0
41 067 A00
41 067 AL0

chrome
supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite

Selection**Spare toilet paper holder (2 rolls)**


material: metal

wall mounted

concealed fastening

GROHE StarLight chrome finish

new




41 068 000
41 068 DC0
41 068 BE0
41 068 EN0
41 068 GL0
41 068 GN0
41 068 DA0
41 068 DL0
41 068 A00
41 068 AL0

chrome
supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite

Selection
Toilet paper holder
without cover
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

new




41 069 000
41 069 DC0
41 069 BE0
41 069 EN0
41 069 GL0
41 069 GN0
41 069 DA0
41 069 DL0
41 069 A00
41 069 AL0

chrome
supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite

Selection
Toilet paper holder
with cover
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

new



41 076 000
41 076 DC0
41 076 BE0
41 076 EN0
41 076 GL0
41 076 GN0
41 076 DA0
41 076 DL0
41 076 A00
41 076 AL0


chrome
supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite

Selection
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

40 791 001
40 791 KS1
Spare brush head

white
velvet black

new



41 077 000
41 077 DC0
41 077 BE0
41 077 EN0
41 077 GL0
41 077 GN0
41 077 DA0
41 077 DL0
41 077 A00
41 077 AL0


chrome
supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite

Selection
Shaving mirror
material: glass / metal
without lights
magnification: x 7
concealed fastening
GROHE StarLight chrome finish


GROHE SELECTION CUBE

Ref. no.


Colour

**40 865 000****chrome****Selection Cube
Holder**


material: metal
 Selection Cube soap dish (40 806 000) or
 Selection Cube soap dispenser (40 805 000)
 Selection Cube glass (40 783 000)
 concealed fastening
GROHE StarLight chrome finish

**40 805 000****chrome****Selection Cube
Soap dispenser**


material: glass / metal
 filling quantity 300 ml
 fits in the following holder:
 Selection Cube (40 865 000)
GROHE StarLight finish

**40 806 000****glass matt****Selection Cube
Soap dish**


material: glass
 fits in the following holder:
 Selection Cube (40 865 000)

**40 783 000****Selection Cube
Glass**

material: glass
 fits in the following holder:
 Selection Cube (40 865 000)







**40 766 000****chrome****Selection Cube
Towel ring**

material: metal
 concealed fastening
GROHE StarLight finish

**40 768 000****chrome****Selection Cube
Double towel bar**

material: metal
 2 arms, pivotable
 400 mm
 concealed fastening
GROHE StarLight finish


GROHE SELECTION CUBE

		Ref. no.	Colour
		40 767 000	chrome
		Selection Cube Towel holder 500 mm (functional length 459 mm) material: metal concealed fastening GROHE StarLight chrome finish	
		40 804 000	chrome
		Selection Cube Multi bath towel rack material: metal 600 mm (functional length 575 mm) concealed fastening GROHE StarLight finish	
		40 782 000	chrome
		Selection Cube Bathrobe hook material: metal concealed fastening GROHE StarLight finish	
		40 807 000	chrome
		Selection Cube Grip bar/towel bar material: metal 600 mm (functional length 548 mm) concealed fastening GROHE StarLight finish	
		40 781 000	chrome
		Selection Cube Toilet paper holder material: metal concealed fastening with cover GROHE StarLight finish	
		40 784 000	chrome
		Selection Cube Spare toilet paper holder material: metal wall mounted concealed fastening GROHE StarLight finish	

GROHE SELECTION CUBE

Ref. no.


Colour

**40 857 000****chrome****Selection Cube****Toilet brush set**

material: glass / metal


wall mounted

concealed fastening

GROHE StarLight finish**40 870 000****Spare brush head****40 868 000****Spare brush****chrome****40 867 000****Spare glass****glass matt****40 809 000****chrome****Selection Cube****Soap wire basket**

material: metal

for corner installation

GROHE StarLight finish**40 808 000****chrome****Selection Cube****Shaving mirror**


material: glass / metal

wall mounted

concealed fastening

magnification: x 3

GROHE StarLight finish




40 369 001
40 369 DC1
40 369 BE1
40 369 EN1
40 369 GL1
40 369 GN1
40 369 DA1
40 369 DL1
40 369 A01
40 369 AL1

chrome
supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite

Essentials

Holder

material: metal
for crystal glass (40 372 001)
soap dish (40 368 001) or soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish




40 394 001
40 394 DC1
40 394 BE1
40 394 EN1
40 394 GL1
40 394 GN1
40 394 DA1
40 394 DL1
40 394 A01
40 394 AL1

chrome
supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite

Essentials

Soap dispenser

material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish




40 368 001

glass clear

Essentials

Soap dish

material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)




40 372 001

Essentials

Crystal glass

material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508)



40 448 001

40 448 DC1

chrome
supersteel

Essentials


Soap dispenser with holder

material: glass / metal
filling quantity 160 ml
holder (40 369 001)
soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish

GROHE ESSENTIALS

Ref. no.


Colour



40 444 001
40 444 DC1

chrome
supersteel


Essentials
Soap dish with holder
material: glass / metal
holder (40 369 001)
soap dish (40 368 001)
concealed fastening
GROHE StarLight chrome finish



40 447 001
40 447 DC1

chrome
supersteel


Essentials
Crystal glass with holder
material: glass / metal
holder (40 369 001)
Glass cup (40 372 001)
concealed fastening
GROHE StarLight chrome finish



40 365 001
40 365 DC1
40 365 BE1
40 365 EN1
40 365 GL1
40 365 GN1
40 365 DA1
40 365 DL1
40 365 A01
40 365 AL1

chrome
supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite


Essentials
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish



40 371 001
40 371 DC1
40 371 BE1
40 371 EN1
40 371 GL1
40 371 GN1
40 371 DA1
40 371 DL1
40 371 A01
40 371 AL1

chrome
supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite


Essentials
Towel holder
material: metal
2 arms, pivotable
439 mm
concealed fastening
GROHE StarLight chrome finish



40 688 001
40 688 DC1
40 688 BE1
40 688 EN1
40 688 GL1
40 688 GN1
40 688 DA1
40 688 DL1
40 688 A01
40 688 AL1

chrome
supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite


Essentials
Towel holder
material: metal
504 mm (functional length 450 mm)
concealed fastening
GROHE StarLight chrome finish



40 366 001
40 366 DC1
40 366 BE1
40 366 EN1
40 366 GL1
40 366 GN1
40 366 DA1
40 366 DL1
40 366 A01
40 366 AL1

chrome
supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite


Essentials
Towel holder
material: metal
654 mm (functional length 600 mm)
concealed fastening
GROHE StarLight chrome finish



40 386 001
40 386 DC1
40 386 BE1
40 386 EN1
40 386 GL1
40 386 GN1
40 386 DA1
40 386 DL1
40 386 A01
40 386 AL1

chrome
supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite

Essentials
Towel holder
material: metal
854 mm (functional length 800 mm)
concealed fastening
GROHE StarLight chrome finish



40 802 001
40 802 DC1
40 802 BE1
40 802 EN1
40 802 GL1
40 802 GN1
40 802 DA1
40 802 DL1
40 802 A01
40 802 AL1


chrome
supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite

Essentials
Double towel rail
material: metal
654 mm (functional length 600 mm)
concealed fastening
GROHE StarLight chrome finish

GROHE ESSENTIALS

Ref. no.


Colour



40 800 001
40 800 DC1
40 800 BE1
40 800 EN1
40 800 GL1
40 800 GN1
40 800 DA1
40 800 DL1
40 800 A01
40 800 AL1

chrome
supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite


Essentials
Multi bath towel rack
material: metal
604 mm (functional length 550 mm)
concealed fastening
GROHE StarLight chrome finish



40 364 001
40 364 DC1
40 364 BE1
40 364 EN1
40 364 GL1
40 364 GN1
40 364 DA1
40 364 DL1
40 364 A01
40 364 AL1

chrome
supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite

Essentials
Bathrobe hook
material: metal
concealed fastening
GROHE StarLight chrome finish



40 421 001
40 421 DC1
40 421 BE1
40 421 EN1
40 421 GL1
40 421 GN1
40 421 DA1
40 421 DL1
40 421 A01
40 421 AL1

chrome
supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite

Essentials
Grip bar
material: metal
349 mm (functional length 295 mm)
concealed fastening
GROHE StarLight chrome finish




40 793 001
40 793 DC1

chrome
supersteel

Essentials
Grip bar
material: metal
507 mm (functional length 450 mm)
concealed fastening
GROHE StarLight chrome finish

Ref. no.

Colour




40 794 001
40 794 DC1

chrome
supersteel

Essentials

Grip bar

material: metal
657 mm (functional length 600 mm)
concealed fastening
GROHE StarLight chrome finish




40 797 001

chrome

Essentials

Grip bar

material: metal
737 x 997 mm (functional length 680 x 940 mm)
concealed fastening
GROHE StarLight chrome finish




40 799 001
40 799 DC1

chrome
supersteel

Essentials

Glass shelf

material: glass / metal
530 mm (functional length 380 mm)
concealed fastening
GROHE StarLight chrome finish



40 689 001
40 689 DC1


chrome
supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite

40 689 BE1
40 689 EN1
40 689 GL1
40 689 GN1
40 689 DA1
40 689 DL1
40 689 A01
40 689 AL1

Essentials

Toilet paper holder

material: metal
without cover
concealed fastening
GROHE StarLight chrome finish



40 367 001
40 367 DC1

chrome
supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite

40 367 BE1
40 367 EN1
40 367 GL1
40 367 GN1
40 367 DA1
40 367 DL1
40 367 A01
40 367 AL1

Essentials


Toilet paper holder

material: metal
with cover
concealed fastening
GROHE StarLight chrome finish

GROHE ESSENTIALS

Ref. no.


Colour



40 385 001
40 385 DC1
40 385 BE1
40 385 EN1
40 385 GL1
40 385 GN1
40 385 DA1
40 385 DL1
40 385 A01
40 385 AL1

chrome
supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite

Essentials
Spare toilet paper holder
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish



40 374 001
40 374 DC1
40 374 BE1
40 374 EN1
40 374 GL1
40 374 GN1
40 374 DA1
40 374 DL1
40 374 A01
40 374 AL1

chrome
supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite


Essentials
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

40 392 000
Spare brush

chrome

40 393 000
Spare glass


daVinci satin white



40 407 001
40 407 DC1

chrome
supersteel



Essentials
City restroom accessories set 3-in-1
material: glass / metal
toilet brush set (40 374 001)
robe hook (40 364 001)
toilet paper holder (40 367 001)
concealed fastening
GROHE StarLight chrome finish



40 775 001
40 775 DC1

chrome
supersteel



Essentials
Guest bathroom accessories set 3-in-1
material: metal
towel rail, 600 mm (40 366 001)
robe hook (40 364 001)
toilet paper holder (40 367 001)
concealed fastening
GROHE StarLight chrome finish

Ref. no.		Colour
	40 776 001	chrome
	40 776 DC1	supersteel
		
Essentials Master bathroom accessories set 4-in-1 material: metal towel ring (40 365 001) robe hook (40 364 001) toilet paper holder (40 367 001) towel rail, 600 mm (40 366 001) concealed fastening GROHE StarLight chrome finish		
	40 344 001	chrome
	40 344 DC1	supersteel
		
Essentials Master bathroom accessories set 5-in-1 material: glass / metal towel ring (40 365 001) towel rail, 600 mm (40 366 001) robe hook (40 364 001) paper holder with cover (40 367 001) soap dish with holder (40 444 001) concealed fastening GROHE StarLight chrome finish		

GROHE ESSENTIALS CUBE

Ref. no.

Colour




40 508 001
40 508 DC1
40 508 AL1

chrome
supersteel
brushed hard graphite

Essentials Cube Holder

material: metal
for crystal glass (40 372 001)
soap dish (40 368 001) or soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish




40 394 001
40 394 DC1
40 394 AL1

chrome
supersteel
brushed hard graphite

Essentials Soap dispenser

material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish




40 368 001

glass clear

Essentials Soap dish


material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)



40 372 001

Essentials Crystal glass

material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508)




40 756 001

chrome

Essentials Cube Soap dispenser with holder

material: glass / metal
filling quantity 160 ml
holder (40 508 001)
soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish



40 755 001

chrome


Essentials Cube Crystal glass with holder

material: glass / metal
holder (40 508 001)
crystal glass (40 372 001)
concealed fastening
GROHE StarLight chrome finish

GROHE ESSENTIALS CUBE

Ref. no.


Colour



40 754 001

chrome


Essentials Cube
Soap dish with holder
material: glass / metal
holder (40 508 001)
soap dish (40 368 001)
concealed fastening
GROHE StarLight chrome finish



40 510 001
40 510 DC1
40 510 AL1

chrome
supersteel
brushed hard graphite


Essentials Cube
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish



40 624 001
40 624 DC1
40 624 AL1

chrome
supersteel
brushed hard graphite


Essentials Cube
Towel holder
material: metal
2 arms, pivotable
439 mm
concealed fastening
GROHE StarLight chrome finish



40 509 001
40 509 DC1
40 509 AL1

chrome
supersteel
brushed hard graphite


Essentials Cube
Towel holder
material: metal
600 mm (functional length 558 mm)
concealed fastening
GROHE StarLight chrome finish



40 512 001
40 512 DC1
40 512 AL1

chrome
supersteel
brushed hard graphite

Essentials Cube
Multi-towel rack
material: metal
600 mm (functional length 558 mm)
concealed fastening
GROHE StarLight chrome finish



40 511 001
40 511 DC1
40 511 AL1


chrome
supersteel
brushed hard graphite

Essentials Cube
Bathrobe hook
material: metal
concealed fastening
GROHE StarLight chrome finish

GROHE ESSENTIALS CUBE

Ref. no.


Colour



40 514 001
40 514 DC1
40 514 AL1

chrome
supersteel
brushed hard graphite


Essentials Cube
Grip bar
material: metal
392 mm (functional length 340 mm)
concealed fastening
GROHE StarLight chrome finish



40 507 001
40 507 DC1
40 507 AL1

chrome
supersteel
brushed hard graphite


Essentials Cube
Toilet paper holder
material: metal
without cover
concealed fastening
GROHE StarLight chrome finish



40 623 001
40 623 DC1
40 623 AL1

chrome
supersteel
brushed hard graphite

Essentials Cube
Spare toilet paper holder
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish



40 513 001
40 513 DC1
40 513 AL1

chrome
supersteel
brushed hard graphite

Essentials Cube
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

40 791 001

white
velvet black

40 791 KS1
Spare brush head

40 392 000



chrome

Spare brush

40 393 000

daVinci satin white

Spare glass



40 778 001


chrome

Essentials Cube
Master bathroom accessories set 4-in-1
robe hook (40 511 001)
towel ring (40 510 001)
toilet paper holder (40 507 001)
towel rail, 558 mm (40 509 001)
concealed fastening
GROHE StarLight chrome finish

GROHE ESSENTIALS CUBE

Ref. no.

Colour



40 758 001


chrome

Essentials Cube
Master bathroom accessories set 5-in-1
soap dish with holder (40 754 001)
towel rail, 558 mm (40 509 001)
toilet paper holder (40 507 001)
robe hook (40 511 001)
towel ring (40 510 001)
concealed fastening
GROHE StarLight chrome finish


GROHE BAUCOSMOPOLITAN

Ref. no.


Colour

**40 585 001****chrome****BauCosmopolitan
Holder**


material: metal
for crystal glass (40 372 001), soap dish (40 368 001),
or soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish

**40 394 001****chrome****Essentials
Soap dispenser**


material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish

**40 368 001****glass clear****Essentials
Soap dish**


material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

**40 372 001****Essentials
Crystal glass**

material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508)






**40 460 001****chrome****BauCosmopolitan
Towel ring**

material: metal
concealed fastening
GROHE StarLight chrome finish

**40 459 001****chrome****BauCosmopolitan
Towel holder**

material: metal
522 mm (functional length 430 mm)
concealed fastening
GROHE StarLight chrome finish


GROHE BAUCOSMOPOLITAN

Ref. no.		Colour	
		40 462 001	chrome
		BauCosmopolitan Multi-towel rack material: metal 564 mm (functional length 510 mm) concealed fastening GROHE StarLight chrome finish	
		40 461 001	chrome
		BauCosmopolitan Bathrobe hook material: metal concealed fastening GROHE StarLight chrome finish	
		40 457 001	chrome
		BauCosmopolitan Paper holder material: metal without cover concealed fastening GROHE StarLight chrome finish	
		40 463 001	chrome
		BauCosmopolitan Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish	
		40 791 001	white
		40 791 KS1	velvet black
		Spare brush head	
		40 392 000	chrome
		Spare brush	
		40 393 000	daVinci satin white
		Spare glass	
		40 663 001	chrome
		BauCosmopolitan Soap wire basket material: metal for corner installation	

GROHE BAUCOSMOPOLITAN

Ref. no.

Colour



40 664 001


BauCosmopolitan
Soap wire basket
material: metal
for corner installation

chrome

GROHE ESSENTIALS AUTHENTIC

Ref. no.

Colour




40 652 001

chrome

Essentials Authentic Holder

material: metal
for crystal glass (40 372 001), soap dish (40 368 001),
or soap dispenser (40 394 001)
concealed fastening

GROHE StarLight chrome finish




40 394 001

chrome

Essentials Soap dispenser

material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

GROHE StarLight chrome finish




40 368 001

glass clear

Essentials Soap dish


material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)



40 372 001

Essentials Crystal glass

material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508)




40 655 001

chrome

Essentials Authentic Towel ring

material: metal
concealed fastening
GROHE StarLight chrome finish









40 653 001

chrome

Essentials Authentic Towel holder

material: metal
626 mm (drilling length 582 mm)
concealed fastening
GROHE StarLight chrome finish



GROHE ESSENTIALS AUTHENTIC

Ref. no.		Colour	
		40 654 001	chrome
		Essentials Authentic Double towel rail material: metal 626 mm (drilling length 582 mm) concealed fastening GROHE StarLight chrome finish	
		40 660 001	chrome
		Essentials Authentic Multi-towel rack material: metal 586 mm (drilling length 542 mm) concealed fastening GROHE StarLight chrome finish	
		40 656 001	chrome
		Essentials Authentic Bathrobe hook material: metal concealed fastening GROHE StarLight chrome finish	
		40 657 001	chrome
		Essentials Authentic Toilet paper holder material: metal without cover concealed fastening GROHE StarLight chrome finish	
		40 658 001	chrome
		Essentials Authentic Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish	
		40 791 001 40 791 KS1	white velvet black
		40 392 000	chrome
		40 393 000	daVinci satin white
		Spare brush head Spare brush Spare glass	

GROHE ESSENTIALS AUTHENTIC

Ref. no.

Colour



40 659 001

Essentials Authentic
Filling basket, small

material: metal
concealed fastening
GROHE StarLight chrome finish

chrome

GROHTHERM THERMOSTATS



CONTENTS

Grohtherm SmartControl	160
Grohtherm 2 handle trim sets	168
Grohtherm 2000	173
Grohtherm Cube	174
Grohtherm 1000	176
Grohtherm 1000 Performance	177
Grohtherm 800 Cosmopolitan	178
Grohtherm 800	179

SAFETY NOTE

Avoiding scalding

For a relaxing and comfortable shower and to avoid scalding, GROHE recommends the use of a thermostat. For particular environments, (hospitals, schools, care and nursing homes) it is extremely important that the outlet temperature of the water can be limited to a maximum of 43° C. The Grohtherm thermostats for shower and bath are delivered with an appropriate temperature stop to limit the temperature.


In shower facilities in kindergartens and special areas like nursing homes, it is recommended, that the temperature should not exceed 38° C. In these cases we recommend the Grohtherm Special with a specific ergonomic handle for better grip and additionally it enables easy thermal disinfection.

Applicable standards (e.g. EN 806-2) and technical rules for drinking water are to be taken in account.

GROHE GROHTHERM SMARTCONTROL

Ref. no.

Colour



29 123 000
29 123 DC0
29 123 GN0
29 123 DL0
29 123 A00
29 123 AL0

chrome
supersteel
brushed cool sunrise
brushed warm sunset
hard graphite
brushed hard graphite

Grotherm SmartControl

Safety mixer for concealed installation with one valve

final installation for Rapido SmartBox (35 600)

GROHE FastFixation metal wall escutcheon, retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment
exchangeable symbols

GROHE TurboStat compact cartridge

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C


GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non-return valves and dirt strainers

flow performance: outlet A (to external shut-off) = 34 l/min, outlet B/C = 29 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



29 124 000
29 124 DC0
29 124 GN0
29 124 DL0
29 124 A00
29 124 AL0

chrome
supersteel
brushed cool sunrise
brushed warm sunset
hard graphite
brushed hard graphite

Grotherm SmartControl

Safety mixer for concealed installation with 2 valves

final installation for Rapido SmartBox (35 600)

GROHE FastFixation metal wall escutcheon, retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment
exchangeable symbols

GROHE TurboStat compact cartridge

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included


built-in non-return valves and dirt strainers

multiple outlets can be run simultaneously

flow performance: outlet B = 24 l/min, outlet C = 26 l/min, outlet B+C = 29 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



29 125 000

chrome

Grotherm SmartControl

**Safety mixer for concealed installation with 2 valves
and integrated shower holder**

final installation for Rapido SmartBox (35 600)

GROHE FastFixation metal wall escutcheon, retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment
exchangeable symbols

GROHE TurboStat compact cartridge

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non-return valves and dirt strainers

multiple outlets can be run simultaneously

integrated shower union with shower outlet 1/2"

flow performance: outlet B = 24 l/min, hand shower = 12 l/min, outlet B + hand shower = 27 l/min

35 600 000


GROHE Rapido SmartBox universal rough-in box

GROHE GROHTHERM SMARTCONTROL

Ref. no.

Colour

THERMOSTATS



- 29 126 000 chrome
- 29 126 DC0 supersteel
- 29 126 GN0 brushed cool sunrise
- 29 126 DL0 brushed warm sunset
- 29 126 A00 hard graphite
- 29 126 AL0 brushed hard graphite

Grotherm SmartControl

Safety mixer for concealed installation with 3 valves

final installation for Rapido SmartBox (35 600)

GROHE FastFixation metal wall escutcheon, retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment
exchangeable symbols

GROHE TurboStat compact cartridge

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non-return valves and dirt strainers


multiple outlets can be run simultaneously

flow performance: outlet A = 23 l/min, outlet B = 27 l/min, outlet C = 23 l/min,

outlet A + B = 33 l/min, outlet A + B + C = 36 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



- 29 127 000 chrome
- 29 127 DC0 supersteel
- 29 127 GN0 brushed cool sunrise
- 29 127 DL0 brushed warm sunset
- 29 127 A00 hard graphite
- 29 127 AL0 brushed hard graphite

Grotherm SmartControl

Triple volume control trim

final installation for Rapido SmartBox 35 600

GROHE FastFixation metal wall escutcheon, retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment

exchangeable symbols

GROHE ProGrip with knurl structure


multiple outlets can be run simultaneously

flow performance: outlet D = 28 l/min, outlet E = 28 l/min, outlet A = 28 l/min,

outlet D+E+A = 65 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



29 153 LS0

moon white

Grotherm SmartControl

Safety mixer for concealed installation with one valve

final installation for Rapido SmartBox (35 600)

GROHE FastFixation metal wall escutcheon, retroactively 6° adjustable

GROHE StarLight finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment
exchangeable symbols

GROHE TurboStat compact cartridge

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non-return valves and dirt strainers

cover plate in moon white acrylic glass

flow performance: outlet A (to external shut-off) = 34 l/min, outlet B/C = 29 l/min


35 600 000

GROHE Rapido SmartBox universal rough-in box

GROHE GROHTHERM SMARTCONTROL

Ref. no.

Colour



29 156 LS0

moon white

Grotherm SmartControl

Safety mixer for concealed installation with 2 valves

final installation for Rapido SmartBox (35 600)

GROHE FastFixation metal wall escutcheon, retroactively 6° adjustable

GROHE StarLight finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment
exchangeable symbols

GROHE TurboStat compact cartridge

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non-return valves and dirt strainers


multiple outlets can be run simultaneously

cover plate in moon white acrylic glass

flow performance: outlet B = 24 l/min, outlet C = 26 l/min, outlet B+C = 29 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



29 157 LS0

moon white

Grotherm SmartControl

Safety mixer for concealed installation with 3 valves

final installation for Rapido SmartBox (35 600)

GROHE FastFixation metal wall escutcheon, retroactively 6° adjustable

GROHE StarLight finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment
exchangeable symbols

GROHE TurboStat compact cartridge

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non-return valves and dirt strainers


multiple outlets can be run simultaneously

cover plate in moon white acrylic glass

flow performance: outlet A = 23 l/min, outlet B = 27 l/min, outlet C = 23 l/min,
outlet A + B = 33 l/min, outlet A + B + C = 36 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



29 158 LS0

moon white

Grotherm SmartControl

Triple volume control trim

final installation for Rapido SmartBox 35 600

GROHE FastFixation metal wall escutcheon, retroactively 6° adjustable

GROHE StarLight finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment
exchangeable symbols

GROHE ProGrip with knurl structure

multiple outlets can be run simultaneously

cover plate in moon white acrylic glass

flow performance: outlet D = 28 l/min, outlet E = 28 l/min, outlet A = 28 l/min,
outlet D+E+A = 65 l/min

35 600 000


GROHE Rapido SmartBox universal rough-in box

GROHE GROHTHERM SMARTCONTROL

Ref. no.

Colour

THERMOSTATS



29 118 000	chrome
29 118 DC0	supersteel
29 118 BE0	polished nickel
29 118 EN0	brushed nickel
29 118 GL0	cool sunrise
29 118 GN0	brushed cool sunrise
29 118 DA0	warm sunset
29 118 DL0	brushed warm sunset
29 118 A00	hard graphite
29 118 AL0	brushed hard graphite

Grotherm SmartControl

Safety mixer for concealed installation with one valve

final installation for Rapido SmartBox (35 600)

GROHE FastFixation metal wall escutcheon, retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment
exchangeable symbols

GROHE TurboStat compact cartridge

GROHE ProGrip with knurl structure


GROHE SafeStop safety button at 38C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non-return valves and dirt strainers

flow performance: outlet A (to external shut-off) = 34 l/min, outlet B/C = 29 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



29 119 000	chrome
29 119 DC0	supersteel
29 119 BE0	polished nickel
29 119 EN0	brushed nickel
29 119 GL0	cool sunrise
29 119 GN0	brushed cool sunrise
29 119 DA0	warm sunset
29 119 DL0	brushed warm sunset
29 119 A00	hard graphite
29 119 AL0	brushed hard graphite

Grotherm SmartControl

Safety mixer for concealed installation with 2 valves

final installation for Rapido SmartBox (35 600)

GROHE FastFixation metal wall escutcheon, retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment
exchangeable symbols

GROHE TurboStat compact cartridge

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38C


GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non-return valves and dirt strainers

multiple outlets can be run simultaneously

flow performance: outlet B = 24 l/min, outlet C = 26 l/min, outlet B+C = 29 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



29 120 000

chrome

Grotherm SmartControl

Safety mixer for concealed installation with 2 valves and integrated shower holder

final installation for Rapido SmartBox (35 600)

GROHE FastFixation metal wall escutcheon, retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment
exchangeable symbols

GROHE TurboStat compact cartridge

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non-return valves and dirt strainers

multiple outlets can be run simultaneously

integrated shower union with shower outlet 1/2"

flow performance: outlet B = 24 l/min, hand shower = 12 l/min, outlet B + hand shower = 27 l/min


35 600 000

GROHE Rapido SmartBox universal rough-in box

GROHE GROHTHERM SMARTCONTROL

Ref. no.

Colour



29 121 000	chrome
29 121 DC0	supersteel
29 121 BE0	polished nickel
29 121 EN0	brushed nickel
29 121 GL0	cool sunrise
29 121 GN0	brushed cool sunrise
29 121 DA0	warm sunset
29 121 DL0	brushed warm sunset
29 121 A00	hard graphite
29 121 AL0	brushed hard graphite

Grotherm SmartControl

Safety mixer for concealed installation with 3 valves

final installation for Rapido SmartBox (35 600)

GROHE FastFixation metal wall escutcheon, retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment
exchangeable symbols

GROHE TurboStat compact cartridge

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included


built-in non-return valves and dirt strainers

multiple outlets can be run simultaneously

flow performance: outlet A = 23 l/min, outlet B = 27 l/min, outlet C = 23 l/min,
outlet A + B = 33 l/min, outlet A + B + C = 36 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



29 122 000	chrome
29 122 DC0	supersteel
29 122 BE0	polished nickel
29 122 EN0	brushed nickel
29 122 GL0	cool sunrise
29 122 GN0	brushed cool sunrise
29 122 DA0	warm sunset
29 122 DL0	brushed warm sunset
29 122 A00	hard graphite
29 122 AL0	brushed hard graphite

Grotherm SmartControl

Triple volume control trim

final installation for Rapido SmartBox 35 600

GROHE FastFixation metal wall escutcheon, retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment
exchangeable symbols


GROHE ProGrip with knurl structure

multiple outlets can be run simultaneously

flow performance: outlet D = 28 l/min, outlet E = 28 l/min, outlet A = 28 l/min,
outlet D+E+A = 65 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



29 150 LS0

moon white

Grotherm SmartControl

Safety mixer for concealed installation with one valve

final installation for Rapido SmartBox (35 600)

GROHE FastFixation metal wall escutcheon, retroactively 6° adjustable

GROHE StarLight finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment
exchangeable symbols

GROHE TurboStat compact cartridge

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non-return valves and dirt strainers

cover plate in moon white acrylic glass

flow performance: outlet A (to external shut-off) = 34 l/min, outlet B/C = 29 l/min

35 600 000


GROHE Rapido SmartBox universal rough-in box

GROHE GROHTHERM SMARTCONTROL

Ref. no.

Colour

THERMOSTATS



29 151 LS0

moon white

Grohtherm SmartControl

Safety mixer for concealed installation with 2 valves

final installation for Rapido SmartBox (35 600)

GROHE FastFixation metal wall escutcheon, retroactively 6° adjustable

GROHE StarLight finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment
exchangeable symbols

GROHE TurboStat compact cartridge

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non-return valves and dirt strainers


multiple outlets can be run simultaneously

cover plate in moon white acrylic glass

flow performance: outlet B = 24 l/min, outlet C = 26 l/min, outlet B+C = 29 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



29 904 LS0

moon white

Grohtherm SmartControl

Safety mixer for concealed installation with 3 valves

final installation for Rapido SmartBox (35 600)

GROHE FastFixation metal wall escutcheon, retroactively 6° adjustable

GROHE StarLight finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment
exchangeable symbols

GROHE TurboStat compact cartridge

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non-return valves and dirt strainers


multiple outlets can be run simultaneously

cover plate in moon white acrylic glass

flow performance: outlet A = 23 l/min, outlet B = 27 l/min, outlet C = 23 l/min,
outlet A + B = 33 l/min, outlet A + B + C = 36 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



29 152 LS0

moon white

Grohtherm SmartControl

Triple volume control trim

final installation for Rapido SmartBox 35 600

GROHE FastFixation metal wall escutcheon, retroactively 6° adjustable

GROHE StarLight finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment
exchangeable symbols

GROHE ProGrip with knurl structure


multiple outlets can be run simultaneously

cover plate in moon white acrylic glass

flow performance: outlet D = 28 l/min, outlet E = 28 l/min, outlet A = 28 l/min,
outlet D+E+A = 65 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



34 742 000

chrome

Grohtherm SmartControl

Perfect shower set

concealed thermostat with 2 valves and integrated hand shower holder

Grohtherm SmartControl set for final installation (29 125)

Rapido SmartBox (35 600)

Rainshower F-Series 10" head shower set (26 070)


hand shower Power&Soul Cosmopolitan 115 (27 661)

Silverflex shower hose 1.250 mm (28 362)

GROHE GROHTHERM SMARTCONTROL

Ref. no.

Colour




34 706 000

chrome

Grotherm SmartControl

Perfect shower set with Rainshower SmartActive 310 Cube

concealed safety mixer with 3 valves
Grotherm SmartControl set for final installation (29 126)
Rapido SmartBox (35 600)
Rainshower SmartActive 310 Cube head shower set (26 479), rough-in (26 483)
hand shower Euphoria Cube Stick (27 698)
Euphoria Cube wall union with integrated shower holder (26 370)
Silverflex shower hose 1500 mm 1/2" x 1/2" (28 364)




34 743 000

chrome

Grotherm SmartControl

Perfect shower set

concealed thermostat with 2 valves and integrated hand shower holder
Grotherm SmartControl set for final installation (29 120)
Rapido SmartBox (35 600)
Rainshower Cosmopolitan 210 head shower set (26 062)
hand shower Power&Soul Cosmopolitan 115 (27 661)
Silverflex shower hose 1.250 mm (28 362)




34 744 000

chrome

Grotherm SmartControl

Perfect shower set

concealed thermostat with 2 valves and integrated hand shower holder
Grotherm SmartControl set for final installation (29 120)
Rapido SmartBox (35 600)
Euphoria 260 head shower set 3 sprays (26 458)
hand shower Euphoria Cosmopolitan Stick (27 400)
Silverflex shower hose 1.250 mm (28 362)



34 705 000

chrome

Grotherm SmartControl

Perfect shower set with Rainshower SmartActive 310

concealed safety mixer with 3 valves
Grotherm SmartControl set for final installation (29 121)
Rapido SmartBox (35 600)
Rainshower SmartActive 310 head shower set (26 475), rough-in (26 483)
Euphoria Cosmopolitan Stick handshower (27 367)
Rainshower wall holder (27 074)
Rainshower wall union 1/2" (27 057)
Silverflex shower hose 1500 mm 1/2" x 1/2" (28 364)

new



14 077 XH0

chrome/frosted granite

SmartControl


Caps concealed

9 caps with 6 different symbols
fits Grotherm SmartControl and SmartControl mixer

GROHE GROHTHERM SMARTCONTROL

Ref. no.


Colour

34 719 000

chrome


Grohtherm SmartControl
Shower Safety mixer
 wall mounted
GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment
 integrated **GROHE EasyReach** shower tray
 shower bottom outlet 1/2"
 built-in non-return valves and dirt strainers
 protected against backflow

34 718 000

chrome


Grohtherm SmartControl
Bath Safety Mixer
 wall mounted
GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment
 integrated **GROHE EasyReach** shower tray
 shower bottom outlet 1/2"
 bath spout with mousseur
 built-in non-return valves and dirt strainers
 protected against backflow

34 721 000

chrome

Grohtherm SmartControl
Safety shower mixer 1/2" with shower set
 Grohtherm SmartControl thermostatic shower mixer (34 719)
 Euphoria 110 Massage shower set, 900 mm (27 226)

34 720 000

chrome



Grohtherm SmartControl
Safety shower mixer 1/2" with shower set
 Grohtherm SmartControl thermostatic shower mixer (34 719)
 Euphoria 110 Massage shower set, 600 mm (27 231)

GROHE

GROHTHERM 2 HANDLE TRIM SETS

Ref. no.

Colour



24 078 000

chrome

Grotherm

Safety mixer for 1 outlet with shut off valve

final installation for Rapido SmartBox (35 600)

GROHE TurboStat compact cartridge

GROHE StarLight chrome finish

GROHE FastFixation escutcheon with covered shaft sealing and covered fixing metal escutcheon, retroactively 6° adjustable

GROHE SafeStop safety button at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included



built-in non-return valves and dirt strainers

ceramic stop valve, 120°

flow performance: outlet B = 27 l/min, outlet C = 30 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



24 079 000

chrome

Grotherm

Safety shower mixer for 2 outlets with integrated shut off/diverter valve

final installation for Rapido SmartBox (35 600)

GROHE TurboStat compact cartridge

GROHE StarLight chrome finish

GROHE FastFixation escutcheon with covered shaft sealing and covered fixing metal escutcheon, retroactively 6° adjustable

printed head and hand shower symbol

GROHE SafeStop safety button at 38°C



GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

flow performance: outlet B = 27 l/min, outlet C = 30 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



24 080 000

chrome

Grotherm

Safety bath tub mixer for 2 outlets with integrated shut off/diverter valve

final installation for Rapido SmartBox (35 600)

GROHE TurboStat compact cartridge

GROHE StarLight chrome finish

GROHE FastFixation escutcheon with covered shaft sealing and covered fixing metal escutcheon, retroactively 6° adjustable

printed hand shower and bath filler symbol

GROHE SafeStop safety button at 38°C



GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

flow performance: outlet B = 27 l/min, outlet C = 30 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



34 728 000

chrome

Grotherm

Perfect shower set with Tempesta 210

Grotherm set for final installation with Aquadimmer (24 079)

GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)

head shower Tempesta 210 9.5 l/min (26 410)


Shower arm Rainshower 286 mm (28 576)

GROHE GROHTHERM 2 HANDLE TRIM SETS

Ref. no.

Colour

THERMOSTATS




34 729 000

chrome

Grotherm

Perfect shower set with Tempesta 210

Grotherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
head shower Tempesta 210 9.5 l/min (26 410)
Shower arm Rainshower 286 mm (28 576)
hand shower Tempesta 100 II (27 597)
shower outlet elbow (28 628)
Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)




34 730 000

chrome

Grotherm

Perfect shower set with Rainshower Cosmopolitan 310

Grotherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Cosmopolitan 310 metal head shower (27 477)
Rainshower shower arm 422 mm (26 145)
handshower (28 034)
Rainshower wall holder (27 075)
Rainshower wall elbow connection (27 076)
Silverflex shower hose 1.250 mm (28 362)




34 734 000

chrome

Grotherm

Perfect shower set with Rainshower Cosmopolitan 210

Grotherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Cosmopolitan 210 metal head shower (28 368)
shower arm Rainshower 422 mm (26 146)
Euphoria hand shower (27 265)
shower outlet elbow (28 628)
Silverflex shower hose 1.250 mm (28 362)



24 075 000

chrome

Grotherm

Safety mixer for 1 outlet with shut off valve

final installation for Rapido SmartBox (35 600)

GROHE TurboStat compact cartridge

GROHE StarLight chrome finish

GROHE FastFixation escutcheon with covered shaft sealing and covered fixing metal escutcheon, retroactively 6° adjustable

GROHE SafeStop safety button at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non-return valves and dirt strainers

ceramic stop valve, 120°

flow performance: outlet B = 27 l/min, outlet C = 30 l/min

35 600 000


GROHE Rapido SmartBox universal rough-in box

GROHE

GROHTHERM 2 HANDLE TRIM SETS

Ref. no.

Colour



24 076 000

chrome

Grotherm

Safety shower mixer for 2 outlets with integrated shut off/diverter valve
final installation for Rapido SmartBox (35 600)

GROHE TurboStat compact cartridge

GROHE StarLight chrome finish

GROHE FastFixation escutcheon with covered shaft sealing and covered fixing
metal escutcheon, retroactively 6° adjustable

printed head and hand shower symbol

GROHE SafeStop safety button at 38C


GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

flow performance: outlet B = 27 l/min, outlet C = 30 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



24 077 000

chrome

Grotherm

Safety bath tub mixer for 2 outlets with integrated shut off/diverter valve
final installation for Rapido SmartBox (35 600)

GROHE TurboStat compact cartridge

GROHE StarLight chrome finish

GROHE FastFixation escutcheon with covered shaft sealing and covered fixing

metal escutcheon, retroactively 6° adjustable

printed hand shower and bath filler symbol

GROHE SafeStop safety button at 38C


GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

flow performance: outlet B = 27 l/min, outlet C = 30 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



34 726 000

chrome

Grotherm


Perfect shower set with Tempesta 210

Grotherm set for final installation with Aquadimmer (24 076)

GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)

head shower Tempesta 210 9.5 l/min (26 410)

Shower arm Rainshower 286 mm (28 576)



34 727 000

chrome

Grotherm

Perfect shower set with Tempesta 210

Grotherm set for final installation with Aquadimmer (24 076)

GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)

head shower Tempesta 210 9.5 l/min (26 410)

Shower arm Rainshower 286 mm (28 576)

hand shower Tempesta 100 II (27 597)

shower outlet elbow (28 628)

Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)


GROHE

GROHTHERM 2 HANDLE TRIM SETS

Ref. no.

Colour

THERMOSTATS




34 731 000

chrome

Grohtherm

Perfect shower set with Rainshower Cosmopolitan 310

Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Cosmopolitan 310 metal head shower (27 477)
shower arm Rainshower 422 mm (26 146)
handshower (28 034)
Rainshower wall holder (27 074)
Rainshower wall elbow connection (27 057)
Silverflex shower hose 1.250 mm (28 362)




34 732 000

chrome

Grohtherm

Perfect shower set with Rainshower Cosmopolitan 210

Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Cosmopolitan 210 metal head shower (28 373)
Rainshower shower arm 286 mm (28 576)
handshower (28 034)
Rainshower wall holder (27 074)
Rainshower wall elbow connection (27 057)
Silverflex shower hose 1.250 mm (28 362)



24 153 000

chrome

24 153 DC0

supersteel

24 153 AL0

brushed hard graphite

Grohtherm Cube

Safety mixer for 1 outlet with shut off valve

final installation for Rapido SmartBox (35 600)

GROHE TurboStat compact cartridge

GROHE FastFixation escutcheon with covered shaft sealing and covered fixing metal escutcheon, retroactively 6° adjustable


GROHE SafeStop safety button at 38C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non-return valves and dirt strainers
ceramic stop valve, 120°

flow performance: outlet B = 27 l/min, outlet C = 30 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



24 154 000

chrome

24 154 DC0

supersteel

24 154 AL0

brushed hard graphite

Grohtherm Cube

Safety shower mixer for 2 outlets with integrated shut off/diverter valve

final installation for Rapido SmartBox (35 600)

GROHE TurboStat compact cartridge

GROHE FastFixation escutcheon with covered shaft sealing and covered fixing printed head and hand shower symbol

GROHE SafeStop safety button at 38C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve

flow performance: outlet B = 27 l/min, outlet C = 30 l/min


35 600 000


GROHE Rapido SmartBox universal rough-in box

GROHE

GROHTHERM 2 HANDLE TRIM SETS

	Ref. no.	Colour
	24 155 000	chrome
	24 155 DC0	supersteel
	24 155 AL0	brushed hard graphite
	Grohtherm Cube Safety bath tub mixer for 2 outlets with integrated shut off/diverter valve final installation for Rapido SmartBox (35 600) GROHE TurboStat compact cartridge GROHE FastFixation escutcheon with covered shaft sealing and covered fixing metal escutcheon, retroactively 6° adjustable printed hand shower and bath filler symbol GROHE SafeStop safety button at 38C GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min, outlet C = 30 l/min	
	35 600 000	
	GROHE Rapido SmartBox universal rough-in box	


	34 741 000	chrome
	Grohtherm Cube Perfect shower set with Rainshower Allure 230 Grohtherm Cube set for final installation with Aquadimmer (24 154) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) Rainshower Allure 230 metal head shower (27 479) Rainshower shower arm (27 709) hand shower Euphoria Cube (27 699) shower outlet elbow (26 370) Silverflex shower hose 1.250 mm (28 362)	
		



34 469 001

chrome


Grohtherm 2000
Shower Safety mixer
wall mounted
100% GROHE CoolTouch safety housing with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
integrated stop valve
GROHE TurboStat compact cartridge
volume handle with **GROHE EcoButton**
Carbodor ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non-return valves, dirt strainers
covered S-unions, CoolTouch escutcheons with wall sealing
GROHE EasyReach shower tray, removable for easy cleaning
GROHE EcoJoy for less water and perfect flow



34 169 001

chrome


Grohtherm 2000
Shower Safety mixer
wall mounted
100% GROHE CoolTouch safety housing with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
integrated stop valve
volume handle with **GROHE EcoButton**
Carbodor ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non-return valves, dirt strainers
covered S-unions, CoolTouch escutcheons with wall sealing
optional upgrade: GROHE EasyReach shower tray (18 608 001)
GROHE EcoJoy for less water and perfect flow



34 464 001

chrome

Grohtherm 2000
Bath Safety Mixer
wall mounted
100% GROHE CoolTouch safety housing with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
integrated stop valve
GROHE AquaDimmer Eco with multiple function:
integrated **GROHE EcoButton**, flow control, diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
built-in non-return valves, dirt strainers
covered S-unions, CoolTouch escutcheons with wall sealing
GROHE EasyReach shower tray, removable for easy cleaning
GROHE EcoJoy for less water and perfect flow



34 174 001

chrome


Grohtherm 2000
Bath Safety Mixer
wall mounted
100% GROHE CoolTouch safety housing with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
integrated stop valve
GROHE AquaDimmer Eco with multiple function:
integrated **GROHE EcoButton**, flow control, diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
built-in non-return valves, dirt strainers
covered S-unions, CoolTouch escutcheons with wall sealing
optional upgrade: GROHE EasyReach shower tray (18 608 001)
GROHE EcoJoy for less water and perfect flow

GROHE

GROHTHERM CUBE

Ref. no.


Colour



34 491 000

chrome


Grohtherm Cube
Shower Safety mixer
 wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 integrated stop valve
 volume handle with **GROHE EcoButton**
 Carbidur ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 built-in non-return valves, dirt strainers
 covered S-unions
GROHE EasyReach shower tray (18 700), removable for easy cleaning
GROHE EcoJoy for less water and perfect flow



34 488 000

chrome


Grohtherm Cube
Shower Safety mixer
 wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 integrated stop valve
 volume handle with **GROHE EcoButton**
 Carbidur ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 built-in non-return valves, dirt strainers
 covered S-unions
GROHE EcoJoy for less water and perfect flow



34 502 000

chrome

Grohtherm Cube
Bath Safety Mixer
 wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 integrated stop valve
GROHE AquaDimmer Eco with multiple function:
 integrated GROHE EcoButton, flow control, diverter: bath/shower
 shower bottom outlet 1/2"
 GROHE XL Waterfall
 built-in non-return valves, dirt strainers
 covered S-unions
GROHE EasyReach shower tray (18 700), removable for easy cleaning
GROHE EcoJoy for less water and perfect flow



34 497 000

chrome


Grohtherm Cube
Bath Safety Mixer
 wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 integrated stop valve
GROHE AquaDimmer Eco with multiple function:
 integrated GROHE EcoButton, flow control, diverter: bath/shower
 shower bottom outlet 1/2"
 GROHE XL Waterfall
 built-in non-return valves, dirt strainers
 covered S-unions
GROHE EcoJoy for less water and perfect flow

GROHE GROHTHERM CUBE

Ref. no.

Colour

THERMOSTATS



24 153 000
24 153 DC0
24 153 AL0

chrome
supersteel
brushed hard graphite

Grotherm Cube

Safety mixer for 1 outlet with shut off valve

final installation for Rapido SmartBox (35 600)

GROHE TurboStat compact cartridge

GROHE FastFixation escutcheon with covered shaft sealing and covered fixing metal escutcheon, retroactively 6° adjustable

GROHE SafeStop safety button at 38C

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included


built-in non-return valves and dirt strainers

ceramic stop valve, 120°

flow performance: outlet B = 27 l/min, outlet C = 30 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



24 154 000
24 154 DC0
24 154 AL0

chrome
supersteel
brushed hard graphite

Grotherm Cube

Safety shower mixer for 2 outlets with integrated shut off/diverter valve

final installation for Rapido SmartBox (35 600)

GROHE TurboStat compact cartridge

GROHE FastFixation escutcheon with covered shaft sealing and covered fixing metal escutcheon, retroactively 6° adjustable

printed head and hand shower symbol

GROHE SafeStop safety button at 38C


GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

flow performance: outlet B = 27 l/min, outlet C = 30 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



24 155 000
24 155 DC0
24 155 AL0

chrome
supersteel
brushed hard graphite

Grotherm Cube

Safety bath tub mixer for 2 outlets with integrated shut off/diverter valve

final installation for Rapido SmartBox (35 600)

GROHE TurboStat compact cartridge

GROHE FastFixation escutcheon with covered shaft sealing and covered fixing metal escutcheon, retroactively 6° adjustable

printed hand shower and bath filler symbol

GROHE SafeStop safety button at 38C


GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

flow performance: outlet B = 27 l/min, outlet C = 30 l/min

35 600 000

GROHE Rapido SmartBox universal rough-in box



34 741 000

chrome

Grotherm Cube

Perfect shower set with Rainshower Allure 230

Grotherm Cube set for final installation with Aquadimmer (24 154)

GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)

Rainshower Allure 230 metal head shower (27 479)

Rainshower shower arm (27 709)

hand shower Euphoria Cube (27 699)

shower outlet elbow (26 370)

Silverflex shower hose 1.250 mm (28 362)

GROHE

GROHTHERM 1000

Ref. no.	Colour
Technical drawing of the Grohtherm 1000 Shower Safety mixer. The side view shows a wall-mounted unit with a height of 150±15 mm and a total height of 317 mm. The front view shows a width of 81 mm. The drawing also indicates G 1/2" connections and a Ø70 mm hole for the shower head.	34 143 003 chrome - Grohtherm 1000 - Shower Safety mixer - wall mounted - GROHE CoolTouch safety housing - GROHE StarLight chrome finish - GROHE MetalGrip ergonomically shaped metal handles - GROHE SafeStop safety button at 38C - GROHE SafeStop Plus optional temperature limiter at 43°C included - GROHE TurboStat compact cartridge - integrated stop valve - volume handle with GROHE EcoButton - ceramic headpart 1/2", 180° - shower bottom outlet 1/2" - built-in non-return valves - dirt strainers - S-unions - GROHE EcoJoy for less water and perfect flow
Technical drawing of the Grohtherm 1000 Bath Safety Mixer. The side view shows a wall-mounted unit with a height of 150±15 mm and a total height of 317 mm. The front view shows a width of 173 mm. The drawing also indicates G 1/2" connections and a Ø70 mm hole for the shower head.	34 155 003 chrome - Grohtherm 1000 - Bath Safety Mixer - wall mounted - GROHE CoolTouch safety housing - GROHE StarLight chrome finish - GROHE MetalGrip ergonomically shaped metal handles - GROHE SafeStop safety button at 38C - GROHE SafeStop Plus optional temperature limiter at 43°C included - GROHE TurboStat compact cartridge - integrated stop valve - GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton, flow control, diverter: bath/shower - shower bottom outlet 1/2" - mousseur - built-in non-return valves - dirt strainers - S-unions - GROHE EcoJoy for less water and perfect flow


GROHE


GROHTHERM 1000 PERFORMANCE

Ref. no.

Colour

THERMOSTATS

new		34 776 000	chrome
		Grohtherm 1000 Performance Shower Safety mixer wall mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE SafeStop safety button at 38C GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge GROHE ProGrip with knurl structure integrated stop valve volume handle with GROHE EcoButton ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non-return valves dirt strainers S-unions GROHE EcoJoy for less water and perfect flow	



new		34 779 000	chrome
		Grohtherm 1000 Performance Bath Safety Mixer wall mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE SafeStop safety button at 38C GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge GROHE ProGrip with knurl structure integrated stop valve GROHE AquaDimmer Eco with multiple function: integrated GROHE EcoButton, flow control, diverter: bath/shower shower bottom outlet 1/2" mousseur built-in non-return valves dirt strainers S-unions GROHE EcoJoy for less water and perfect flow	

GROHE

GROHTHERM 800 COSMOPOLITAN

Ref. no.



Colour

new	 	34 765 000 Grohtherm 800 Cosmopolitan Shower Safety mixer wall mounted GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38C GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge integrated stop valve volume handle with GROHE EcoButton ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non-return valves dirt strainers S-unions GROHE EcoJoy for less water and perfect flow	chrome
new	 	34 766 000 Grohtherm 800 Cosmopolitan Bath Safety Mixer wall mounted GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38C GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge integrated stop valve automatic diverter: bath/shower volume handle with GROHE EcoButton ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non-return valves dirt strainers S-unions GROHE EcoJoy for less water and perfect flow	chrome

GROHE GROHTHERM 800

Ref. no.

Colour

 	34 558 000 chrome Grohtherm 800 Shower Safety mixer wall mounted GROHE StarLight chrome finish GROHE SafeStop safety button at 38C GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge integrated stop valve volume handle with GROHE EcoButton ceramic headpart 1/2", 180° shower bottom outlet 1/2" dirt strainers built-in non-return valves S-unions GROHE EcoJoy for less water and perfect flow
 	34 567 000 chrome Grohtherm 800 Bath Safety Mixer wall mounted GROHE StarLight chrome finish GROHE SafeStop safety button at 38C GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge integrated stop valve automatic diverter: bath/shower volume handle with GROHE EcoButton ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non-return valves dirt strainers S-unions GROHE EcoJoy for less water and perfect flow

GROHE
CONCEALED SOLUTIONS










CONTENTS

GROHE Rapido SmartBox	182
GROHE Rapido C / Concealed Valves	183

GROHE RAPIDO SMARTBOX

Ref. no.

Colour



 	35 600 000 Rapido SmartBox Universal rough-in box, 1/2" 3 outlets 1/2" 2 inlets below, 1/2" installation depth 75-105 mm connection unit in DR brass pre-mounted flushing plug stable build-in box and protective cover fixation options for solid walls and dry cladding gasket without set for final installation
 	14 048 000 Rapido SmartBox Universal extension set single-lever mixers, 25 mm fits Grohtherm SmartControl and SmartControl Mixer sets for final installation with up to three functions in combination with GROHE Rapido SmartBox
 	14 056 000 Universal extension set single-lever mixers, 25 mm fits for concealed single-lever mixers in combination with GROHE Rapido SmartBox
 	14 057 000 Universal extension set single-lever mixers, 50 mm fits for concealed single-lever mixers in combination with GROHE Rapido SmartBox
 	14 058 000 Universal extension set 2-handle thermostats, 25 mm fits for concealed 2-handle thermostats in combination with GROHE Rapido SmartBox

GROHE RAPIDO C / STOP VALVES

Ref. no.

Colour

CONCEALED
SOLUTIONS




35 028 000

Rapido C

Rough-in for single volume control

built-in box with removable protection cover
waterproof membrane base for wall sealing
fixing points for front and back wall
body of DR brass
pre-assembled ceramic headpart 3/4"
connection threads 1/2"
flow rate: 55 l/min. at 3 bar
installation depth 70 - 95 mm



29 800 000

Concealed stop-valve, 1/2"


pre-assembled headpart 1/2"
short spindle
protection sleeve
threaded union 1/2"
DR-brass

29 802 000

ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"

29 805 000

ditto, 1", pre-assembled headpart 1", thread union 1"



29 813 000

Concealed valve 3/4"

pre-assembled ceramic headpart 3/4"
90°
threaded union 3/4"
installation depth adjustable
25 - 80 mm
DR-brass

GROHE
SHOWERS






CONTENTS

GROHE Digital	F-digital Deluxe	186
Shower Systems	Rainshower System SmartControl	191
	Rainshower SmartActive System	192
	Euphoria SmartControl System	194
	Euphoria system	196
	Tempesta system	200
	Shower system accessories	206
Headshowers	Head showers	207
Showers	Sena	225
	Rainshower SmartActive	226
	Euphoria	233
	Tempesta	238
	Sena trigger sprays	246
	Tempesta-F trigger sprays	247
	Shower hoses	249
	Shower accessories	251

GROHE F-DIGITAL DELUXE

Ref. no.

Colour



26 373 001

chrome

Rainshower F-Series 40" AquaSymphony Ceiling shower 6+ sprays with light

1016 mm x 762 mm x 145 mm

material: metal

min. flow rate 25 l/min, min. recommended pressure 3.0 bar

1 x AquaCurtain

1 x Pure XL spray

1 x 2 mist spray

2 x GROHE PureRain spray 400 x 190 mm

2 x XL Waterfall (separately controlled)

1 x 4 Bokoma Spray with adjustment angle 20°

full spectrum LED: soft light with changing rainbow colours

individually adjustable: permanent lighting with colour selection

power supply for light 12 V DC

SpeedClean anti-lime system


GROHE DreamSpray perfect spray pattern

GROHE StarLight finish

requires rough-in set (26 376), F-digital Deluxe base unit box (26 374), Bluetooth unit (36 371) and various cable connections – all to be ordered separately due to individualised installation

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Performance of the drainage must be of sufficient size (> 100 l/min).

Product contains built-in LED lamps, which cannot be changed: energy efficiency class: A++



26 376 001

chrome

Rainshower F-Series 40" Roughing-in set


for use with Rainshower F-Series 40" AquaSymphony ceiling shower

1000 mm x 745 mm x 152 mm

min. installation depth: 167 mm

1/2" connections

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Performance of the drainage must be of sufficient size (> 100 l/min).



27 865 000

chrome

Rainshower F-Series 20" Ceiling shower with light, 1 spray

Rain

508 x 508 x 59 mm

material: metal

full spectrum LED: soft light with changing rainbow colours

individually adjustable: permanent lighting with colour selection

power supply for light 12 V DC


GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

requires rough-in set (29 069), F-digital Deluxe base unit box (36 397), Bluetooth unit (36 371) and various cable connections – all to be ordered separately due to individualised installation.

Product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+



29 069 000

Rainshower F-Series Cable connection


for ceiling shower with light (27 865 000)

2 cable extensions (5 m each)

GROHE F-DIGITAL DELUXE

Ref. no.

Colour



36 359 000

chrome

Rainshower F-Series

Light set

127 x 127 mm per module

full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection

- 1 light module with two plug connections
- 1 light module with one plug connection

waterproof & corrosion protected


supply voltage: 12 V DC

GROHE StarLight chrome finish

requires rough-in set (29 072), F-digital Deluxe base unit box (26 374 or 36 397), Bluetooth unit (36 371) and various cable connections – all to be ordered separately due to individualised installation situation

Product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+

SHOWERS




29 072 000

Rainshower F-Series

Rough-in set light set

for use with double light modules (36 359 000)

- 2 rough-in sets (115 x 115 x 62-87 mm)
- 2 cable extensions (5 m each)



36 360 000

chrome

Rainshower F-Series

Sound set

127 x 127 mm per module


full range stereo speaker

2 speakers with plug connections

waterproof & corrosion protected

GROHE StarLight chrome finish

requires rough-in set (29 073), F-digital Deluxe base unit box (26 374 or 36 397), Bluetooth unit (36 371) and various cable connections – all to be ordered separately due to individualised installation situation



29 073 000

Rainshower F-Series

Rough-in set sound set

for use with double sound modules (36 360 000)

- 2 rough-in sets (115 x 115 x 62-87 mm)
- 2 cable extensions (5 m each)
- 1 Y-piece


GROHE F-DIGITAL DELUXE

Ref. no.

Colour

27 934 000

chrome



GROHE F-digital Deluxe Steam generator 6.6 kW with steam outlet and temperature sensor steam generator


415 x 445 x 130 mm
suitable for steam rooms up to 12.5 m³
supply voltage 400 V 3L+N+PE AC, 50 Hz, power 6.6 kW
water inlet 3/4"
operating pressure 1 – 5 bar (above pressure reducer)
automatic emptying
water outlet 1/2"
steam temperature: max. 55° C, steam outlet 1/2"
type of protection IP 23
with connecting plug
steam outlet module with indentation for fragranced oil
127 x 127 mm, connection thread 1/2"

temperature sensor module 60 x 60 x 12 mm

SpeedClean anti-lime system

GROHE StarLight chrome finish

requires rough-in set (29 074), F-digital Deluxe base unit box (26 374 or 36 397), Bluetooth unit (36 371) and various cable connections – all to be ordered separately due to individualised installation situation




29 074 000

GROHE F-digital Deluxe

Rough-in set steam generator

for use with steam module (27 934 000)

- 1 rough-in box for steam outlet (115 x 115 x 49-77 mm)
- 1 rough-in box for temperature sensor (58 x 83 x 80-105 mm)
- 1 cable extension temperature sensor, 5 m
- 1 cable extension steam generator, 5 m



26 374 000

GROHE F-digital Deluxe


Base unit box 4.0 Bluetooth F-Series 40" (BCU V4.0)

to control LightCurtain of Rainshower F-Series 40"

AquaSymphony ceiling shower

additional light, sound and steam modules can be connected

- 2 plug connections, each for one pair of sound modules (36 360 000)
 - 1 plug connection for one pair of light modules (36 359 000)
 - 1 plug connection LightCurtain for AquaSymphony (26 373 000)
 - 2 plug connections for steam module
 - 2 plug connections for power supply
 - 2 plug connections for Bluetooth unit (supply voltage and data line)
- must be accessible for service




36 397 000

GROHE F-digital Deluxe

Base Unit Box 2.0 Bluetooth (BCU V2.0)

for connecting light, sound and steam modules

- 2 plug connections, each for one pair of sound modules (36 360 000)
 - 2 plug connections, each for one pair of light modules (36 359 000) or 1 ceiling shower (27 865 000) with integrated light
 - 2 plug connections for steam module
 - 2 plug connections for power supply
 - 2 plug connections for Bluetooth unit (supply voltage and data line)
- must be accessible for service



42 429 000

GROHE F-digital Deluxe

Power supply base unit box

power supply for base unit box (26 374 000 or 36 397 000)

each power supply for 2 light/sound modules (36 359 000)

or 1 ceiling shower with integrated light (27 865 000)

max. 2 power supplies can be connected to the base unit

input voltage: 90-240 V AC, 50-60 Hz

output voltage: 12 V DC

GROHE F-DIGITAL DELUXE

Ref. no.

Colour

SHOWERS

36 371 000

GROHE F-digital Deluxe

Bluetooth-Unit BT-01A for Apple and Android devices

with integrated electronic for wireless data communication
connection cable set for data communication and power supply (5 m each)
bluetooth transmitter power supply: 12 V
bluetooth transmitter frequency: 2.4 GHz
bluetooth range (max. 10 m) varies on used materials and walls between transmitter and receiver
requires Base Unit Box 2.0 Bluetooth (36 397 000) – to be ordered separately
bluetooth-enabled device (bluetooth V2.1 or higher) necessary

System requirements: Android

operating system: as of release 2.3.3

System requirements: Apple


Apple operating system: as of release iOS 6.0 and above

Mobile devices and GROHE SPA F-digital deluxe App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/ iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.




36 367 000

GROHE F-digital Deluxe

Rough-in set base unit box

for use with base unit box (26 374 000 or 36 397 000)
550 x 700 x 110 mm
height (100 mm) and depth (50 mm) adjustable
with removable front panel for installation
with adjustable front frame for installation in wall niches
galvanized and powder coated (RAL 9010, pure white) steel plate
1 mm thick steel plate




47 837 000

GROHE F-digital Deluxe

Cable extension steam generator, 5 m

extension between base unit box (26 374 000 or 36 397 000) and steam generator (27 934 000)
cable extension up to 10 m




47 867 000

GROHE F-digital Deluxe


Cable extension light set, 5 m

connection between base unit box (26 374 000 or 36 397 000) and light modules (27 865 000)
each light module needs a separate extension cable
cable extension up to 10 m



47 910 000

Cable extension light set, 1.65 m




47 868 000

GROHE F-digital Deluxe

Cable extension for power supply, 5 m


connection between power supply (42 429 000) and base unit box (26 374 000 or 36 397 000)
each power supply needs a separate extension cable
cable extension up to 5 m



GROHE F-DIGITAL DELUXE

Ref. no.

Colour



47 877 000

GROHE F-digital Deluxe


Cable extension temperature sensor, 5 m

extension between base unit box (26 374 000 or 36 397 000) and
temperature sensor
cable extension up to 5 m

GROHE RAINSHOWER SYSTEM SMARTCONTROL

Ref. no.

Colour




26 250 000

chrome

Rainshower System SmartControl Duo 360 Shower system with Safety Mixer for wall mounting

horizontal 500 mm shower arm
exposed SmartControl Safety Mixer
head shower Rainshower Duo 360, spray plate chrome
GROHE PureRain and Trio Massage
Power&Soul 115 hand shower, spray plate white (27 671)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388)
minimum flow rate 10 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge
GROHE SafeStop safety button at 38C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment
GROHE EasyReach shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
Twistfree to prevent hose from twisting




26 443 000

chrome

Rainshower System SmartControl Duo 360 Combi shower system with safety mixer, exposed/concealed


exposed/concealed SmartControl thermostat
head shower Rainshower Duo 360 with horizontal 450 mm shower arm
GROHE PureRain and Trio Massage
Power&Soul 115 hand shower, spray plate white (27 671)
hand shower wall holder (27 055)
Silverflex shower hose 1500 mm 1/2" x 1/2" (28 364)
minimum flow rate 10 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge
GROHE SafeStop safety button at 38C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment
GROHE EasyReach shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
requires rough-in set 26 264 and concealed unit 26 449



26 264 001

Rainshower 360 Rough-in box for head shower set

inlets and outlets 1/2"
fixing points for back wall
leakproof housing
removable protection cover with installation information



26 449 000

Concealed body for exposed/concealed variants


wall mounted
2 outlets 1/2"
installation depth 75-105 mm
flushing plug
wall sealing
installation device

GROHE RAINSHOWER SMARTACTIVE SYSTEM

Ref. no.

Colour

new



26 648 000

chrome

Rainshower SmartActive 310

Shower system with Safety Mixer for wall mounting

horizontal swivable 450 mm shower arm

exposed Safety Mixer with Aquadimmer function

head shower Rainshower Mono 310 (26 562)

with ball joint

hand shower Rainshower SmartActive 130 (26 574)

adjustable in height with gliding element

including performance grip

Silverflex shower hose 1750 mm (28 388)

GROHE TurboStat compact cartridge

GROHE SafeStop safety button at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch no risk of scalding

GROHE DreamSpray perfect spray pattern

GROHE One-Click Showering spray selection with one click

GROHE StarLight chrome finish

GROHE EcoJoy 9,5 l/min flow limiter


GROHE FastFixation (upper bracket adjustable)

SpeedClean anti-lime system

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

new



26 648 LS0

moon white

Rainshower SmartActive 310

Shower system with Safety Mixer for wall mounting

horizontal swivable 450 mm shower arm

exposed Safety Mixer with Aquadimmer function

head shower Rainshower Mono 310 (26 562)

with ball joint

hand shower Rainshower SmartActive 130 (26 574)

adjustable in height with gliding element

including performance grip

Silverflex shower hose 1750 mm (28 388)

GROHE TurboStat compact cartridge

GROHE SafeStop safety button at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch no risk of scalding

GROHE DreamSpray perfect spray pattern

GROHE One-Click Showering spray selection with one click

GROHE StarLight finish

GROHE EcoJoy 9,5 l/min flow limiter


GROHE FastFixation (upper bracket adjustable)

SpeedClean anti-lime system

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

new



26 652 000

chrome

Rainshower SmartActive 310

Shower system with Safety Mixer for wall mounting

horizontal swivable 450 mm shower arm

exposed Safety Mixer with Aquadimmer function

head shower Rainshower Mono 310 (26 568)

with ball joint

hand shower Rainshower SmartActive 130 Cube (26 582)

adjustable in height with gliding element

including performance grip

Silverflex shower hose 1750 mm (28 388)

GROHE TurboStat compact cartridge

GROHE SafeStop safety button at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch no risk of scalding

GROHE DreamSpray perfect spray pattern

GROHE One-Click Showering spray selection with one click

GROHE StarLight chrome finish

GROHE EcoJoy 9,5 l/min flow limiter

GROHE FastFixation (upper bracket adjustable)

SpeedClean anti-lime system

suitable for instantaneous heaters from 18 kW/h


minimum flow rate 7 l/min.

GROHE RAINSHOWER SMARTACTIVE SYSTEM

Ref. no.

Colour

new



26 657 000

chrome

Rainshower SmartActive 310

Shower system with Bath Safety Mixer for wall mounting

horizontal swivable 450 mm shower arm
exposed Safety Mixer with Aquadimmer function
head shower Rainshower Mono 310 (26 562)
with ball joint

bath inlet

separate diverter for hand shower

hand shower Rainshower SmartActive 130 (26 574)

adjustable in height with gliding element

including performance grip

Silverflex shower hose 1750 mm (28 388)

GROHE TurboStat compact cartridge

GROHE SafeStop safety button at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch no risk of scalding

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE EcoJoy 9,5 l/min flow limiter

GROHE FastFixation upper bracket adjustable


SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

new



27 968 001

chrome

Rainshower SmartActive 310

Shower system with Safety Mixer for wall mounting

horizontal swivable 450 mm shower arm

exposed Safety Mixer with Aquadimmer function

Head shower Rainshower Cosmopolitan 310 (27 478)

material: metal

with ball joint

hand shower Rainshower SmartActive 130 (26 574)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388)

GROHE TurboStat compact cartridge

GROHE SafeStop safety button at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch no risk of scalding

GROHE DreamSpray perfect spray pattern

GROHE One-Click Showering spray selection with one click

GROHE StarLight chrome finish

GROHE EcoJoy 9,5 l/min flow limiter

GROHE FastFixation (upper bracket adjustable)

SpeedClean anti-lime system


suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

GROHE EUPHORIA SMARTCONTROL SYSTEM


Ref. no.

Colour



26 507 000	chrome
26 507 LS0	moon white
26 507 DC0	supersteel
26 507 BE0	polished nickel
26 507 EN0	brushed nickel
26 507 GL0	cool sunrise
26 507 GN0	brushed cool sunrise
26 507 DA0	warm sunset
26 507 DL0	brushed warm sunset
26 507 A00	hard graphite
26 507 AL0	brushed hard graphite

Euphoria SmartControl System 310 Duo
Shower system with Safety Mixer for wall mounting
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl Safety Mixer
head shower Rainshower SmartActive 310
GROHE PureRain and Centered Jet spray
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge
GROHE ProGrip with knurl structure
GROHE EcoJoy for less water and perfect flow
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment
integrated **GROHE EasyReach** shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.




26 508 000	chrome
26 508 LS0	moon white
26 508 DC0	supersteel
26 508 GN0	brushed cool sunrise
26 508 DL0	brushed warm sunset
26 508 A00	hard graphite
26 508 AL0	brushed hard graphite

Euphoria SmartControl System 310 Cube Duo
Shower system with Safety Mixer for wall mounting
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl Safety Mixer
head shower Rainshower SmartActive 310 Cube
GROHE PureRain and Centered Jet spray
hand shower Euphoria Cube (27 699)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
GROHE DreamSpray perfect spray pattern
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge
GROHE ProGrip with knurl structure
GROHE EcoJoy for less water and perfect flow
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment
integrated **GROHE EasyReach** shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

GROHE EUPHORIA SMARTCONTROL SYSTEM

Ref. no.

Colour




26 509 000

chrome

Euphoria SmartControl System 260 Mono Shower system with Safety Mixer for wall mounting

horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl Safety Mixer
head shower Euphoria 260 (26 455)
3 spray patterns: Rain, SmartRain, Jet
with ball joint
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge
GROHE ProGrip with knurl structure
GROHE EcoJoy for less water and perfect flow
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment
integrated **GROHE EasyReach** shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.



26 510 000

chrome

Euphoria SmartControl System 260 Mono Shower system with Bath Safety Mixer for wall mounting


horizontal swivable 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl Bath Safety Mixer
head shower Euphoria 260 (26 455)
3 spray patterns: Rain, SmartRain, Jet
with ball joint
bath inlet
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch no risk of scalding
GROHE TurboStat compact cartridge
GROHE ProGrip with knurl structure
GROHE EcoJoy for less water and perfect flow
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment
integrated **GROHE EasyReach** shower tray
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

GROHE EUPHORIA SYSTEM

Ref. no.

Colour

new



26 723 000

chrome

Euphoria System 310

Shower system with safety mixer for wall mounting

horizontal swivable 450 mm shower arm

exposed Safety Mixer with Aquadimmer function

head shower Rainshower Mono 310 (26 562)

GROHE PureRain

with ball joint

hand shower Euphoria 110 Massage (27 239)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388)

GROHE TurboStat compact cartridge

GROHE SafeStop safety button at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch no risk of scalding

GROHE MetalGrip ergonomically shaped metal handles

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE SprayDimmer (Stepless flow rate reduction)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE FastFixation (upper bracket adjustable)

Inner WaterGuide for a longer life

SpeedClean anti-lime system


Twistfree to prevent hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

optional upgrade: GROHE EasyReach tray (26 362)

new



27 615 002

chrome

Euphoria System 260

Shower system with safety mixer for wall mounting

horizontal swivable 450 mm shower arm

exposed Safety Mixer with Aquadimmer function

head shower Euphoria 260 (26 457)

Rain, SmartRain, Jet

with ball joint

hand shower Euphoria 110 Massage (27 239)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388)

GROHE TurboStat compact cartridge

GROHE SafeStop safety button at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch no risk of scalding

GROHE ProGrip with knurl structure

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE SprayDimmer (Stepless flow rate reduction)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE FastFixation (upper bracket adjustable)

Inner WaterGuide for a longer life

SpeedClean anti-lime system

Twistfree to prevent hose from twisting

suitable for instantaneous heaters from 18 kW/h


minimum flow rate 7 l/min.

optional upgrade: GROHE EasyReach tray (26 362)

GROHE EUPHORIA SYSTEM


Ref. no.

Colour



26 075 000	chrome
26 075 DC0	supersteel
26 075 BE0	polished nickel
26 075 EN0	brushed nickel
26 075 GL0	cool sunrise
26 075 GN0	brushed cool sunrise
26 075 DA0	warm sunset
26 075 DL0	brushed warm sunset
26 075 A00	hard graphite
26 075 AL0	brushed hard graphite

Euphoria System 310
Shower system with safety mixer for wall mounting
horizontal swivable 450 mm shower arm
exposed Safety Mixer with Aquadimmer function
Rainshower Cosmopolitan 310 metal head shower (27 477)
spray pattern: Rain
with ball joint
hand shower Euphoria 110 Massage (27 221 000)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388)
GROHE TurboStat compact cartridge
GROHE SafeStop safety button at 38C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
Inner WaterGuide for a longer life
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)




26 087 000	chrome
Euphoria Cube System 230	
Shower system with safety mixer for wall mounting	
shower arm, projection 400 mm	
exposed Safety Mixer with Aquadimmer function	
Rainshower Allure head shower (27 479 000)	
spray pattern: Rain	
with ball joint	
hand shower Euphoria Cube (27 699)	
adjustable in height with gliding element	
Silverflex shower hose 1750 mm (28 388)	
GROHE EcoJoy for less water and perfect flow	
GROHE TurboStat compact cartridge	
GROHE SafeStop safety button at 38C	
GROHE SafeStop Plus optional temperature limiter at 43°C included	
GROHE DreamSpray perfect spray pattern	
GROHE StarLight chrome finish	
SpeedClean anti-lime system	
Twistfree to prevent hose from twisting	
suitable for instantaneous heaters from 18 kW/h	
minimum flow rate 7 l/min.	

GROHE EUPHORIA SYSTEM

Ref. no.

Colour



23 147 001

chrome

Euphoria Cube System 230

Shower system with single lever mixer for wall mounting

shower arm, projection 400 mm

exposed single-lever shower mixer with diverter

Rainshower Allure 230 metal head shower (27 479)

spray pattern: Rain

with ball joint

hand shower Euphoria Cube Stick (27 698)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388)

GROHE SilkMove 35 mm ceramic cartridge

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish


SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.



27 421 002

chrome

Euphoria System 260

Shower system with diverter for wall mounting

horizontal swivable 450 mm shower arm

change between hand and head shower by diverter

head shower Euphoria 260 (26 457)

3 spray patterns: Rain, SmartRain, Jet

with ball joint

hand shower Euphoria 110 Massage (27 239)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388)

Silverflex shower hose 800 mm

connection to water supply with 1/2"-thread of the 800 mm shower hose to faucet / wall union

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE SprayDimmer (Stepless flow rate reduction)


SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.



27 696 000

chrome

Euphoria Cube System 150

Shower system with diverter for wall mounting

shower arm, projection 400 mm

change between hand and head shower by diverter

head shower Euphoria Cube 152 mm x 152 mm

spray pattern: Rain

with ball joint

hand shower Euphoria Cube Stick (27 698)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388)

Silverflex shower hose 800 mm

connection to water supply with 1/2"-thread of the 800 mm shower hose to faucet / wall union

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Twistfree to prevent hose from twisting

suitable for instantaneous heaters from 18 kW/h


minimum flow rate 7 l/min.

GROHE TEMPESTA SYSTEM

Ref. no.

Colour

new




26 670 000

chrome

Tempesta Cosmopolitan System 250 Shower system with Safety Mixer for wall mounting

horizontal swivable 390 mm shower arm
exposed Safety Mixer with Aquadimmer function
head shower Tempesta 250 (26 666)
spray pattern: Rain
head shower with white rear cover
with ball joint
GROHE EcoJoy 9,5 l/min flow limiter
hand shower Tempesta Cosmopolitan 100 (27 571)
GROHE EcoJoy 5.7 l/min. flow limiter
adjustable in height with gliding element
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE TurboStat compact cartridge
GROHE SafeStop safety button at 38C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

new




26 689 000

chrome

Tempesta Cosmopolitan System 250 Cube Shower system with Safety Mixer for wall mounting

horizontal swivable 390 mm shower arm
exposed Safety Mixer with Aquadimmer function
head shower Tempesta 250 Cube (26 685)
spray pattern: Rain
head shower with white rear cover
with ball joint
GROHE EcoJoy 9,5 l/min flow limiter
hand shower Tempesta Cosmopolitan 100 (27 571)
GROHE EcoJoy 5.7 l/min. flow limiter
adjustable in height with gliding element
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE TurboStat compact cartridge
GROHE SafeStop safety button at 38C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)



27 922 001

chrome



Tempesta Cosmopolitan System 210 Shower system with Safety Mixer for wall mounting

horizontal swivable 390 mm shower arm
exposed Safety Mixer with Aquadimmer function
head shower Tempesta 210 (26 408)
spray pattern: Rain
head shower with white rear cover
with ball joint
hand shower Tempesta Cosmopolitan 100 (27 571)
adjustable in height with gliding element
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE TurboStat compact cartridge
GROHE SafeStop safety button at 38C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE TEMPESTA SYSTEM

Ref. no.

Colour



26 223 001

chrome

Tempesta Cosmopolitan System 210

Shower system with Bath Safety Mixer for wall mounting

horizontal swivable 390 mm shower arm

exposed thermostat Grohtherm 1000 Cosmopolitan with Aquadimmer function

head shower Tempesta 210 (26 408)

spray pattern: Rain

with ball joint

bath inlet

separate diverter for hand shower

hand shower Tempesta Cosmopolitan 100 (27 571)

adjustable in height with gliding element

Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)

GROHE TurboStat compact cartridge

GROHE SafeStop safety button at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life


Twistfree to prevent hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

SHOWERS

new



26 673 000

chrome

Tempesta Cosmopolitan System 250

Shower system with single lever mixer for wall mounting

horizontal swivable 390 mm shower arm

exposed single-lever shower mixer with diverter

head shower Tempesta 250 (26 666)

spray pattern: Rain

head shower with white rear cover

with ball joint

GROHE EcoJoy 9,5 l/min flow limiter

hand shower Tempesta Cosmopolitan 100 (27 571)

GROHE EcoJoy 5.7 l/min. flow limiter

adjustable in height with gliding element

Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)

GROHE SilkMove 46 mm ceramic cartridge

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system


Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

new



26 692 000

chrome

Tempesta Cosmopolitan System 250 Cube

Shower system with single lever mixer for wall mounting

horizontal swivable 390 mm shower arm

exposed single-lever shower mixer with diverter

head shower Tempesta 250 Cube (26 685)

spray pattern: Rain

head shower with white rear cover

with ball joint

GROHE EcoJoy 9,5 l/min flow limiter

hand shower Tempesta Cosmopolitan 100 (27 571)

GROHE EcoJoy 5.7 l/min. flow limiter

adjustable in height with gliding element

Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)

GROHE SilkMove 46 mm ceramic cartridge

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting


suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

GROHE TEMPESTA SYSTEM

Ref. no.

Colour



26 224 001

chrome

Tempesta Cosmopolitan System 210 Shower system with single lever mixer for wall mounting

horizontal swivable 390 mm shower arm
exposed single-lever shower mixer with diverter
head shower Tempesta 210 (26 408)
spray pattern: Rain
with ball joint

hand shower Tempesta Cosmopolitan 100 (27 571)
adjustable in height with gliding element
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)

GROHE SilkMove 46 mm ceramic cartridge

GROHE DreamSpray perfect spray pattern


GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

new



26 675 000

chrome

Tempesta Cosmopolitan System 250 Shower system with diverter for wall mounting

horizontal 390 mm shower arm, adjustable before installation
change by diverter between hand shower,
head shower or head shower Eco setting
head shower Tempesta 250 (26 666)
2 spray patterns (via diverter): Rain, SmartRain
head shower with white rear cover
with ball joint

GROHE EcoJoy 9,5 l/min flow limiter

hand shower Tempesta Cosmopolitan 100 (27 575)

GROHE EcoJoy 9,5 l/min flow limiter

adjustable in height with gliding element

distance between diverter and upper bracket: 920 mm

Relexaflex shower hose 1500 mm 1/2" x 1/2"

Relexaflex shower hose 500 mm 1/2" x 1/2"

flexible installation: connection to faucet / wall union for
water supply with 1/2" thread of the 500 mm shower hose

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life


Twistfree to prevent hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

GROHE TEMPESTA SYSTEM

Ref. no.

Colour

new



26 694 000

chrome

Tempesta Cosmopolitan System 250 Cube

Shower system with diverter for wall mounting

horizontal 390 mm shower arm, adjustable before installation

change by diverter between hand shower,

head shower or head shower Eco setting

head shower Tempesta 250 Cube (26 685)

2 spray patterns (via diverter): Rain, SmartRain

head shower with white rear cover

with ball joint

GROHE EcoJoy 9,5 l/min flow limiter

hand shower Tempesta Cosmopolitan 100 (27 575)

GROHE EcoJoy 9,5 l/min flow limiter

adjustable in height with gliding element

distance between diverter and upper bracket: 920 mm

Relexaflex shower hose 1500 mm 1/2" x 1/2"

Relexaflex shower hose 500 mm 1/2" x 1/2"

flexible installation: connection to faucet / wall union for

water supply with 1/2" thread of the 500 mm shower hose

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system


Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

SHOWERS



26 381 001

chrome

Tempesta System 210

Shower system with diverter for wall mounting

horizontal 390 mm shower arm, adjustable before installation

change by diverter between hand shower,

head shower or head shower Eco setting

head shower Tempesta 210 (26 408)

2 spray patterns (via diverter): Rain, SmartRain

with ball joint, hand shower Tempesta 100 (27 852)

adjustable in height with gliding element

distance between diverter and upper bracket: 620 mm

shower hose Relexaflex 1500 mm (28 151)

shower hose Relexaflex 1250 mm (28 150)

flexible installation: connection to faucet / wall union for water

supply with 1/2" thread of the 1250 mm shower hose

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system


Inner WaterGuide for a longer life

minimum flow rate 7 l/min.

GROHE TEMPESTA SYSTEM

Ref. no.

Colour



26 453 001

chrome

Tempesta Cosmopolitan System 200

Shower system with diverter for wall mounting

horizontal 390 mm shower arm, adjustable before installation

change by diverter between hand shower,

head shower or head shower Eco setting

head shower Tempesta Cosmopolitan 200 (27 541)

2 spray patterns (via diverter): Rain, SmartRain

with ball joint

hand shower Tempesta Cosmopolitan 100 (27 573)

adjustable in height with gliding element

distance between diverter and upper bracket: 920 mm

shower hose Relexaflex 1500 mm (28 151)

shower hose Relexaflex 500 mm

flexible installation: connection to faucet / wall union for

water supply with 1/2" thread of the 500 mm shower hose


minimum flow rate 7 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life



27 394 002

chrome

Tempesta Cosmopolitan System 200

Shower system with diverter for wall mounting

horizontal 390 mm shower arm, adjustable before installation

change by diverter between hand shower,

head shower or head shower Eco setting

head shower Tempesta Cosmopolitan 200 (27 541)

2 spray patterns (via diverter): Rain, SmartRain

with ball joint

hand shower Tempesta Cosmopolitan 100 (27 573)

adjustable in height with gliding element

distance between diverter and upper bracket: 620 mm

shower hose Relexaflex 1500 mm (28 151)

shower hose Relexaflex 1250 mm (28 150)

flexible installation: connection to faucet / wall union for water

supply with 1/2" thread of the 1250 mm shower hose


minimum flow rate 7 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life



26 452 001

chrome

Tempesta System 200

Shower system with diverter for wall mounting

horizontal 390 mm shower arm, adjustable before installation

change by diverter between hand shower,

head shower or head shower Eco setting

head shower Tempesta Cosmopolitan 200 (27 541)

2 spray patterns (via diverter): Rain, SmartRain

with ball joint

hand shower Tempesta 100 (28 578)

adjustable in height with gliding element

distance between diverter and upper bracket: 920 mm

shower hose Relexaflex 1500 mm (28 151)

shower hose Relexaflex 500 mm

flexible installation: connection to faucet / wall union for

water supply with 1/2" thread of the 500 mm shower hose

minimum flow rate 7 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish


SpeedClean anti-lime system

Inner WaterGuide for a longer life

GROHE TEMPESTA SYSTEM

Ref. no.


Colour



27 389 002

chrome

Tempesta System 200
Shower system with diverter for wall mounting
horizontal 390 mm shower arm, adjustable before installation
change by diverter between hand shower,
head shower or head shower Eco setting
head shower Tempesta Cosmopolitan 200 (27 541)
2 spray patterns (via diverter): Rain, SmartRain
with ball joint
hand shower Tempesta 100 (28 578)
adjustable in height with gliding element
distance between diverter and upper bracket: 620 mm
shower hose Relexaflex 1500 mm (28 151)
shower hose Relexaflex 1250 mm (28 150)
flexible installation: connection to faucet / wall union for water
supply with 1/2" thread of the 1250 mm shower hose
minimum flow rate 7 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life








27 399 002

chrome

Tempesta Rustic System 200
Shower system with diverter for wall mounting
horizontal 390 mm shower arm, adjustable before installation
change by diverter between hand shower,
head shower or head shower Eco setting
head shower Tempesta Cosmopolitan 200 (27 541)
2 spray patterns (via diverter): Rain, SmartRain
with ball joint
hand shower Tempesta Rustic 100 (26 085)
adjustable in height with gliding element
distance between diverter and upper bracket: 620 mm
shower hose Relexaflex 1500 mm (28 151)
shower hose Relexaflex 1250 mm (28 150)
flexible installation: connection to faucet / wall union for water
supply with 1/2" thread of the 1250 mm shower hose
minimum flow rate 7 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life


GROHE SHOWER SYSTEM ACCESSORIES

		Ref. no.	Colour
		48 350 000	chrome
		Rainshower SmartControl Shower system pipe for retrofitting metal shower pipe for retrofitting 15 cm longer than original shower system pipe suitable for all Rainshower SmartControl shower systems GROHE StarLight chrome finish Note: longer pipe cannot be installed afterwards or rather a mounted system cannot be modified to a longer pipe	
		48 497 000	chrome
		Shower system pipe for retrofitting material: metal 15 cm longer than original shower system pipe suitable for Euphoria SmartControl shower systems 26 507 and 26 508 GROHE StarLight chrome finish not suitable for all other shower systems	
		48 499 000	chrome
		Shower system pipe for retrofitting material: metal shower pipe for retrofitting 15 cm longer than original shower system pipe suitable for Euphoria SmartControl shower systems 26 509 GROHE StarLight chrome finish not suitable for all other shower systems	
		48 053 000	chrome
		Shower system pipe for retrofitting for shower systems with metal or plastic inner water guide shower pipe for retrofitting 15 cm longer than original shower system pipe for bath/shower systems: 30 cm shorter than original pipe suitable for all Rainshower and Euphoria shower systems not suitable for shower systems with side sprays not suitable for Flex shower systems with diverter GROHE StarLight chrome finish	
		26 362 LN0	white
		GROHE EasyReach tray for Euphoria and Tempesta shower systems with thermostat centre distance 150 mm	

GROHE HEAD SHOWERS

Ref. no.

Colour



26 254 000

chrome

Rainshower Duo 360

Head shower set 450 mm, 2 sprays

head shower Rainshower Duo 360, spray plate chrome

2 spray patterns: GROHE PureRain and Trio Massage

horizontal 450 mm shower arm


GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

requires rough-in set 26 264 001 – to be ordered separately



26 264 001

Rainshower 360


Rough-in box for head shower set

inlets and outlets 1/2"

fixing points for back wall

leakproof housing

removable protection cover with installation information



26 475 000

26 475 DC0

26 475 BE0

26 475 EN0

26 475 GL0

26 475 GN0

26 475 DA0

26 475 DL0

26 475 A00

26 475 AL0

chrome

supersteel

polished nickel

brushed nickel

cool sunrise

brushed cool sunrise

warm sunset

brushed warm sunset

hard graphite

brushed hard graphite

Rainshower SmartActive 310

Head shower set 430 mm, 2 sprays

head shower Rainshower SmartActive 310

2 spray patterns: GROHE PureRain, ActiveRain

horizontal 430 mm shower arm


GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately



26 475 LS0

moon white

Rainshower SmartActive 310

Head shower set 430 mm, 2 sprays

head shower Rainshower SmartActive 310, spray plate moon white

2 spray patterns: GROHE PureRain, ActiveRain

horizontal 430 mm shower arm

GROHE DreamSpray perfect spray pattern

GROHE StarLight finish

SpeedClean anti-lime system


Inner WaterGuide for a longer life

requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately

GROHE HEAD SHOWERS

Ref. no.

Colour



26 477 000	chrome
26 477 DC0	supersteel
26 477 BE0	polished nickel
26 477 EN0	brushed nickel
26 477 GL0	cool sunrise
26 477 GN0	brushed cool sunrise
26 477 DA0	warm sunset
26 477 DL0	brushed warm sunset
26 477 A00	hard graphite
26 477 AL0	brushed hard graphite

Rainshower SmartActive 310

Head shower set ceiling 142 mm, 2 sprays

head shower Rainshower SmartActive 310

2 spray patterns: GROHE PureRain, ActiveRain

142 mm ceiling shower arm


GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately



26 477 LS0

moon white

Rainshower SmartActive 310

Head shower set ceiling 142 mm, 2 sprays

head shower Rainshower SmartActive 310, spray plate moon white

2 spray patterns: GROHE PureRain, ActiveRain

142 mm ceiling shower arm


GROHE DreamSpray perfect spray pattern

GROHE StarLight finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately



26 479 000

chrome

26 479 DC0

supersteel

26 479 GN0

brushed cool sunrise

26 479 DL0

brushed warm sunset

26 479 A00

hard graphite

26 479 AL0

brushed hard graphite

Rainshower SmartActive 310 Cube

Head shower set 430 mm, 2 sprays

head shower Rainshower SmartActive 310 Cube

2 spray patterns: GROHE PureRain, ActiveRain

horizontal 430 mm shower arm


GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately



26 479 LS0

moon white

Rainshower SmartActive 310 Cube

Head shower set 430 mm, 2 sprays

head shower Rainshower SmartActive 310 Cube, spray plate moon white

2 spray patterns: GROHE PureRain, ActiveRain

horizontal 430 mm shower arm

GROHE DreamSpray perfect spray pattern

GROHE StarLight finish

SpeedClean anti-lime system


Inner WaterGuide for a longer life

requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately

GROHE HEAD SHOWERS


Ref. no.

Colour




26 481 000 **chrome**
26 481 DC0 **supersteel**
26 481 GN0 **brushed cool sunrise**
26 481 DL0 **brushed warm sunset**
26 481 A00 **hard graphite**
26 481 AL0 **brushed hard graphite**

Rainshower SmartActive 310 Cube
Head shower set ceiling 142 mm, 2 sprays
head shower Rainshower SmartActive 310 Cube
2 spray patterns: GROHE PureRain, ActiveRain
142 mm ceiling shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately




26 481 LS0 **moon white**

Rainshower SmartActive 310 Cube
Head shower set ceiling 142 mm, 2 sprays
head shower Rainshower SmartActive 310 Cube, spray plate moon white
2 spray patterns: GROHE PureRain, ActiveRain
142 mm ceiling shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately




26 484 000
Rainshower
Universal rough-in box, 1/2"
for head shower set
26 475 / 26 477 / 26 479 / 26 481
2 inlets, 1/2"
installation depth 75-105 mm
connection unit in DR brass
stable build-in box and protective cover
leakproof housing
GROHE EcoJoy 9.5 l/min flow limiter per each water way

26 483 000
ditto, with non-restricted flow



26 558 000 **chrome**
Rainshower Mono 310
Head shower set 422 mm, 1 spray
head shower Rainshower 310, spray plate chrome (26 562)
1 spray pattern: GROHE PureRain
shower arm Rainshower 422 mm (26 146)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life

26 557 000 **chrome**
ditto, with non-restricted flow




26 560 000 **chrome**
Rainshower Mono 310
Head shower set ceiling 142 mm, 1 spray
head shower Rainshower 310, spray plate chrome (26 562)
1 spray pattern: GROHE PureRain
Rainshower shower arm ceiling 142 mm (28 724)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life

26 559 000 **chrome**
ditto, with non-restricted flow

GROHE HEAD SHOWERS

Ref. no.


Colour



- 26 564 000 chrome
- 26 564 DC0 supersteel
- 26 564 GN0 brushed cool sunrise
- 26 564 DL0 brushed warm sunset
- 26 564 A00 hard graphite
- 26 564 AL0 brushed hard graphite

Rainshower Mono 310 Cube
Head shower set 422 mm, 1 spray
 head shower Rainshower 310
 1 spray pattern: GROHE PureRain
 Rainshower shower arm 422 mm (26 145)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life


- 26 563 000 chrome
- ditto, with non-restricted flow



- 26 566 000 chrome
- 26 566 DC0 supersteel
- 26 566 GN0 brushed cool sunrise
- 26 566 DL0 brushed warm sunset
- 26 566 A00 hard graphite
- 26 566 AL0 brushed hard graphite

Rainshower Mono 310 Cube
Head shower set ceiling 142 mm, 1 spray
 head shower Rainshower 310
 1 spray pattern: GROHE PureRain
 Rainshower shower arm ceiling 142 mm (27 485)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life

- 26 565 000 chrome
- ditto, with non-restricted flow



- 26 066 000 chrome
- 26 066 DC0 supersteel
- 26 066 BE0 polished nickel
- 26 066 EN0 brushed nickel
- 26 066 GL0 cool sunrise
- 26 066 GN0 brushed cool sunrise
- 26 066 DA0 warm sunset
- 26 066 DL0 brushed warm sunset
- 26 066 A00 hard graphite
- 26 066 AL0 brushed hard graphite







Rainshower Cosmopolitan 310
Head shower set 380 mm, 1 spray
 Head shower Rainshower Cosmopolitan 310 (27 478)
 material: metal
 1 spray pattern: Rain
 Shower arm Rainshower 380 mm (28 361)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system

- 26 056 000 chrome
- ditto, with non-restricted flow

GROHE HEAD SHOWERS

Ref. no.




Colour

 	26 067 000 26 067 DC0 26 067 BE0 26 067 EN0 26 067 GL0 26 067 GN0 26 067 DA0 26 067 DL0 26 067 A00 26 067 AL0 chrome supersteel polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite Rainshower Cosmopolitan 310 Head shower set ceiling 142 mm, 1 spray Head shower Rainshower Cosmopolitan 310 (27 478) material: metal 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system
 	26 070 000 chrome Rainshower F-Series 10" 254 x 254 Head shower set 275 mm, 1 spray head shower Rainshower F-Series 254 (27 285) material: metal Rain shower arm Rainshower 275 mm (27 488) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system
 	26 071 000 chrome Rainshower F-Series 10" Head shower set ceiling 142 mm, 1 spray head shower Rainshower F-Series 254 (27 285) material: metal Rain Rainshower shower arm ceiling 142 mm (27 485) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system
 	26 064 000 chrome Rainshower Allure 230 Head shower set 286 mm, 1 spray head shower Rainshower Allure 230 (27 480) material: metal 1 spray pattern: Rain shower arm Rainshower 286 mm (27 709) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system 26 054 000 chrome ditto, with non-restricted flow
 	26 065 000 chrome Rainshower Allure 230 Head shower set ceiling 154 mm, 1 spray head shower Rainshower Allure 230 (27 480) material: metal 1 spray pattern: Rain shower arm Rainshower ceiling 154 mm (27 711) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system

GROHE HEAD SHOWERS

Ref. no.


Colour

	26 459 000 chrome Euphoria 260 Head shower set 380 mm, 3 sprays head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet Shower arm Rainshower 380 mm (28 361) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life
	26 461 000 chrome Euphoria 260 Head shower set ceiling 142 mm, 3 sprays head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet Rainshower shower arm ceiling 142 mm (28 724) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life
new 	26 687 000 chrome Tempesta 250 Cube Head shower set 380 mm, 1 spray head shower Tempesta 250 Cube (26 685) 1 spray pattern: Rain head shower with white rear cover shower arm 380 mm GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life
new 	26 688 000 chrome Tempesta 250 Cube Head shower set ceiling 142 mm, 1 spray head shower Tempesta 250 Cube (26 685) 1 spray pattern: Rain head shower with white rear cover shower arm ceiling 142 mm (27 485) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life
	26 412 000 chrome Tempesta 210 Head shower set 286 mm, 1 spray head shower Tempesta 210 9.5 l/min (26 410) 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life

GROHE HEAD SHOWERS

Ref. no.


Colour



26 414 000

chrome


Tempesta 210
Head shower set ceiling 142 mm, 1 spray
 head shower Tempesta 210 9.5 l/min (26 410)
 1 spray pattern: Rain
 Rainshower shower arm ceiling 142 mm (28 724)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life



27 870 001

chrome

Tempesta 100
Head shower set 4 sprays
 GROHE Rain O², Rain, Massage, Jet
 ball joint ± 15° rotatable
 shower arm with connection thread 1/2"
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life



27 869 001


chrome

Tempesta Cosmopolitan 100
Head shower 4 sprays
 GROHE Rain O², Rain, Massage, Jet
 ball joint ± 15° rotatable
 shower arm with connection thread 1/2"
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life

GROHE HEAD SHOWERS

Ref. no.

Colour



26 373 001

chrome

Rainshower F-Series 40" AquaSymphony

Ceiling shower 6+ sprays with light

1016 mm x 762 mm x 145 mm

material: metal

min. flow rate 25 l/min, min. recommended pressure 3.0 bar

1 x AquaCurtain

1 x Pure XL spray

1 x 2 mist spray

2 x GROHE PureRain spray 400 x 190 mm

2 x XL Waterfall (separately controlled)

1 x 4 Bokoma Spray with adjustment angle 20

full spectrum LED: soft light with changing rainbow colours

individually adjustable: permanent lighting with colour selection

power supply for light 12 V DC

SpeedClean anti-lime system


GROHE DreamSpray perfect spray pattern

GROHE StarLight finish

requires rough-in set (26 376), F-digital Deluxe base unit box (26 374), Bluetooth unit (36 371) and various cable connections – all to be ordered separately due to individualised installation

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Performance of the drainage must be of sufficient size (> 100 l/min).

Product contains built-in LED lamps, which cannot be changed: energy efficiency class: A++



26 376 001

chrome

Rainshower F-Series 40"

Roughing-in set


for use with Rainshower F-Series 40" AquaSymphony ceiling shower

1000 mm x 745 mm x 152 mm

min. installation depth: 167 mm

1/2" connections

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Performance of the drainage must be of sufficient size (> 100 l/min).



27 865 000

chrome

Rainshower F-Series 20"

Ceiling shower with light, 1 spray

Rain

508 x 508 x 59 mm

material: metal

full spectrum LED: soft light with changing rainbow colours

individually adjustable: permanent lighting with colour selection

power supply for light 12 V DC


GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

requires rough-in set (29 069), F-digital Deluxe base unit box (36 397), Bluetooth unit (36 371) and various cable connections – all to be ordered separately due to individualised installation situation.

Product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+



27 286 000

chrome

Rainshower F-Series 20"

Ceiling shower 1 spray

Rain

508 x 508 mm

material: metal

connection thread 1/2"

GROHE DreamSpray perfect spray pattern


GROHE StarLight chrome finish

SpeedClean anti-lime system

GROHE HEAD SHOWERS

Ref. no.

Colour




27 251 000
27 251 DC0
27 251 BE0
27 251 EN0
27 251 GL0
27 251 GN0
27 251 DA0
27 251 DL0
27 251 A00
27 251 AL0

chrome
supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite

Rainshower F-Series 5"

Side shower 1 spray

Normal spray
including concealed body
127 x 127 mm
flow straightener with ball joint ($\pm 12.5^\circ$ rotatable)
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FlowBalance flow regulating screw
SpeedClean anti-lime system




27 253 000

chrome

Rainshower F-Series 5"

Head shower 1 spray

Normal spray
wall mounted
127 x 127 mm
flow straightener with ball joint ($\pm 12.5^\circ$ rotatable)
connection thread with pre-assembled sealing
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FlowBalance flow regulating screw
SpeedClean anti-lime system



26 562 000


26 562 LS0

chrome
moon white

Rainshower Mono 310

Head shower 1 spray

GROHE PureRain
spray plate chrome
ball joint with turning angle $\pm 10^\circ$
connection thread 1/2"
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life



26 561 000

26 561 LS0






chrome
moon white

Rainshower Mono 310

Head shower 1 spray

GROHE PureRain
spray plate chrome
ball joint with turning angle $\pm 10^\circ$
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life


GROHE HEAD SHOWERS

	Ref. no.	Colour
 	26 568 000 26 568 LS0	chrome moon white
	Rainshower Mono 310 Cube Head shower 1 spray GROHE PureRain spray plate chrome ball joint with turning angle ± 10° connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life	
 	26 567 000 26 567 LS0	chrome moon white
	Rainshower Mono 310 Cube Head shower 1 spray GROHE PureRain spray plate chrome ball joint with turning angle ± 10° connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life	
 	27 470 000	chrome
	Rainshower Veris 300 Head shower 1 spray Rain 300 x 150 mm material: metal ball joint with turning angle ± 15° connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system	
 	27 470 LS0	moon white/chrome
	Rainshower Veris 300 Head shower 1 spray Rain spray plate white 300 x 150 mm material: metal ball joint with turning angle ± 15° connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system	
 	27 863 000	chrome
	Rainshower Allure 230 Ceiling shower 1 spray Rain 230 x 230 mm material: metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system	

GROHE HEAD SHOWERS

Ref. no.

Colour



27 480 000

chrome


Rainshower Allure 230
Head shower 1 spray

Rain
230 x 230 mm
material: metal
ball joint with turning angle $\pm 15^\circ$
connection thread 1/2"
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system

27 479 000

chrome

ditto, with non-restricted flow




28 778 000

chrome

Rainshower Cosmopolitan 400
Head shower 1 spray

normal spray
Ø 400 mm
material: metal
ball joint with turning angle $20^\circ \pm 20^\circ$
connection thread 1/2"
GROHE DreamSpray perfect flow
GROHE StarLight chrome finish
SpeedClean anti-lime system
this head shower should only be used in conjunction
with shower arm 26 146, 28 982 or 28 497



27 478 000

chrome


Rainshower Cosmopolitan 310
Head shower 1 spray

Rain
Ø 310 mm
material: metal
ball joint with turning angle $20^\circ \pm 20^\circ$
connection thread 1/2"
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system

27 477 000

chrome

ditto, with non-restricted flow



28 368 000

chrome


Rainshower Cosmopolitan 210
Head shower 1 spray

Rain
Ø 210 mm
material: metal
with ball joint rotation angle $\pm 15^\circ$
connection thread 1/2"
GROHE DreamSpray perfect flow
GROHE StarLight chrome finish
SpeedClean anti-lime system

28 373 000

chrome

ditto, with 9.5 l/min flow limiter



28 368 LS0

moon white/chrome

Rainshower Cosmopolitan 210
Head shower 1 spray


Rain
spray plate white
Ø 210 mm
material: metal
with ball joint rotation angle $\pm 15^\circ$
connection thread 1/2"
GROHE DreamSpray perfect flow
GROHE StarLight chrome finish
SpeedClean anti-lime system

GROHE HEAD SHOWERS

Ref. no.

Colour

SHOWERS




27 974 000
27 974 IG0

chrome
chrome/gold

Grandera 210
Head shower 1 spray

Rain
221 x 221 mm
material: metal
with ball joint rotation angle $\pm 15^\circ$
connection thread 1/2"

GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system




28 308 000

chrome

Sena 75
Head shower 1 spray

Normal spray
material: metal
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system




27 530 000

chrome

Relaxa Deluxe 130
Head shower 4 sprays

Normal, Rain, Champagne spray,
Champagne spray Deluxe
ball joint $\pm 15^\circ$ rotatable
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
Inner WaterGuide for a longer life




27 062 000

chrome

Relaxa 100 Five
Head shower 5 sprays

Normal, Jet, Rain, Massage, Champagne spray
ball-joint
installation dependent angle of inclination
connection thread with pre-assembled sealing
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
minimum flow rate 7.5 l/min.



27 067 000

chrome


Relaxa 65
Side shower 2 sprays

Wide Spray / Massage
ball-joint
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
minimum flow rate 4 l/min.

GROHE HEAD SHOWERS

Ref. no.

Colour



26 457 000

chrome

Euphoria 260

Head shower 3 sprays

Rain, SmartRain, Jet

Ø 260 mm

ball joint ± 15° rotatable

connection thread 1/2"

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish


SpeedClean anti-lime system

Inner WaterGuide for a longer life

26 455 000

chrome

ditto, with non-restricted flow



27 492 000

chrome

Euphoria Cosmopolitan 180

Head shower 1 spray

Rain

Ø 180 mm

ball joint ± 15° rotatable


connection thread 1/2"

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system



27 705 000

chrome

Euphoria Cube 150

Head shower 1 spray

Rain

152 x 152 mm

ball-joint, rotation angle ± 12°

connection thread 1/2"

GROHE EcoJoy 9,5 l/min flow limiter


GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

new



26 662 000

chrome

Tempesta 250

Head shower 1 spray

Rain

Ø 250 mm

fully chrome plated surfaces

ball joint with turning angle ± 10°

connection thread 1/2"

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system


Inner WaterGuide for a longer life

26 666 000

chrome

ditto, but with white rear cover

new



26 681 000

chrome

Tempesta 250 Cube

Head shower 1 spray

Rain

250 mm x 250 mm

fully chrome plated surfaces

ball joint with turning angle ± 10°

connection thread 1/2"

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

26 685 000

chrome


ditto, but with white rear cover

GROHE HEAD SHOWERS

Ref. no.

Colour

SHOWERS



26 410 000

chrome

Tempesta 210

Head shower 1 spray

Rain

Ø 210 mm

ball joint ± 15° rotatable

connection thread 1/2"

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish


SpeedClean anti-lime system

Inner WaterGuide for a longer life

26 408 000

chrome

ditto, with non-restricted flow



27 541 001

chrome


Tempesta Cosmopolitan 200

Head shower 1 spray

spray pattern: Rain

ball joint +/- 20° rotatable

connection thread 1/2"



28 094 000

chrome

Relexa Plus 50


Head shower 1 spray

with ball joint

1/2" connection

GROHE StarLight chrome finish

adjustable flow rate



28 002 000

chrome

Relexa 70

Sports head shower 1 spray

heavy, casted model

theft proof

connection thread 1/2"

projection 57 mm

flow limiter 9 l/min. and 12 l/min.


GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

pipe union plug-in for wall connection



28 948 000

chrome

Relexa Plus 60

Sports head shower 1 spray

heavy, casted model

theft proof

connection thread 1/2"

projection 148 mm


GROHE StarLight chrome finish

SpeedClean anti-lime system

GROHE HEAD SHOWERS

Ref. no.

Colour



28 198 000

chrome

Relaxa 50

Side shower 1 spray

Normal spray

ball-joint







GROHE StarLight chrome finish

SpeedClean anti-lime system





pre-adjustable flow rate from 5-11 l/min.


minimum flow rate 4.5 l/min.

GROHE HEAD SHOWERS

	Ref. no.	Colour
 	26 146 000 Rainshower Shower arm 422 mm material: metal connection thread 1/2" with round escutcheon, suitable for all Rainshower head showers GROHE StarLight chrome finish	chrome
 	28 982 000 Rainshower Shower arm 378 mm material: metal connection thread 1/2" GROHE StarLight chrome finish suitable for all Rainshower head showers	chrome
 	28 361 000 Rainshower Shower arm, 380 mm material: metal connection thread 1/2" suitable for all Rainshower head showers except Rainshower 400 mm GROHE StarLight chrome finish	chrome
	28 576 000 ditto, projection 286 mm	chrome
 	26 145 000 Rainshower Shower arm 422 mm material: metal connection thread 1/2" with square escutcheon suitable for all Rainshower head showers GROHE StarLight chrome finish	chrome
 	27 488 000 Rainshower Shower arm 275 mm material: metal connection thread 1/2" with square escutcheon suitable for all Rainshower head showers except Rainshower 400 mm GROHE StarLight chrome finish	chrome
 	27 709 000 Rainshower Shower arm 286 mm material: metal connection thread 1/2" with square escutcheon and rectangular arm suitable for square Rainshower Allure and Euphoria Cube head shower GROHE StarLight chrome finish	chrome

GROHE HEAD SHOWERS


	Ref. no.	Colour
 	28 497 000 Rainshower Shower arm ceiling 292 mm material: metal connection thread 1/2" suitable for all Rainshower head showers GROHE StarLight chrome finish	chrome
	28 724 000 ditto, length 142 mm	chrome
 	27 484 000 Rainshower Shower arm ceiling 292 mm material: metal connection thread 1/2" with square escutcheon suitable for all Rainshower head showers GROHE StarLight chrome finish	chrome
	27 485 000 ditto, length 142 mm	chrome
 	27 711 000 Rainshower Shower arm ceiling 154 mm material: metal connection thread 1/2" GROHE StarLight chrome finish	chrome
 	27 986 000 27 986 IG0 Rainshower Grandera Shower arm 285 mm projection 282 mm material: metal connection thread 1/2" GROHE StarLight chrome finish	chrome chrome/gold
 	27 978 000 Rainshower Grandera Shower arm ceiling 142 mm material: metal length 142 mm connection thread 1/2" GROHE StarLight chrome finish	chrome



28 341 000

chrome

Sena Stick
Hand shower 1 spray
Normal spray
material: metal
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses




26 465 000

chrome

26 465 DC0
26 465 BE0
26 465 EN0
26 465 GL0
26 465 GN0
26 465 DA0
26 465 DL0
26 465 A00
26 465 AL0
Sena Stick
Hand shower 1 spray
Normal spray
material: metal
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses


supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite



28 348 000

chrome

Sena
Wall holder set 1 spray
material: metal
hand shower Sena (28 034)
wall shower holder (28 690)
shower hose (28 151)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life



28 690 000

chrome


Sena
Wall hand shower holder
not adjustable
material: metal
GROHE StarLight chrome finish

GROHE RAINSHOWER SMARTACTIVE

Ref. no.

Colour

new



26 574 000
26 574 DC0
26 574 BE0
26 574 EN0
26 574 GL0
26 574 GN0
26 574 DA0
26 574 DL0
26 574 A00
26 574 AL0

chrome
supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite

Rainshower SmartActive 130

Hand shower 3 sprays

spray plate chrome

GROHE Rain including DripStop, Jet including DripStop, ActiveMassage

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE SmartTip showering spray selection via push of a ring

GROHE RainStart - hand shower starts always with Rain spray pattern


GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

universal mounting system, fitting all standard shower hoses

new



26 574 LS0

moon white

Rainshower SmartActive 130

Hand shower 3 sprays

spray plate moon white

GROHE Rain including DripStop, Jet including DripStop, ActiveMassage

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE SmartTip showering spray selection via push of a ring

GROHE RainStart - hand shower starts always with Rain spray pattern


GROHE StarLight finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

universal mounting system, fitting all standard shower hoses

new



26 575 000

chrome

Rainshower SmartActive 130

Shower rail set 3 sprays

hand shower Rainshower SmartActive 130 (26 574)

shower rail 600 mm

wall holders made of metal

Silverflex shower hose 1750 mm (28 388)

GROHE EasyReach tray

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE FastFixation Plus adjustable distance between

brackets for fixing to existing drilling holes


GROHE TileFix adjustable depth on upper and lower bracket

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

new



26 577 LS0

moon white

Rainshower SmartActive 130

Shower rail set 3 sprays

hand shower Rainshower SmartActive 130 (26 574)

shower rail 600 mm

wall holders made of metal

Silverflex shower hose 1750 mm (28 388)

GROHE EasyReach tray

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE FastFixation Plus adjustable distance between

brackets for fixing to existing drilling holes

GROHE TileFix adjustable depth on upper and lower bracket

SpeedClean anti-lime system





Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

GROHE RAINSHOWER SMARTACTIVE

Ref. no.





Colour

new			26 548 000 chrome Rainshower SmartActive 130 Shower rail set 3 sprays hand shower Rainshower SmartActive 130 (26 574) shower rail 900 mm wall holders made of metal Silverflex shower hose 1750 mm (28 388) GROHE EasyReach tray GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE FastFixation Plus adjustable distance between brackets for fixing to existing drilling holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting
new			26 579 LS0 moon white Rainshower SmartActive 130 Shower rail set 3 sprays hand shower Rainshower SmartActive 130 (26 574) shower rail 900 mm wall holders made of metal Silverflex shower hose 1750 mm (28 388) GROHE EasyReach tray GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight finish GROHE FastFixation Plus adjustable distance between brackets for fixing to existing drilling holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting
new			26 581 000 chrome Rainshower SmartActive 130 Wall holder set 3 sprays hand shower Rainshower SmartActive 130 (26 574) wall shower holder (27 056) Silverflex shower hose 1500 mm 1/2" x 1/2" (28 364) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting
new			26 581 LS0 moon white Rainshower SmartActive 130 Wall holder set 3 sprays hand shower Rainshower SmartActive 130 (26 574) wall shower holder (27 056) Silverflex shower hose 1500 mm 1/2" x 1/2" (28 364) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting

GROHE RAINSHOWER SMARTACTIVE

Ref. no.

Colour

new	 	26 580 000 chrome Rainshower SmartActive 130 Wall holder set 3 sprays hand shower Rainshower SmartActive 130 (26 574) wall shower holder, adjustable (27 055) Silverflex shower hose 1500 mm 1/2" x 1/2" (28 364) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting
new	 	26 580 LS0 moon white Rainshower SmartActive 130 Wall holder set 3 sprays hand shower Rainshower SmartActive 130 (26 574) wall shower holder, adjustable (27 055) Silverflex shower hose 1500 mm 1/2" x 1/2" (28 364) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting
new	 	26 582 000 26 582 DC0 26 582 GN0 26 582 DL0 26 582 A00 26 582 AL0 chrome supersteel brushed cool sunrise brushed warm sunset hard graphite brushed hard graphite Rainshower SmartActive 130 Cube Hand shower 3 sprays spray plate chrome GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE RainStart - hand shower starts always with Rain spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses
new	 	26 582 LS0 moon white Rainshower SmartActive 130 Cube Hand shower 3 sprays spray plate moon white GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE RainStart - hand shower starts always with Rain spray pattern GROHE StarLight finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses


GROHE RAINSHOWER SMARTACTIVE

Ref. no.

Colour

SHOWERS

new



26 584 000

chrome

Rainshower SmartActive 130 Cube Shower rail set 3 sprays

hand shower Rainshower SmartActive 130 Cube (26 582)

shower rail 600 mm

wall holders made of metal

Silverflex shower hose 1750 mm (28 388)

GROHE EasyReach tray

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE FastFixation Plus adjustable distance between brackets for fixing to existing drilling holes


GROHE TileFix adjustable depth on upper and lower bracket

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

new



26 584 LS0

moon white

Rainshower SmartActive 130 Cube Shower rail set 3 sprays

hand shower Rainshower SmartActive 130 Cube (26 582)

shower rail 600 mm

wall holders made of metal

Silverflex shower hose 1750 mm (28 388)

GROHE EasyReach tray

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE FastFixation Plus adjustable distance between brackets for fixing to existing drilling holes


GROHE TileFix adjustable depth on upper and lower bracket

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

new



26 587 000

chrome

Rainshower SmartActive 130 Cube Shower rail set 3 sprays

hand shower Rainshower SmartActive 130 Cube (26 582)

shower rail 900 mm

wall holders made of metal

Silverflex shower hose 1750 mm (28 388)

GROHE EasyReach tray

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE FastFixation Plus adjustable distance between brackets for fixing to existing drilling holes


GROHE TileFix adjustable depth on upper and lower bracket

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

new



26 587 LS0

moon white

Rainshower SmartActive 130 Cube Shower rail set 3 sprays

hand shower Rainshower SmartActive 130 Cube (26 582)

shower rail 900 mm

wall holders made of metal

Silverflex shower hose 1750 mm (28 388)

GROHE EasyReach tray

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight finish

GROHE FastFixation Plus adjustable distance between brackets for fixing to existing drilling holes

GROHE TileFix adjustable depth on upper and lower bracket

SpeedClean anti-lime system

Inner WaterGuide for a longer life


Twistfree to prevent hose from twisting

GROHE RAINSHOWER SMARTACTIVE

Ref. no.

Colour

new



26 589 000

chrome

Rainshower SmartActive 130 Cube Wall holder set 3 sprays

hand shower Rainshower SmartActive 130 Cube (26 582)

hand shower wall holder (27 055)

Silverflex shower hose 1500 mm 1/2" x 1/2" (28 364)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern


GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

new



26 589 LS0

moon white

Rainshower SmartActive 130 Cube Wall holder set 3 sprays

hand shower Rainshower SmartActive 130 Cube (26 582)

hand shower wall holder (27 055)

Silverflex shower hose 1500 mm 1/2" x 1/2" (28 364)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern


GROHE StarLight finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

new



26 588 000

chrome

Rainshower SmartActive 130 Cube Wall holder set 3 sprays

hand shower Rainshower SmartActive 130 Cube (26 582)

wall shower holder, adjustable (27 056)

Silverflex shower hose 1500 mm 1/2" x 1/2" (28 364)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern


GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

new



26 588 LS0

moon white

Rainshower SmartActive 130 Cube Wall holder set 3 sprays

hand shower Rainshower SmartActive 130 Cube (26 582)

wall shower holder, adjustable (27 056)

Silverflex shower hose 1500 mm 1/2" x 1/2" (28 364)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern


GROHE StarLight finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

new



26 590 000

chrome

Rainshower SmartActive 150 Hand shower 3 sprays

spray plate chrome

GROHE Rain including DripStop, Jet including DripStop, ActiveMassage

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE SmartTip showering spray selection via push of a ring

GROHE RainStart - hand shower starts always with Rain spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

universal mounting system, fitting all standard shower hoses


GROHE RAINSHOWER SMARTACTIVE

Ref. no.

Colour

SHOWERS

new



26 554 LS0

moon white

Rainshower SmartActive 150

Hand shower 3 sprays

spray plate moon white

GROHE Rain including DripStop, Jet including DripStop, ActiveMassage

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE SmartTip showering spray selection via push of a ring

GROHE RainStart - hand shower starts always with Rain spray pattern


GROHE StarLight finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

universal mounting system, fitting all standard shower hoses

new



26 592 000

chrome

Rainshower SmartActive 150

Shower rail set 3 sprays

hand shower Rainshower SmartActive 150 (26 590)

shower rail 600 mm

wall holders made of metal

Silverflex shower hose 1750 mm (28 388)

GROHE EasyReach tray

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE FastFixation Plus adjustable distance between brackets for fixing to existing drilling holes


GROHE TileFix adjustable depth on upper and lower bracket

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

new



26 592 LS0

moon white

Rainshower SmartActive 150

Shower rail set 3 sprays

hand shower Rainshower SmartActive 150 (26 590)

shower rail 600 mm

wall holders made of metal

Silverflex shower hose 1750 mm (28 388)

GROHE EasyReach tray

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight finish

GROHE FastFixation Plus adjustable distance between brackets for fixing to existing drilling holes


GROHE TileFix adjustable depth on upper and lower bracket

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

new



26 594 000

chrome

Rainshower SmartActive 150

Shower rail set 3 sprays

hand shower Rainshower SmartActive 150 (26 590)

shower rail 900 mm

wall holders made of metal

Silverflex shower hose 1750 mm (28 388)

GROHE EasyReach tray

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE FastFixation Plus adjustable distance between brackets for fixing to existing drilling holes

GROHE TileFix adjustable depth on upper and lower bracket

SpeedClean anti-lime system

Inner WaterGuide for a longer life


Twistfree to prevent hose from twisting

GROHE RAINSHOWER SMARTACTIVE

Ref. no.

Colour

new



26 594 LS0

moon white

Rainshower SmartActive 150

Shower rail set 3 sprays

hand shower Rainshower SmartActive 150 (26 590)

shower rail 900 mm

wall holders made of metal

Silverflex shower hose 1750 mm (28 388)

GROHE EasyReach tray

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight finish


GROHE FastFixation Plus adjustable distance between brackets for fixing to existing drilling holes

GROHE TileFix adjustable depth on upper and lower bracket

SpeedClean anti-lime system

Inner WaterGuide for a longer life


Twistfree to prevent hose from twisting



27 222 000

chrome


Euphoria 110 Champagne
Hand shower 3 sprays
 Rain / Champagne spray / SmartRain
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses



27 239 001

chrome


Euphoria 110 Massage
Hand shower 3 sprays
 Rain, Massage, SmartRain
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
 spray plate white
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses



27 232 001

chrome


Euphoria 110 Champagne
Shower rail set 3 sprays
 handshower Champagne (27 222)
 shower rail, 600 mm (27 499)
 Silverflex shower hose 1750 mm (28 388)
GROHE EasyReach tray (27 596)
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation upper bracket adjustable
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting



27 227 001

chrome

Euphoria 110 Champagne
Shower rail set 3 sprays
 handshower Champagne (27 222)
 shower rail 900 mm (27 500)
 Silverflex shower hose 1750 mm (28 388)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE FastFixation upper bracket adjustable
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting



27 226 001


chrome

Euphoria 110 Massage
Shower rail set 3 sprays
 hand shower Massage (27 221 000)
 shower rail 900 mm (27 500)
 Silverflex shower hose 1750 mm (28 388)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE FastFixation upper bracket adjustable
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting

GROHE EUPHORIA

Ref. no.

Colour



27 355 000

chrome

Euphoria 110 Champagne

Wall holder set 3 sprays

handshower Champagne (27 222)

wall shower holder 28 401

Silverflex shower hose 1750 mm (28 388)

GROHE DreamSpray perfect spray pattern

GROHE SprayDimmer (Stepless flow rate reduction)

GROHE StarLight chrome finish


SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

Ref. no.

Colour



27 400 000

chrome

**Euphoria Cosmopolitan Stick
Hand shower 1 spray**

Normal spray

GROHE EcoJoy 9,5 l/min flow limiter

GROHE StarLight chrome finish

SpeedClean anti-lime system


Inner WaterGuide for a longer life

universal mounting system, fitting all standard shower hoses

27 367 000

chrome

ditto, with non-restricted flow



27 368 000

chrome

**Euphoria Cosmopolitan Stick
Shower rail set 1 spray**

handshower (27 400)

shower rail, 900 mm

wall holders made of metal

Silverflex shower hose 1750 mm (28 388)

soap dish (27 206)

GROHE EcoJoy 9,5 l/min flow limiter


GROHE StarLight chrome finish

GROHE FastFixation Plus adjustable distance between brackets for fixing to existing drilling holes

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting



26 404 000

chrome

**Euphoria Cosmopolitan Stick
Wall holder set 1 spray**

handshower (27 400)

shower outlet elbow 1/2" with wall shower holder (28 679)

protected against backflow

Silverflex shower hose 1500 mm 1/2" x 1/2" (28 364)


GROHE EcoJoy 9,5 l/min flow limiter

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting



27 369 000

chrome

**Euphoria Cosmopolitan Stick
Wall holder set 1 spray**

handshower (27 400)

wall shower holder (27 056)

Silverflex shower hose 1500 mm 1/2" x 1/2" (28 364)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE StarLight chrome finish


SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

Ref. no.


Colour



27 888 000
27 888 DC0
27 888 GN0
27 888 DL0
27 888 A00
27 888 AL0

chrome
supersteel
brushed cool sunrise
brushed warm sunset
hard graphite
brushed hard graphite


Euphoria Cube+ Stick
Hand shower 1 spray
Normal spray
material: metal
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses



27 890 000

chrome

Euphoria Cube+ Stick
Shower rail set 1 spray
hand shower, metal
shower rail 900 mm (27 841)
metal shower hose 1750 mm (28 025)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting



27 889 000

chrome

Euphoria Cube+ Stick
Wall holder set 1 spray
hand shower, metal (27 888)
wall shower holder (27 706)
metal shower hose 1500 mm (28 417)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting



27 699 000


chrome

Euphoria Cube Stick
Hand shower 1 spray
Normal spray
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses

27 698 000

chrome


ditto, with non-restricted flow



27 700 000

chrome


Euphoria Cube Stick
Shower rail set 1 spray
hand shower (27 698)
shower rail 900 mm (27 841)
Silverflex shower hose 1750 mm (28 388)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting



26 405 000

chrome

Euphoria Cube Stick
Wall holder set 1 spray
hand shower (27 699 000)
shower outlet elbow 1/2" with wall shower holder (26 370)
protected against backflow
Silverflex shower hose 1.250 mm (28 362)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE StarLight chrome finish
GROHE DreamSpray perfect spray pattern
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting



27 702 000


chrome

Euphoria Cube Stick
Wall holder set 1 spray
hand shower (27 698)
wall shower holder (27 693)
Silverflex shower hose 1.250 mm (28 362)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting

GROHE TEMPESTA

Ref. no.

Colour



27 608 001

chrome

Tempesta Rustic 100

Hand shower 4 sprays

GROHE Rain O², Rain, Massage, Jet

GROHE EcoJoy 9,5 l/min flow limiter


GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

universal mounting system, fitting all standard shower hoses



27 609 001

chrome

Tempesta Rustic 100

Shower rail set 4 sprays

hand shower (27 608)

shower rail, 600 mm (27 519)

Relaxaflex hose 1750 mm 1/2"x1/2" (28 154)

GROHE EasyReach tray (27 596)


GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life



27 805 001

chrome

Tempesta Rustic 100

Wall holder set 4 sprays

hand shower (27 608)

wall shower holder adjustable (27 595)

Relaxaflex hose 1750 mm 1/2"x1/2" (28 154)

GROHE EcoJoy 9,5 l/min flow limiter





GROHE DreamSpray perfect spray pattern


GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

GROHE TEMPESTA

		Ref. no.	Colour
		27 575 002	chrome
		Tempesta Cosmopolitan 100 Hand shower 4 sprays GROHE Rain O², Rain, Massage, Jet GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses	
		27 574 002	chrome
		Tempesta Cosmopolitan 100 Hand shower 3 sprays GROHE Rain O², Rain, Massage GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses	
		27 577 002	chrome
		Tempesta Cosmopolitan 100 Shower rail set 4 sprays hand shower (27 575) shower rail, 600mm (27 521) Relaxaflex hose 1750 mm 1/2"x1/2" (28 154) GROHE EasyReach tray (27 596) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life	
		27 576 002	chrome
		Tempesta Cosmopolitan 100 Shower set 3 sprays hand shower (27 574) shower rail, 600 mm Relaxaflex hose 1750 mm 1/2"x1/2" (28 154) GROHE EasyReach tray (27 596) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life	



27 928 002

chrome

Tempesta Cosmopolitan 100

Shower rail set 2 sprays

hand shower (27 571)

shower rail, 600mm (27 521)

Relaxaflex hose 1750 mm 1/2"x1/2" (28 154)


GROHE EasyReach tray (27 596)

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life



27 580 002

chrome

Tempesta Cosmopolitan 100

Shower rail set 4 sprays

hand shower Tempesta Cosmopolitan 100 (27 575)

shower rail, 600mm (27 521)

Relaxaflex hose 1750 mm 1/2"x1/2" (28 154)


GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life



27 579 002

chrome

Tempesta Cosmopolitan 100

Shower rail set 3 sprays

hand shower (27 574)

shower rail, 600mm (27 521)

Relaxaflex hose 1750 mm 1/2"x1/2" (28 154)


GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life



27 578 002

chrome

Tempesta Cosmopolitan 100

Shower rail set 2 sprays

hand shower (27 571)

shower rail, 600mm (27 521)

Relaxaflex hose 1750 mm 1/2"x1/2" (28 154)



GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life


GROHE TEMPESTA

		Ref. no.	Colour
		27 584 002	chrome
		Tempesta Cosmopolitan 100 Shower set 3 sprays hand shower (27 574) wall shower holder adjustable (27 595) Relaxaflex hose 1750 mm 1/2"x1/2" (28 154) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life	
		27 588 002	chrome
		Tempesta Cosmopolitan 100 Wall holder set 3 sprays hand shower (27 574) wall shower holder non-adjustable (27 594) Relaxaflex hose 1500 mm 1/2"x1/2" (28 151) GROHE EcoJoy 9,5 l/min flow limiter GROHE StarLight chrome finish GROHE DreamSpray perfect spray pattern SpeedClean anti-lime system Inner WaterGuide for a longer life	

GROHE TEMPESTA

Ref. no.

Colour



28 421 002

chrome

Tempesta 100

Hand shower 4 sprays

GROHE Rain O², Rain, Massage, Jet

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern


GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

ShockProof silicone ring prevents damages caused by shower falling

universal mounting system, fitting all standard shower hoses



28 419 002

chrome

Tempesta 100

Hand shower 3 sprays

GROHE Rain O², Rain, Massage

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern


GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

ShockProof silicone ring prevents damages caused by shower falling

universal mounting system, fitting all standard shower hoses



27 597 10E

chrome

Tempesta 100

Hand shower 2 sprays

Rain, Jet

GROHE EcoJoy 5.7 l/min. flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life


ShockProof silicone ring prevents damages caused by shower falling

universal mounting system, fitting all standard shower hoses

26 161 001

chrome

ditto, with 9.5 l/min flow limiter



27 923 001

chrome

Tempesta 100

Hand shower 1 spray

Rain

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern


GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

ShockProof silicone ring prevents damages caused by shower falling

universal mounting system, fitting all standard shower hoses



28 436 002

chrome

Tempesta 100

Shower rail set 4 sprays

hand shower (28 421)

shower rail, 600 mm (27 523)

Relaxaflex hose 1750 mm 1/2"x1/2" (28 154)

GROHE EasyReach tray (27 596)

GROHE EcoJoy 9,5 l/min flow limiter


GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life


ShockProof silicone ring prevents damages caused by shower falling



27 600 001

chrome


Tempesta 100
Shower rail set 3 sprays
handshower (28 419)
shower rail, 600 mm (27 523)
Relaxaflex hose 1750 mm 1/2"x1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling



27 926 001

chrome


Tempesta 100
Shower rail set 2 sprays
hand shower Tempesta 100 II (27 597)
shower rail, 600 mm (27 523)
Relaxaflex hose 1750 mm 1/2"x1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling



27 645 001

chrome

Tempesta 100
Shower rail set 4 sprays
hand shower (28 421)
shower rail, 600 mm (27 523)
Relaxaflex hose 1750 mm 1/2"x1/2" (28 154)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling



27 644 001


chrome

Tempesta 100
Shower rail set 3 sprays
handshower (28 419)
shower rail, 600 mm (27 523)
Relaxaflex hose 1750 mm 1/2"x1/2" (28 154)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damages caused by shower falling

GROHE TEMPESTA

Ref. no.

Colour



27 598 10E

chrome

Tempesta 100

Shower rail set 2 sprays

hand shower Tempesta 100 II 5.7 l/min (27 597)

shower rail, 600 mm (27 523)

Relaxaflex hose 1750 mm 1/2"x1/2" (28 154)

GROHE EcoJoy 5.7 l/min. flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system


Inner WaterGuide for a longer life

ShockProof silicone ring prevents damages caused by shower falling

27 598 001

chrome

ditto, with non-restricted flow



27 924 001

chrome

Tempesta 100

Shower rail set 1 spray

hand shower (27 923)

shower rail, 600 mm (27 523)

Relaxaflex hose 1750 mm 1/2"x1/2" (28 154)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system


Inner WaterGuide for a longer life

ShockProof silicone ring prevents damages caused by shower falling

27 853 001

chrome

ditto, with non-restricted flow



27 601 10E

chrome

Tempesta 100

Wall holder set 2 sprays

hand shower Tempesta 100 II (27 597)

wall shower holder adjustable (27 595)

Relaxaflex hose 1750 mm 1/2"x1/2" (28 154)

GROHE EcoJoy 5.7 l/min. flow limiter


GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

ShockProof silicone ring prevents damages caused by shower falling



27 803 10E

chrome

Tempesta 100

Wall holder set 2 sprays

hand shower Tempesta 100 II (27 597)

wall shower holder (28 605), not adjustable

Relaxaflex hose 1500 mm 1/2"x1/2" (28 151)

GROHE EcoJoy 5.7 l/min. flow limiter

GROHE DreamSpray perfect spray pattern



GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life




ShockProof silicone ring prevents damages caused by shower falling

GROHE TEMPESTA







	Ref. no.	Colour
	27 798 10E Tempesta 100 Wall holder set 2 sprays hand shower Tempesta 100 II (27 597) wall shower holder (28 605), not adjustable Relaxaflex hose 1250 mm 1/2" x 1/2" (28 150) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling	chrome
		
	26 164 001 ditto, with 9.5 l/min flow limiter	chrome
	26 406 001 Tempesta 100 Wall holder set 2 sprays hand shower Tempesta 100 II (27 597) shower outlet elbow 1/2" with wall shower holder (28 679) protected against backflow Relaxaflex hose 1500 mm 1/2"x1/2" (28 151) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling	chrome
		

GROHE




SENA TRIGGER SPRAYS

		Ref. no.	Colour
		26 328 000	chrome
		Sena Trigger Spray 35 Hand shower 1 spray with trigger control material: metal GROHE StarLight chrome finish SpeedClean anti-lime system universal mounting system, fitting all standard shower hoses Please refer to local norms regarding installation.	
		26 332 000	chrome
		Sena Trigger Spray 35 Wall holder set with self-closing angle valve, 1 spray hand shower with trigger control (26 328) valve with integrated shower holder (26 333) Silverflex Longlife shower hose 1250 mm (26 335) GROHE StarLight chrome finish SpeedClean anti-lime system Twistfree to prevent hose from twisting Please refer to local norms regarding installation.	
		26 333 000	chrome
		Valve with wall shower holder connection thread 1/2" GROHE StarLight chrome finish Please refer to local norms regarding installation.	



GROHE TEMPESTA-F TRIGGER SPRAYS

		Ref. no.	Colour
		27 512 001	chrome
		Tempesta-F Hand shower 1 spray with trigger control GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses Please refer to local norms regarding installation.	
		28 020 L01	white
		Tempesta-F Hand shower 1 spray with trigger control GROHE StarLight finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses Please refer to local norms regarding installation.	
		26 353 000	chrome
		Tempesta-F Wall holder set 1 spray hand shower with trigger control (27 512) wall shower holder (28 605) Silverflex Longlife shower hose 1500 mm (26 346) GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting Please refer to local norms regarding installation.	
		27 513 001	chrome
		ditto, with 1250 mm hose	
		26 354 000	chrome
		Tempesta-F Wall holder set 1 spray hand shower with trigger control (27 512) wall shower holder (28 605) metal shower hose 1250 mm GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Please refer to local norms regarding installation.	
		27 812 IL1	chrome/white
		Tempesta-F Wall holder set 1 spray hand shower with trigger control (28 020) wall shower holder (28 605) Silverflex Longlife shower hose 1250 mm (26 335) GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting Please refer to local norms regarding installation.	

GROHE TEMPESTA-F TRIGGER SPRAYS

	Ref. no.	Colour
	26 356 ILO Tempesta-F Wall holder set 1 spray hand shower with trigger control (28 020) wall shower holder (28 605) metal shower hose 1250 mm GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Please refer to local norms regarding installation.	chrome/white
		
	26 357 000 Tempesta-F Wall holder set with angle valve 1 spray hand shower with trigger control (27 512) wall shower holder (28 605) Silverflex Longlife shower hose 1500 mm (26 346) angle valve 1/2" (22 958) GROHE StarLight finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting Please refer to local norms regarding installation.	chrome
		
	27 514 001 ditto, with 1250 mm hose	chrome
	26 358 000 Tempesta-F Wall holder set with self-closing angle valve, 1 spray hand shower with trigger control (27 512) valve with integrated shower holder (26 333) Silverflex Longlife shower hose 1000 mm (26 334) GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting Please refer to local norms regarding installation.	chrome
		






GROHE SHOWER HOSES

Ref. no.		Colour
 	28 025 000 Rotaflex Metal Longlife Metal shower hose Twistfree 1750 1750 mm material: metal Longlife strengthened model tensile strength 500 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function GROHE StarLight chrome finish	chrome
	28 417 000 ditto, 1500 mm	chrome
 	28 145 000 Relexaflex Metal Longlife Metal shower hose 2000 2000 mm material: metal Longlife strengthened model tensile strength 750 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish	chrome
	28 143 000 ditto, 1500 mm	chrome
	28 142 000 ditto, 1250 mm	chrome
 	28 140 000 Relexaflex Metal Metal shower hose 2000 2000 mm material: metal tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish	chrome
	28 139 000 ditto, 1750 mm	chrome
	28 105 000 ditto, 1500 mm	chrome
 	26 335 000 Silverflex Longlife Shower hose Twistfree 1250 1250 mm smooth surface for easy cleaning Longlife strengthened model tensile strength 500 N pressure resistance up to 12 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function GROHE StarLight chrome finish	chrome
	26 334 000 ditto, 1.000 mm	chrome







GROHE SHOWER HOSES

	Ref. no.	Colour
 	27 137 000 Silverflex Shower hose Twistfree 2000 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function GROHE StarLight chrome finish	chrome
	28 388 000 28 388 DC0 28 388 BE0 28 388 GL0 28 388 DA0 28 388 A00 ditto, 1750 mm	chrome supersteel polished nickel cool sunrise warm sunset hard graphite
	28 364 000 ditto, 1500 mm	chrome
	28 362 000 28 362 DC0 28 362 BE0 28 362 GL0 28 362 DA0 28 362 A00 ditto, 1250 mm	chrome supersteel polished nickel cool sunrise warm sunset hard graphite
	28 413 001 Rotaflex Shower hose Twistfree 2000 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function GROHE StarLight chrome finish	chrome
	28 410 001 ditto, 1750 mm	chrome
	28 409 001 ditto, 1500 mm	chrome
	28 155 001 Relaxaflex Shower hose 2000 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish	chrome
	28 154 001 ditto, 1750 mm	chrome
	28 151 001 ditto, 1500 mm	chrome
	28 150 001 ditto, 1250 mm	chrome

GROHE SHOWER ACCESSORIES

	Ref. no.	Colour
 	27 055 000 Rainshower Wall hand shower holder adjustable GROHE StarLight chrome finish	chrome
 	27 595 000 Tempesta Wall hand shower holder adjustable GROHE StarLight chrome finish	chrome
 	28 690 000 Sena Wall hand shower holder not adjustable material: metal GROHE StarLight chrome finish	chrome
 	27 056 000 Rainshower Wall hand shower holder not adjustable without escutcheon GROHE StarLight chrome finish	chrome
 	27 074 000 27 074 DC0 27 074 BE0 27 074 EN0 27 074 GL0 27 074 GN0 27 074 DA0 27 074 DL0 27 074 A00 27 074 AL0 Rainshower Wall hand shower holder not adjustable with round escutcheon GROHE StarLight chrome finish	chrome supersteel polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite


GROHE SHOWER ACCESSORIES

		Ref. no.	Colour
 		27 075 000	chrome
		Rainshower Wall hand shower holder not adjustable with square escutcheon GROHE StarLight chrome finish	
 		27 706 000 27 706 DC0 27 706 AL0	chrome supersteel brushed hard graphite
		Allure Brilliant Wall hand shower holder not adjustable material: metal GROHE StarLight chrome finish	
 		27 693 000	chrome
		Euphoria Cube Wall hand shower holder not adjustable GROHE StarLight chrome finish	
 		28 622 000	chrome
		Relexa Wall hand shower holder not adjustable GROHE StarLight chrome finish	
 		27 594 000	chrome
		Tempesta Cosmopolitan Wall hand shower holder not adjustable GROHE StarLight chrome finish	
 		28 605 000	chrome
		Relexa Wall hand shower holder not adjustable GROHE StarLight chrome finish	

GROHE SHOWER ACCESSORIES

Ref. no.


Colour



27 621 000


chrome

Grohtherm F
Wall shower union with integrated shower holder
vertical or horizontal installation
for use with rough-in box 35 034 000
1/2" shower outlet
hand shower and shower hose sold separately
protected against backflow
vertical and horizontal installation



35 034 000


Grohtherm F
Rough-in for wall shower union 27 621
built-in box with removable protection cover
waterproof membrane base for wall sealing
flushing plug
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
1/2" connections
installation depth 70 - 95 mm



27 057 000
27 057 DC0
27 057 BE0
27 057 EN0
27 057 GL0
27 057 GN0
27 057 DA0
27 057 DL0
27 057 A00
27 057 AL0

chrome
supersteel
polished nickel
brushed nickel
cool sunrise
brushed cool sunrise
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite


Rainshower
Shower outlet elbow 1/2"
male thread
with round escutcheon
protected against backflow
GROHE StarLight chrome finish



27 076 000

chrome

Rainshower
Shower outlet elbow
male thread
with square escutcheon
protected against backflow
GROHE StarLight chrome finish





27 707 000
27 707 DC0
27 707 AL0

chrome
supersteel
brushed hard graphite

Allure Brilliant
Shower outlet elbow 1/2"
male thread
protected against backflow
material: metal
GROHE StarLight chrome finish











GROHE SHOWER ACCESSORIES

Ref. no.		Colour
 	27 704 000 Euphoria Cube Shower outlet elbow 1/2" male thread protected against backflow GROHE StarLight chrome finish	chrome
	26 370 000 26 370 DC0 26 370 GN0 26 370 DL0 26 370 A00 26 370 AL0 Euphoria Cube Shower outlet elbow 1/2" with wall shower holder male thread protected against backflow GROHE StarLight chrome finish	chrome supersteel brushed cool sunrise brushed warm sunset hard graphite brushed hard graphite
 	28 626 000 Relexa Shower outlet elbow 1/2" shower connection 1/2" wall connection 1/2" male thread GROHE StarLight chrome finish with matt chrome cap	chrome
	28 628 000 Relexa Shower outlet elbow 1/2" with wall shower holder male thread GROHE StarLight chrome finish	chrome

GROHE SHOWER ACCESSORIES

Ref. no.

Colour


new			26 602 000	chrome
			Rainshower SmartActive Shower rail, 600 mm wall holders made of metal glide element and swivel holder, GROHE QuickFix Plus (adjustable distance between wall shower holders) GROHE TileFix adjustable depth on upper and lower bracket GROHE EasyReach tray GROHE StarLight chrome finish	
			26 603 000	chrome
			26 603 DC0 26 603 BE0 26 603 EN0 26 603 GL0 26 603 GN0 26 603 DA0 26 603 DL0 26 603 A00 26 603 AL0 ditto, 900 mm	
			27 892 000	chrome
			Euphoria Cube Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE StarLight chrome finish	
			27 841 000	chrome
			ditto, 900 mm	
			27 499 000	chrome
			Euphoria Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE FastFixation upper bracket adjustable GROHE StarLight chrome finish	
			27 500 000	chrome
			ditto, 900 mm	
			27 521 000	chrome
			Tempesta Cosmopolitan Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE StarLight chrome finish	
			27 522 000	chrome
			ditto, 900 mm	
			27 523 000	chrome
			Tempesta Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE StarLight chrome finish	
			27 524 000	chrome
			ditto, 900 mm	

SHOWERS

GROHE SHOWER ACCESSORIES

Ref. no.

Colour



27 596 000
GROHE EasyReach tray
acrylic
for Tempesta and Euphoria
shower rails Ø 22 mm

GROHE
KITCHEN FITTINGS






CONTENTS

Water systems	GROHE Blue Professional	260
	GROHE Blue Home	263
	GROHE Blue Pure	264
	GROHE Blue accessories	266
	GROHE Red	268
Premium lines	K7	271
	Minta / Minta SmartControl / Minta Touch	272
	Zedra / Zedra SmartControl / Zedra Touch	275
	Atrio	276
	Essence	277
	Eurocube	279
Competence lines	Parkfield	280
	Eurodisc Cosmopolitan	281
	Concetto	282
	Eurostyle Cosmopolitan	284
	Eurocosmo	286
	Eurosmart	287
	Costa	289
	Bau Lines	290
	Soap dispensers	292
	Stainless steel sinks	293
Kitchen sinks	Composite sinks	303

GROHE BLUE PROFESSIONAL

Ref. no.

Colour



31 323 002
31 323 DC2

chrome
supersteel

GROHE Blue Professional

C-spout kit

GROHE Blue single-lever sink mixer with filter function
push buttons for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge

swivel tubular spout, swivel area 150°

separate inner water ways for filtered and non-filtered water
flexible connection hoses

GROHE Blue Professional cooler

delivers 12 liters of chilled sparkling water per hour

270 Watt cooling unit, 230 V, 50 Hz

sound level in standby 46 dB(A)

type of protection IP 21, CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up, monitoring of filter and CO₂ capacity via GROHE Ondus app

push notifications at low filter resp. CO₂ capacity


with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

bluetooth range (max. 10 m) varies on used materials and walls between
transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the
delivery and have to be ordered separately



31 347 003
31 347 DC3

chrome
supersteel

GROHE Blue Professional

L-spout kit

GROHE Blue single-lever sink mixer with filter function
push buttons for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge

swivel tubular spout, swivel area 150°

separate inner water ways for filtered and non-filtered water
flexible connection hoses

GROHE Blue Professional cooler

delivers 12 liters of chilled sparkling water per hour

270 Watt cooling unit, 230 V, 50 Hz

sound level in standby 46 dB(A)

type of protection IP 21, CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up, monitoring of filter and CO₂ capacity via GROHE Ondus app

push notifications at low filter resp. CO₂ capacity

with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices

bluetooth range (max. 10 m) varies on used materials and walls between
transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the
delivery and have to be ordered separately

System requirements Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have
to be ordered separately via an authorised Apple store/store/iTunes or Google
Play store.

* The Bluetooth word mark and logos are registered trademarks owned by
Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.
Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of
Apple Inc., registered in the U.S. and other countries. Apple is not responsible
for the function of this device or its compliance with safety and regulatory
standards.


*** Available for free via iTunes app or Google Play store.

GROHE BLUE PROFESSIONAL

Ref. no.

Colour

	31 325 002	chrome
	31 325 DC2	supersteel
	GROHE Blue Professional C-spout kit GROHE Blue single-lever sink mixer with filter function push buttons for 3 types of filtered and chilled table water still, medium, sparkling GROHE StarLight chrome finish GROHE SilkMove 28 mm ceramic cartridge pull out mousseur spout swivel tubular spout, swivel area 360° separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue Professional cooler delivers 12 liters of chilled sparkling water per hour 270 Watt cooling unit, 230 V, 50 Hz sound level in standby 46 dB(A) type of protection IP 21, CE approved requires ventilation holes in the bottom of the kitchen cabinet software set-up, monitoring of filter and CO ₂ capacity via GROHE Ondus app push notifications at low filter resp. CO ₂ capacity with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices bluetooth range (max. 10 m) varies on used materials and walls between transmitter and receiver filter head with flexible water hardness adjustment GROHE Blue filter, CO ₂ bottle and cleaning cartridge are not included in the delivery and have to be ordered separately	

	31 326 002	chrome
	31 326 DC2	supersteel
	GROHE Blue Professional L-spout kit GROHE Blue single-lever sink mixer with filter function push buttons for 3 types of filtered and chilled table water still, medium, sparkling GROHE StarLight chrome finish GROHE SilkMove 28 mm ceramic cartridge pull out mousseur spout swivel tubular spout, swivel area 360° separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue Professional cooler delivers 12 liters of chilled sparkling water per hour 270 Watt cooling unit, 230 V, 50 Hz sound level in standby 46 dB(A) type of protection IP 21, CE approved requires ventilation holes in the bottom of the kitchen cabinet software set-up, monitoring of filter and CO ₂ capacity via GROHE Ondus app push notifications at low filter resp. CO ₂ capacity with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices bluetooth range (max. 10 m) varies on used materials and walls between transmitter and receiver filter head with flexible water hardness adjustment GROHE Blue filter, CO ₂ bottle and cleaning cartridge are not included in the delivery and have to be ordered separately	

System requirements Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE BLUE PROFESSIONAL

Ref. no.

Colour



31 302 002
31 302 DC2

chrome
supersteel

GROHE Blue Professional

C-spout kit

GROHE Blue Mono faucet with filter function
push buttons for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight chrome finish
swivel tubular spout, swivel area 150°

GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
270 Watt cooling unit, 230 V, 50 Hz
sound level in standby 46 dB(A)
type of protection IP 21, CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up, monitoring of filter and CO₂ capacity via GROHE Ondus app
push notifications at low filter resp. CO₂ capacity
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
bluetooth range (max. 10 m) varies on used materials and walls between
transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the
delivery and have to be ordered separately

System requirements Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

31 545 001

chrome

**GROHE Blue Home
C-spout Starter kit**

GROHE Blue Home single-lever sink mixer with filter function
push buttons for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight finish

GROHE SilkMove 28 mm ceramic cartridge

swivel tubular spout

swivel area 150°

separate inner water ways for filtered and non-filtered water
flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

sound level in standby 44 dB(A)

type of protection IP 21


CE approved

requires ventilation holes in the bottom of the kitchen cabinet
software set-up, monitoring of filter and CO₂ capacity via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
bluetooth range (max. 10 m) varies on used materials and walls between
transmitter and receiver

GROHE Blue Ultrasafe filter 3000 l and filter head

GROHE Blue 425 g CO₂ bottle

This product includes an article which is declared as a hazardous substance.
Find more information in the safety data sheet. You can download the safety data
at: www.grohe.com/safety-data-sheets/



System requirements Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have
to be ordered separately via an authorised Apple store/store/iTunes or Google
Play store.

* The Bluetooth word mark and logos are registered trademarks owned by
Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.
Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of
Apple Inc., registered in the U.S. and other countries. Apple is not responsible
for the function of this device or its compliance with safety and regulatory
standards.

*** Available for free via iTunes app or Google Play store.

GROHE BLUE PURE

Ref. no.


Colour



33 251 000

chrome

GROHE Blue
Single-lever sink mixer 1/2"
 C-spout
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 swivel tubular spout
 separate inner water ways for filtered and non-filtered water
 flexible connection hoses
 Product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+



31 303 000

chrome

GROHE Blue
Single-lever sink mixer 1/2"
 U spout
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 swivel tubular spout
 separate inner water ways for filtered and non-filtered water
 flexible connection hoses
 Product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+

GROHE BLUE ACCESSORIES

Ref. no.

Colour



40 848 000

GROHE Blue Drinking bottle

Tritan drinking bottle with GROHE Blue decor
BPA (Bisphenol A) free
lid with strap
volume 500 ml



40 848 SD0

40 848 GN0

40 848 DL0


40 848 AL0

GROHE Blue Thermo drinking bottle

stainless steel bottle with GROHE Blue decor
double-walled
lid with strap
volume 450 ml

stainless steel
brushed cool sunrise
brushed warm sunset
brushed hard graphite


new



40 405 001

GROHE Blue Glass carafe with lid set

crystal glass with GROHE Blue decor
stainless steel lid with tilt lock
with integrated sieve to hold back e.g. fruits
plastic lid for closing
BPA (Bisphenol A) free
dishwasher safe
volume 1.0 l



40 437 000

GROHE Blue Water glasses (6 pieces)

crystal glasses with GROHE Blue decor
dishwasher safe
volume 250 ml



40 575 001


GROHE Blue UltraSafe filter

exchange filter for GROHE Blue UltraSafe
BWT replacement filter for GROHE Blue water systems
filter capacity maximum 3000 l or 6 months
2-phase-filter
retains microplastic > 1 µm and 99.99 % of bacteria
reduces substances responsible for taste and odor, e.g. chlorine
compatible with GROHE Blue Home, GROHE Blue Professional
and GROHE Blue Pure

GROHE BLUE ACCESSORIES

Ref. no.

Colour



40 434 001

GROHE Blue
Cleaning cartridge

for 100% disinfection and cleaning of the GROHE Blue cooler and filter head including sprayhead
for use with GROHE Blue cleaning cartridge adapter 40 694 000, sold separately
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



40 694 000

GROHE Blue
cleaning cartridge adapter

for GROHE Blue BWT Filterhead 64 508 001
for use with GROHE Blue cleaning cartridge 40 434 001, sold separately



40 849 000

chrome

GROHE Blue
425 g CO₂ bottle, empty

refillable CO₂ 425 g bottle
volume 1 bottle: 425 g, for up to 60 l of sparkling water
for 2kg CO₂ empty bottle 40 424 040 please contact your local Grohe Service Center

Ref. no.

Colour



30 079 001
30 079 DC1

chrome
supersteel

GROHE Red Duo

Faucet and L size boiler

GROHE Red Duo single-lever sink mixer

C-spout

GROHE ChildLock push buttons for boiling water

TÜV certified triple electronic safeguards against accidental activation of boiling water

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge

insulated tubular spout, swivel area 150°

separate water ways

flexible connection hoses

GROHE Red boiler L size

5.5 liter 100° C boiling water, 7 liter total capacity

required inlet pressure: 1-7 bar

with flexible connection hose and outlet for boiling water

CE approved

power supply 230 V 50 Hz

power consumption 2100 W, standby power consumption 15 W

energy efficiency class A

GROHE Red filter set for protection of the boiler from limescale

capacity 600 l at 20° dKH, 5 phase filter

flow rate measuring unit



30 325 001
30 325 DC1

chrome
supersteel

GROHE Red Duo

Faucet and L size boiler

GROHE Red Duo single-lever sink mixer

L-spout

GROHE ChildLock push buttons for boiling water

TÜV certified triple electronic safeguards against accidental activation of boiling water

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge

insulated tubular spout, swivel area 150°

separate water ways

flexible connection hoses

GROHE Red boiler L size

5.5 liter 100° C boiling water, 7 liter total capacity

required inlet pressure: 1-7 bar

with flexible connection hose and outlet for boiling water

CE approved

power supply 230 V 50 Hz

power consumption 2100 W, standby power consumption 15 W

energy efficiency class A

GROHE Red filter set for protection of the boiler from limescale

capacity 600 l at 20° dKH, 5 phase filter

flow rate measuring unit



30 083 001
30 083 DC1

chrome
supersteel

GROHE Red Duo

Faucet and M size boiler

GROHE Red Duo single-lever sink mixer

C-spout

GROHE ChildLock push buttons for boiling water

TÜV certified triple electronic safeguards against accidental activation of boiling water

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge

insulated tubular spout, swivel area 150°

separate water ways

flexible connection hoses

GROHE Red boiler M size

3 liter 100° C boiling water, 4 liter total capacity

required inlet pressure: 1-7 bar

with flexible connection hose and outlet for boiling water

CE approved

power supply 230 V 50 Hz


power consumption 2100 W, standby power consumption 15 W

energy efficiency class A

GROHE Red filter set for protection of the boiler from limescale


capacity 600 l at 20° dKH, 5 phase filter

flow rate measuring unit




chrome
supersteel

GROHE Red filter set for protection of the boiler from limescale
capacity 600 l at 20° dKH, 5 phase filter
flow rate measuring unit



chrome

GROHE Red filter set for protection of the boiler from limescale
capacity 600 l at 20° dKH, 5 phase filter
flow rate measuring unit



chrome
supersteel

GROHE Red filter set for protection of the boiler from limescale
capacity 600 l at 20° dKH, 5 phase filter
flow rate measuring unit



30 339 001
30 339 DC1

chrome
supersteel

GROHE Red Mono

Pillar tap and M size boiler

GROHE Red Mono pillar tap

L-spout

GROHE ChildLock push buttons for boiling water

TÜV certified triple electronic safeguards against accidental activation of boiling water

GROHE StarLight chrome finish

insulated tubular spout, swivel area 150°

GROHE Red boiler M size

3 liter 100° C boiling water, 4 liter total capacity

required inlet pressure: 1-7 bar

with flexible connection hose and outlet for boiling water

CE approved

power supply 230 V 50 Hz


power consumption 2100 W, standby power consumption 15 W

energy efficiency class A

GROHE Red filter set for protection of the boiler from limescale

capacity 600 l at 20° dKH, 5 phase filter


flow rate measuring unit



32 950 000
32 950 DC0

chrome
supersteel

K7
Single-lever sink mixer 1/2"
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
professional spray
diverter: mousseur/spray jet
automatic return to mousseur
metal spray
adjustable flow rate limiter
swivel spout
swivel area 140°
protected against backflow
flexible connection hoses
rapid installation system



31 379 000
31 379 DC0

chrome
supersteel


K7
Single-lever sink mixer 1/2"
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
professional spray
diverter: mousseur/spray jet
automatic return to mousseur
metal spray
adjustable flow rate limiter
swivel spout
swivel area 140°
protected against backflow
flexible connection hoses
rapid installation system

GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. no.

Colour

new



31 613 000
31 613 DC0
31 613 DA0
31 613 A00

chrome
supersteel
warm sunset
hard graphite

Minta SmartControl

Sink mixer with SmartControl

GROHE StarLight chrome finish

pull-out spray with laminar

GROHE Magnetic Docking guarantees easy retraction and smooth docking

GROHE SmartControl push for ON-OFF, turn for volume adjustment

temperature adjustment by turning of mixing valve on body


swivel tubular spout, swivel area 140°

protected against backflow

flexible connection hoses

GROHE FastFixation Plus ultra fast and simple installation - no tools needed

GROHE Zero isolated inner water ways - lead and nickel free



31 360 001

chrome

Minta Touch

Electronic single-lever sink mixer 1/2"

L-spout

Touch: activation of water via skin contact

battery supply 6 V lithium-battery, type CR-P2

CE approved, solenoid valve

safety stop after 60 sec.(factory set)

GROHE StarLight finish

GROHE SilkMove 46 mm ceramic cartridge

pull out mousseur spout


adjustable flow rate limiter

swivel tubular spout, swivel area 360°

protected against backflow

flexible connection hoses

rapid installation system



31 358 002

chrome

31 358 DC2

supersteel

Minta Touch

Electronic single-lever sink mixer 1/2"

C-spout

Touch: activation of water via skin contact

battery supply 6 V lithium-battery, type CR-P2

CE approved, solenoid valve

safety stop after 60 sec.(factory set)

GROHE StarLight chrome finish

GROHE SilkMove 46 mm ceramic cartridge

pull-out dual spray


diverter: laminar spray/SpeedClean shower jet

swivel tubular spout, swivel area 360°

protected against backflow

flexible connection hoses

rapid installation system



31 375 000

chrome

31 375 DC0

supersteel

31 375 DA0

warm sunset

31 375 DL0

brushed warm sunset

31 375 A00

hard graphite

31 375 AL0

brushed hard graphite

Minta

Single-lever sink mixer 1/2"

L-spout

GROHE StarLight finish

GROHE SilkMove 46 mm ceramic cartridge

adjustable flow rate limiter

swivel tubular spout, swivel range 0°/150°/360°

protected against backflow


flexible connection hoses

rapid installation system

GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. no.

Colour



32 168 000
32 168 DC0

chrome
supersteel

Minta
Single-lever sink mixer 1/2"

L-spout

GROHE StarLight finish

GROHE SilkMove 46 mm ceramic cartridge

pull out mousseur spout


adjustable flow rate limiter

swivel tubular spout, swivel area 360°

protected against backflow

flexible connection hoses

rapid installation system



30 274 000
30 274 DC0
30 274 DA0
30 274 DL0
30 274 A00
30 274 AL0

chrome
supersteel
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite

Minta
Single-lever sink mixer 1/2"

L-spout

GROHE StarLight finish

GROHE SilkMove 46 mm ceramic cartridge

pull-out dual spray - switching between regular flow and spray

diverter: laminar spray/SpeedClean shower jet

automatic return to laminar spray


adjustable flow rate limiter

swivel tubular spout, swivel area 360°

protected against backflow

flexible connection hoses

rapid installation system



32 917 000
32 917 DC0
32 917 KS0
32 917 DA0
32 917 DL0
32 917 A00
32 917 AL0

chrome
supersteel
velvet black
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite

Minta
Single-lever sink mixer 1/2"

C-spout

GROHE StarLight finish


GROHE SilkMove 46 mm ceramic cartridge

adjustable flow rate limiter

swivel tubular spout, selectable swivel area: 0° / 150° / 360°

flexible connection hoses

rapid installation system



32 918 000
32 918 DC0

chrome
supersteel

Minta
Single-lever sink mixer 1/2"

C-spout

GROHE StarLight finish

GROHE SilkMove 46 mm ceramic cartridge

pull out mousseur spout

adjustable flow rate limiter

swivel tubular spout, swivel area 360°

protected against backflow

flexible connection hoses

rapid installation system

32 918 00E
with GROHE EcoJoy 5.7 l/min. flow limiter


chrome

GROHE

MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. no.

Colour



32 321 002
32 321 DC2
32 321 DA2
32 321 DL2
32 321 A02
32 321 AL2

chrome
supersteel
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite

Minta

Single-lever sink mixer 1/2"

C-spout

GROHE StarLight chrome finish

GROHE SilkMove 46 mm ceramic cartridge

pull-out dual spray

diverter: laminar spray/SpeedClean shower jet


adjustable flow rate limiter

swivel tubular spout, swivel area 360°

protected against backflow

flexible connection hoses

rapid installation system



32 488 000
32 488 DC0
32 488 DA0
32 488 DL0
32 488 A00
32 488 AL0

chrome
supersteel
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite

Minta

Single-lever sink mixer 1/2"

U spout

GROHE StarLight finish


GROHE SilkMove 46 mm ceramic cartridge

adjustable flow rate limiter

selectable swivel area: 0° / 150° / 360°, swivel tubular spout

flexible connection hoses

rapid installation system



32 067 000

chrome

Minta

Single-lever sink mixer 1/2"

U spout

GROHE StarLight finish

GROHE SilkMove 46 mm ceramic cartridge

pull out mousseur spout


adjustable flow rate limiter

swivel tubular spout, swivel area 360°

protected against backflow

flexible connection hoses

rapid installation system



32 322 002
32 322 DC2
32 322 DA2
32 322 DL2
32 322 A02
32 322 AL2

chrome
supersteel
warm sunset
brushed warm sunset
hard graphite
brushed hard graphite

Minta

Single-lever sink mixer 1/2"

U spout

GROHE StarLight chrome finish

GROHE SilkMove 46 mm ceramic cartridge

pull-out dual spray

diverter: laminar spray/SpeedClean shower jet

automatic return to laminar spray

adjustable flow rate limiter

swivel tubular spout, swivel area 360°

protected against backflow

flexible connection hoses


rapid installation system

GROHE ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH

Ref. no.

Colour

new



31 593 002
31 593 DC2

chrome
supersteel

Zedra SmartControl

Sink mixer with SmartControl

GROHE StarLight chrome finish

pull-out spray with laminar

GROHE Magnetic Docking guarantees easy retraction and smooth docking

GROHE SmartControl push for ON-OFF, turn for volume adjustment

temperature adjustment by turning of mixing valve on body

swivel tubular spout, swivel area 140°


protected against backflow

flexible connection hoses

GROHE FastFixation Plus ultra fast and simple installation - no tools needed

GROHE Zero isolated inner water ways - lead and nickel free

new



30 219 002
30 219 DC2

chrome
supersteel

Zedra Touch

Electronic single-lever sink mixer 1/2"

Touch: activation of water via skin contact

battery supply 6 V lithium-battery, type CR-P2

CE approved, solenoid valve

safety stop after 60 sec.(factory set)

GROHE StarLight chrome finish

GROHE SilkMove 35 mm ceramic cartridge

GROHE Zero isolated inner water ways - lead and nickel free

GROHE Magnetic Docking guarantees easy retraction and smooth docking

pull-out spray with 3 spray types

diverter: laminar spray/**SpeedClean** shower jet/**GROHE Blade** spray

stop function - pause button to stop the water flow

automatic return to laminar spray


adjustable flow rate limiter

swivel tubular spout, swivel area 360°

protected against backflow

flexible connection hoses

new



32 294 002
32 294 DC2

chrome
supersteel

Zedra

Single-lever sink mixer 1/2"

GROHE StarLight chrome finish

GROHE SilkMove 35 mm ceramic cartridge

GROHE Magnetic Docking guarantees easy retraction and smooth docking

pull-out spray with 3 spray types

diverter: laminar spray/**SpeedClean** shower jet/**GROHE Blade** spray

stop function - pause button to stop the water flow

automatic return to laminar spray

adjustable flow rate limiter

swivel tubular spout, swivel area 360°


protected against backflow

flexible connection hoses

GROHE FastFixation Plus ultra fast and simple installation - no tools needed

GROHE Zero isolated inner water ways - lead and nickel free

new



32 553 002
32 553 DC2

chrome
supersteel

Zedra

Single-lever sink mixer 1/2"

GROHE StarLight chrome finish

GROHE SilkMove 35 mm ceramic cartridge

GROHE Magnetic Docking guarantees easy retraction and smooth docking

pull-out dual spray

diverter: laminar spray/**SpeedClean** shower jet

automatic return to laminar spray

adjustable flow rate limiter


swivel tubular spout, swivel area 360°

protected against backflow

flexible connection hoses

GROHE FastFixation Plus ultra fast and simple installation - no tools needed

GROHE Zero isolated inner water ways - lead and nickel free



30 362 000
30 362 DC0
30 362 AL0

chrome
supersteel
brushed hard graphite

Atrio

Two handle sink mixer 1/2"

C-spout

GROHE StarLight chrome finish


ceramic headparts 1/2", 90°

selectable swivel area: 0° / 150° / 360°

flexible connection hoses

rapid installation system

new



31 615 000	chrome
31 615 DC0	supersteel
31 615 BE0	polished nickel
31 615 EN0	brushed nickel
31 615 GL0	cool sunrise
31 615 GN0	brushed cool sunrise
31 615 DA0	warm sunset
31 615 DL0	brushed warm sunset
31 615 A00	hard graphite
31 615 AL0	brushed hard graphite

Essence SmartControl

Sink mixer with SmartControl

GROHE StarLight chrome finish

pull-out spray with laminar

GROHE Magnetic Docking guarantees easy retraction and smooth docking

GROHE SmartControl push for ON-OFF, turn for volume adjustment

temperature adjustment by turning of mixing valve on body


swivel tubular spout, swivel area 140°

protected against backflow

flexible connection hoses

GROHE FastFixation Plus ultra fast and simple installation - no tools needed

GROHE Zero isolated inner water ways - lead and nickel free



30 294 000	chrome
30 294 DC0	supersteel
30 294 BE0	polished nickel
30 294 EN0	brushed nickel
30 294 GL0	cool sunrise
30 294 GN0	brushed cool sunrise
30 294 DA0	warm sunset
30 294 DL0	brushed warm sunset
30 294 A00	hard graphite
30 294 AL0	brushed hard graphite

GROHE Essence

Single-lever sink mixer 1/2"

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge

professional spray

with flexible, hygienic GROHFlexx kitchen Santoprene hose

diverter: laminar spray/SpeedClean shower jet

automatic return to laminar spray

GROHE Magnetic Docking guarantees easy retraction and smooth docking

swivel spout, swivel area 360°

protected against backflow

flexible connection hoses, rapid installation system




30 321 GE0	green
30 321 XC0	dark grey
30 321 MW0	chrome/sheer marble
30 321 HG0	dark brown
30 321 DG0	red
30 321 DP0	pink
30 321 DU0	purple
30 321 TY0	blue
30 321 YF0	yellow
30 321 YR0	orange

GROHFlexx kitchen hose spout

for 30 294

flexible, hygienic GROHFlexx kitchen Santoprene hose



30 269 000	chrome
30 269 DC0	supersteel
30 269 GL0	cool sunrise
30 269 GN0	brushed cool sunrise
30 269 DA0	warm sunset
30 269 DL0	brushed warm sunset
30 269 A00	hard graphite
30 269 AL0	brushed hard graphite

GROHE Essence

Single-lever sink mixer 1/2"

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge


swivel tubular spout, adjustable swivel area 0° / 150° / 360°

flexible connection hoses, rapid installation system

GROHE
ESSENCE

Ref. no.

Colour



30 270 000

30 270 DC0

30 270 BE0

30 270 EN0

30 270 GL0

30 270 GN0

30 270 DA0

30 270 DL0

30 270 A00

30 270 AL0

GROHE Essence

Single-lever sink mixer 1/2"

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge

pull-out dual spray - switching between regular flow and spray

diverter: laminar spray/SpeedClean shower jet

automatic return to laminar spray

swivel tubular spout, swivel area 360°

protected against backflow

flexible connection hoses, rapid installation system

chrome

supersteel

polished nickel

brushed nickel

cool sunrise


brushed cool sunrise

warm sunset

brushed warm sunset

hard graphite


brushed hard graphite



31 395 000
31 395 DC0

chrome
supersteel

Eurocube
Single-lever sink mixer 1/2"
GROHE StarLight finish
GROHE SilkMove 28 mm ceramic cartridge
professional spray
diverter: mousseur/spray jet
automatic return to laminar spray
swivel spout
swivel area 140°
360° maneuverable spring arm
protected against backflow
flexible connection hoses
rapid installation system



31 255 000
31 255 DC0


chrome
supersteel

Eurocube
Single-lever sink mixer 1/2"
GROHE StarLight finish
GROHE SilkMove 28 mm ceramic cartridge
swivel cast spout
swivel area 360°
flexible connection hoses
rapid installation system

GROHE PARKFIELD

Ref. no.

Colour



30 215 001
30 215 DC1


chrome
supersteel

Parkfield
Single-lever sink mixer 1/2"
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out dual spray - switching between regular flow and spray
 diverter: mousseur/spray jet
 automatic return to mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
 rapid installation system

GROHE EURODISC COSMOPOLITAN

Ref. no.


Colour



32 259 003

chrome


Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
high spout
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free
adjustable flow rate limiter
swivel tubular spout
selectable swivel area: 0° / 150°
flexible connection hoses
GROHE FastFixation rapid installation system



33 770 002

chrome


Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system



32 257 002

chrome

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out dual spray
diverter: mousseur/spray jet
automatic return to mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system




33 772 002

chrome

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
selectable swivel area: 0° / 150°
projection 271 mm
S-unions

Ref. no.


Colour



31 491 000
31 491 DC0

chrome
supersteel


Concetto
Single-lever sink mixer 1/2"
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
professional spray
with flexible, hygienic GROHFlexx kitchen Santoprene hose
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking
swivel spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system



32 661 003
32 661 DC3

chrome
supersteel


Concetto
Single-lever sink mixer 1/2"
high spout
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free
adjustable flow rate limiter
swivel tubular spout
selectable swivel area: 0° / 150°
flexible connection hoses
GROHE FastFixation rapid installation system



32 663 003
32 663 DC3

chrome
supersteel


Concetto
Single-lever sink mixer 1/2"
high spout
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free
pull-out laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE FastFixation rapid installation system



31 483 002
31 483 DC2

chrome
supersteel


Concetto
Single-lever sink mixer 1/2"
high spout
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE FastFixation rapid installation system



31 128 001

chrome


Concetto
Single-lever sink mixer 1/2"
medium spout
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system



31 129 001

chrome


Concetto
Single-lever sink mixer 1/2"
medium spout
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system



30 273 001

chrome

Concetto
Single-lever sink mixer 1/2"
medium spout
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out dual spray - switching between regular flow and spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system



32 667 001


chrome

Concetto
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
projection 280 mm
S-unions

GROHE EUROSTYLE COSMOPOLITAN

Ref. no.

Colour




33 975 004

chrome

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout

GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free
adjustable flow rate limiter
swivel tubular spout, selectable swivel area: 0° / 150°
flexible connection hoses
GROHE FastFixation rapid installation system




31 126 004

chrome

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout

GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout, swivel area 360°
protected against backflow
flexible connection hoses
GROHE FastFixation rapid installation system




31 482 003

chrome

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout

GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout, swivel area 360°
protected against backflow
flexible connection hoses
GROHE FastFixation rapid installation system




30 221 002

chrome

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout

GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout, adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system



31 124 002

chrome


Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
medium spout

GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout, swivel area 140°
flexible connection hoses
rapid installation system

GROHE EUROSTYLE COSMOPOLITAN

Ref. no.

Colour



33 982 002

chrome


Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
wall mounted

GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout, selectable swivel area: 0° / 150°
projection 273 mm
S-unions

GROHE EUROCOSMO

Ref. no.


Colour



32 843 002
32 843 DC2

chrome
supersteel


Eurocosmo
Single-lever sink mixer 1/2"
high spout
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free
adjustable flow rate limiter
swivel tubular spout
selectable swivel area: 0° / 150°
flexible connection hoses
GROHE FastFixation rapid installation system



31 481 001

chrome


Eurocosmo
Single-lever sink mixer 1/2"
high spout
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE FastFixation rapid installation system



30 193 000

chrome

Eurocosmo
Single-lever sink mixer 1/2"
medium spout
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system




32 842 000

chrome

Eurocosmo
Single-lever sink mixer 1/2"
low spout
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system

new



33 281 003
33 281 DC3

chrome
supersteel

Eurosmart

Single-lever sink mixer 1/2"

low spout

GROHE StarLight chrome finish

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

swivel cast spout


swivel area 140°, **GROHE Zero** isolated inner water ways - lead and nickel free

mousseur with coin slot for tool free replacement

flexible connection hoses

GROHE FastFixation Plus installation system

new



30 305 001
30 305 DC1

chrome
supersteel

Eurosmart

Single-lever sink mixer 1/2"

low spout

GROHE StarLight chrome finish

GROHE SilkMove 35 mm ceramic cartridge

pull-out dual spray - switching between regular flow and spray

diverter: laminar spray/SpeedClean shower jet

automatic return to laminar spray

adjustable flow rate limiter

swivel cast spout


swivel area 90°, **GROHE Zero** isolated inner water ways - lead and nickel free

flexible connection hoses

GROHE FastFixation Plus installation system

protected against backflow

new



30 463 000
30 463 DC0

chrome
supersteel

Eurosmart

Single-lever sink mixer 1/2"

medium spout

GROHE StarLight chrome finish

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter


swivel cast spout

swivel area 140°, **GROHE Zero** isolated inner water ways - lead and nickel free

flexible connection hoses

GROHE FastFixation Plus installation system

new



33 202 003

chrome

Eurosmart

Single-lever sink mixer 1/2"

high spout

GROHE StarLight chrome finish

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter


swivel tubular spout

swivel area 150°, **GROHE Zero** isolated inner water ways - lead and nickel free

flexible connection hoses

GROHE FastFixation Plus installation system

new



30 567 000
30 567 DC0

chrome
supersteel

Eurosmart

Single-lever sink mixer 1/2"

high spout

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge

adjustable flow rate limiter


swivel tubular spout

swivel area 150°, **GROHE Zero** isolated inner water ways - lead and nickel free

flexible connection hoses

GROHE FastFixation Plus installation system

new



31 391 003

chrome

Eurosmart

Single-lever sink mixer 1/2"

wall mounted

GROHE StarLight chrome finish

GROHE SilkMove 35 mm ceramic cartridge


adjustable flow rate limiter

swivel tubular spout

swivel area 360°, projection 216 mm

S-unions

new



32 224 003

chrome

Eurosmart

Single-lever sink mixer 1/2"

wall mounted

GROHE StarLight chrome finish

GROHE SilkMove 35 mm ceramic cartridge


adjustable flow rate limiter

swivel tubular spout

swivel area 360°, projection 276 mm

S-unions

new



32 482 003

chrome

Eurosmart

Single-lever sink mixer 1/2"

wall mounted

GROHE StarLight chrome finish


GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

swivel tubular spout

swivel area 360°, projection 244 mm


C-unions



31 812 001

chrome


Costa L
Single-hole sink mixer 1/2"
metal handles
heat insulated
GROHE StarLight chrome finish
Longlife headparts
swivel tubular spout, swivel area 360°
chain ring
flexible connection hoses



31 191 001

chrome


Costa L
Wall sink mixer 1/2"
wall mounted
metal handles
heat insulated
GROHE StarLight finish
Longlife headparts
swivel tubular spout, swivel area 360°
S-unions



31 187 001

chrome


Costa L
Wall sink mixer 1/2"
metal handles
heat insulated
GROHE StarLight finish
Longlife headparts
swivel tubular spout, swivel area 360°
S-unions



30 484 001

chrome

Costa L
Bibtap 1/2"
wall mounted
metal handle
heat insulated
marking: blue
GROHE StarLight finish
Longlife headparts
swivel tubular spout
swivel area 360°




30 098 001

chrome

Costa L
Bibtap 1/2"
wall mounted
metal handle
heat insulated
marking: blue
GROHE StarLight finish
Longlife headparts

new



31 368 001

chrome

BauLoop

Single-lever sink mixer 1/2"

high spout

GROHE StarLight chrome finish

GROHE Longlife 28 mm ceramic cartridge


GROHE Zero isolated inner water ways - lead and nickel free

swivel tubular spout

swivel area 360°, flexible connection hoses

GROHE FastFixation Plus ultra fast and simple installation - no tools needed for installation on a 60 mm worktop fixation set 48 384 000 is needed

new



31 367 001

chrome

BauEdge

Single-lever sink mixer 1/2"

high spout

GROHE StarLight finish

GROHE Longlife 28 mm ceramic cartridge


GROHE Zero isolated inner water ways - lead and nickel free

swivel tubular spout

swivel area 360°, flexible connection hoses

GROHE FastFixation Plus ultra fast and simple installation - no tools needed for installation on a 60 mm worktop fixation set 48 384 000 is needed

new



31 536 001

chrome

BauCurve

Single-lever sink mixer 1/2"

high spout

GROHE StarLight chrome finish

GROHE Longlife 28 mm ceramic cartridge


GROHE Zero isolated inner water ways - lead and nickel free

swivel tubular spout

swivel area 360°, flexible connection hoses

GROHE FastFixation Plus ultra fast and simple installation - no tools needed for installation on a 60 mm worktop fixation set 48 384 000 is needed

new



31 538 001

chrome

GROHE BauFlow

Single-lever sink mixer 1/2"

high spout

GROHE StarLight chrome finish

GROHE Longlife 28 mm ceramic cartridge


GROHE Zero isolated inner water ways - lead and nickel free

swivel tubular spout

swivel area 360°, flexible connection hoses

GROHE FastFixation Plus ultra fast and simple installation - no tools needed for installation on a 60 mm worktop fixation set 48 384 000 is needed

new



31 535 001

chrome

BauClassic

Single-lever sink mixer 1/2"

high spout

GROHE StarLight chrome finish

GROHE Longlife 28 mm ceramic cartridge


GROHE Zero isolated inner water ways - lead and nickel free

swivel tubular spout

swivel area 360°, flexible connection hoses

GROHE FastFixation Plus ultra fast and simple installation - no tools needed for installation on a 60 mm worktop fixation set 48 384 000 is needed

new



31 706 000

chrome

BauLoop

Single-lever sink mixer 1/2"

medium spout

GROHE StarLight chrome finish

GROHE Longlife 35 mm ceramic cartridge

GROHE Zero isolated inner water ways - lead and nickel free


swivel tubular spout

swivel area 140°, mousseur with coin slot for tool free replacement

flexible connection hoses

GROHE FastFixation Plus ultra fast and simple installation - no tools needed for installation on a max. 40 mm worktop fixation set 48 384 000 is needed

new



31 693 000

chrome

BauEdge

Single-lever sink mixer 1/2"

medium spout

GROHE StarLight chrome finish

GROHE Longlife 35 mm ceramic cartridge

GROHE Zero isolated inner water ways - lead and nickel free


swivel tubular spout

swivel area 140°, mousseur with coin slot for tool free replacement

flexible connection hoses

GROHE FastFixation Plus ultra fast and simple installation - no tools needed for installation on a max. 40 mm worktop fixation set 48 384 000 is needed

new



31 688 000

chrome

GROHE BauFlow

Single-lever sink mixer 1/2"

medium spout

GROHE StarLight chrome finish

GROHE Longlife 35 mm ceramic cartridge

GROHE Zero isolated inner water ways - lead and nickel free


swivel tubular spout

mousseur with coin slot for tool free replacement

flexible connection hoses

GROHE FastFixation Plus ultra fast and simple installation - no tools needed for installation on a max. 40 mm worktop fixation set 48 384 000 is needed

new



31 715 000

chrome

BauCurve

Single-lever sink mixer 1/2"

medium spout

GROHE StarLight chrome finish

GROHE Longlife 35 mm ceramic cartridge

GROHE Zero isolated inner water ways - lead and nickel free


swivel tubular spout

swivel area 140°, mousseur with coin slot for tool free replacement

flexible connection hoses

GROHE FastFixation Plus ultra fast and simple installation - no tools needed for installation on a max. 40 mm worktop fixation set 48 384 000 is needed

new



31 680 000

chrome

BauEco

Single-lever sink mixer 1/2"

low spout

GROHE StarLight chrome finish

GROHE Longlife 35 mm ceramic cartridge

GROHE Zero isolated inner water ways - lead and nickel free

swivel tubular spout


swivel area 140°, mousseur with coin slot for tool free replacement



flexible connection hoses

GROHE FastFixation Plus ultra fast and simple installation - no tools needed for installation on a max. 40 mm worktop fixation set 48 384 000 is needed

GROHE SOAP DISPENSERS

	Ref. no.	Colour
	40 535 000	chrome
	40 535 DC0	supersteel
	40 535 BE0	polished nickel
	40 535 GL0	cool sunrise
	40 535 GN0	brushed cool sunrise
	40 535 DA0	warm sunset
	40 535 DL0	brushed warm sunset
	40 535 A00	hard graphite
	40 535 AL0	brushed hard graphite
	Cosmopolitan soap dispenser for liquid soap storage bin 500 ml GROHE StarLight finish	




		36 194 000 Soap dispenser pillar tap with push-button, for liquid soap projection 113 mm for tap hole drillings 22 - 30 mm storage bin 1 l. GROHE StarLight finish
		chrome

GROHE STAINLESS STEEL SINKS

Ref. no.

Colour

new





31 582 SD1

stainless steel

K1000
Stainless steel sink with drainer
model: K1000 80-S 116/52 1.0 rh
 mounting type: top mount or flush mount
 material: stainless steel AISI 304 (V2A)
 material thickness: 1 mm
GROHE StarLight finish
 finish: satin finish
GROHE Whisper
 min. cabinet size: 800 mm
 dimensions: 1160 x 520 mm
 1 bowl: 710 x 400 mm
 outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
 sink mountable right
 cut-out (top mount): 1145 x 505 mm
 waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
 accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
 optional: push to open excenter (40 986 SD0)
 amount of fasteners included (top mount): 70

new





31 581 SD1

stainless steel

K1000
Stainless steel sink with drainer
model: K1000 80-S 116/52 1.0 lh
 mounting type: top mount or flush mount
 material: stainless steel AISI 304 (V2A)
 material thickness: 1 mm
GROHE StarLight finish
 finish: satin finish
GROHE Whisper
 min. cabinet size: 800 mm
 dimensions: 1160 x 520 mm
 1 bowl: 710 x 400 mm
 outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
 sink mountable left
 cut-out (top mount): 1145 x 505 mm
 waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
 accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
 optional: push to open excenter (40 986 SD0)
 amount of fasteners included (top mount): 70

new







31 583 SD1

stainless steel

K800
Stainless steel sink
model: K800 60-S 51.8/51 1.0
 mounting type: top mount or flush mount
 material: stainless steel AISI 304 (V2A)
 material thickness: 1 mm
GROHE StarLight finish
 finish: satin finish
GROHE Whisper
 min. cabinet size: 600 mm
 dimensions: 518 x 510 mm
 1 bowl: 462 x 400 x 200 mm
 outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
 cut-out (top mount): 503 x 495 mm
 waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
 accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
 optional: push to open excenter (40 986 SD0)
 amount of fasteners included (top mount): 8

GROHE STAINLESS STEEL SINKS


Ref. no.		Colour
new	 	31 584 SD1 stainless steel K800 Stainless steel sink model: K800 90-S 84.6/51 1.0 mounting type: top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 900 mm dimensions: 846 x 510 mm 1 bowl: 790 x 400 x 200 mm outer radius: R3, inner bowl radius: R10 GROHE FastFixation installation system cut-out (top mount): 831 x 495 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional: push to open excenter (40 986 SD0) amount of fasteners included (top mount): 10
new	 	31 585 SD1 stainless steel K800 Stainless steel sink model: K800 120-S 102.4/51 2.0 mounting type: top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 1200 mm dimensions: 1024 x 510 mm 1 bowl: 462 x 400 x 200 mm 2 bowl: 462 x 400 x 200 mm outer radius: R3, inner bowl radius: R10 GROHE FastFixation installation system cut-out (top mount): 1009 x 495 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional: push to open excenter (40 986 SD0) amount of fasteners included (top mount): 10
new	 	31 586 SD1 stainless steel K800 Stainless steel sink model: K800 120-S 102.4/51 1.0 mounting type: top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 1200 mm dimensions: 1024 x 510 mm 1 bowl: 968 x 400 x 200 mm outer radius: R3, inner bowl radius: R10 GROHE FastFixation installation system cut-out (top mount): 1009 x 495 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional: push to open excenter (40 986 SD0) amount of fasteners included (top mount): 10

GROHE STAINLESS STEEL SINKS

Ref. no.

Colour

new



31 574 SD1
31 574 GN1
31 574 DL1
31 574 AL1

stainless steel
brushed cool sunrise
brushed warm sunset
brushed hard graphite

K700 Undermount
Stainless steel sink
model: K700U 60-S 54.4/44.4 1.0

mounting type: undermount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm

GROHE StarLight finish
finish: satin finish

GROHE Whisper

min. cabinet size: 600 mm
dimensions: 540 x 440 mm
1 bowl: 500 x 400 x 195 mm

outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15

GROHE FastFixation installation system

cut-out: 500 x 400 mm

drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket


strainer waste, mounting set

optional: push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 8

amount of fasteners included (undermount): 8

new



31 575 SD1

stainless steel

K700 Undermount
Stainless steel sink
model: K700U 80-S 76/45 1.5 Ih

mounting type: undermount, top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 800 mm

dimensions: 760 x 450 mm

1 bowl: 500 x 400 x 195 mm

0.5 bowl: 180 x 400 x 200 mm

outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15

GROHE FastFixation installation system

sink mountable left

cut-out (undermount): 712 x 402 mm (R16)

cut-out (top mount): 745 x 435 mm

drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket


strainer waste, mounting set

optional: push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 8

amount of fasteners included (undermount): 8

new



31 576 SD1

stainless steel

K700 Undermount
Stainless steel sink
model: K700U 60-S 59.5/45 1.5 rh

mounting type: undermount, top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 600 mm

dimensions: 595 x 450 mm

1 bowl: 340 x 400 x 200 mm

0.5 bowl: 180 x 400 x 140 mm

outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15

GROHE FastFixation installation system

sink mountable right

cut-out (undermount): 547 x 402 mm (R16)

cut-out (top mount): 580 x 435 mm

drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket

strainer waste, mounting set

optional: push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 8


amount of fasteners included (undermount): 8

GROHE STAINLESS STEEL SINKS

Ref. no.

Colour

new



31 577 SD1

stainless steel

K700 Undermount

Stainless steel sink

model: K700U 60-S 59.5/45 1.5 Ih

mounting type: undermount, top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 600 mm

dimensions: 595 x 450 mm

1 bowl: 340 x 400 x 200 mm

0.5 bowl: 180 x 400 x 140 mm

outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15

GROHE FastFixation installation system

sink mountable left

cut-out (undermount): 547 x 402 mm (R16)

cut-out (top mount): 580 x 435 mm

drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket


strainer waste, mounting set

optional: push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 8

amount of fasteners included (undermount): 8

new



31 578 SD1

stainless steel

K700

Stainless steel sink

model: K700 45-S 46.4/46.4 1.0

mounting type: undermount, top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 450 mm

dimensions: 464 x 464 mm

1 bowl: 400 x 400 x 200 mm

outer radius: R11 (undermount)/R3 (topmount), inner bowl radius: R10

GROHE FastFixation installation system

cut-out (undermount): 402 x 402 mm (R11)

cut-out (top mount): 449 x 449 mm

drainer: Ø 3.5"/90 mm basket strainer waste


accessories included: waste kit, basket

strainer waste, mounting set

optional: push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 8

amount of fasteners included (undermount): 8



31 726 SD0

stainless steel

K700

Stainless steel sink

model: K700 60-S 55/45 1.0

mounting type: undermount, top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

GROHE StarLight finish

finish: satin finish

GROHE Whisper

min. cabinet size: 600 mm

dimensions: 550 x 450 mm

1 bowl: 500 x 400 x 200 mm

outer radius: R11 (undermount)/R3 (topmount), inner bowl radius: R10

GROHE FastFixation installation system

cut-out (undermount): 502 x 402 mm (R11)

cut-out (top mount): 535 x 435 mm

drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket

strainer waste, mounting set

optional: push to open excenter (40 986 SD0)




amount of fasteners included (top mount): 8

amount of fasteners included (undermount): 8




GROHE STAINLESS STEEL SINKS

Ref. no.

Colour

new	  31 580 SD1 stainless steel K700 Stainless steel sink model: K700 90-S 86.4/46.4 1.0 mounting type: undermount, top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 900 mm dimensions: 864 x 464 mm 1 bowl: 800 x 400 x 200 mm outer radius: R11 (undermount)/R3 (topmount), inner bowl radius: R10 GROHE FastFixation installation system cut-out (undermount): 802 x 402 mm (R11) cut-out (top mount): 849 x 449 mm drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set optional: push to open excenter (40 986 SD0) amount of fasteners included (top mount): 8 amount of fasteners included (undermount): 8
new	  31 571 SD1 stainless steel K500 Stainless steel sink with drainer model: K500 45-S 86/50 1.0 rev mounting type: top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 0.7 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 450 mm dimensions: 860 x 500 mm 1 bowl: 340 x 420 x 170 mm outer radius: R6 (topmount), inner bowl radius: R65 GROHE FastFixation installation system sink mountable left or right cut-out (top mount): 842 x 482 mm drilling holes: 2 x 35 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional: push to open excenter (40 986 SD0) amount of fasteners included (top mount): 14
new	  31 563 SD1 stainless steel K500 Stainless steel sink with drainer model: K500 60-S 100/50 1.0 rev mounting type: top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 0.7 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 1000 x 500 mm 1 bowl: 450 x 400 x 180 mm outer radius: R6 (topmount), inner bowl radius: R75 GROHE FastFixation installation system sink mountable left or right cut-out (top mount): 982 x 482 mm drilling holes: 2 x 35 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional: push to open excenter (40 986 SD0) amount of fasteners included (top mount): 16




GROHE STAINLESS STEEL SINKS

		Ref. no.	Colour
new			31 572 SD1 K500 Stainless steel sink with drainer model: K500 60-S 100/50 1.5 rev mounting type: top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 0.7 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 1000 x 500 mm 1 bowl: 340 x 420 x 185 mm 0.5 bowl: 170 x 320 x 125 mm outer radius: R6 (topmount), inner bowl radius: R65 GROHE FastFixation installation system sink mountable left or right cut-out (top mount): 982 x 482 mm drilling holes: 2 x 35 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set optional: push to open excenter (40 986 SD0) amount of fasteners included (top mount): 16
new			31 588 SD1 K500 Stainless steel sink with drainer model: K500 80-S 116/50 2.0 rev mounting type: top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 0.7 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 800 mm dimensions: 1160 x 500 mm 1 bowl: 340 x 420 x 190 mm 2 bowl: 340 x 420 x 190 mm outer radius: R6 (topmount), inner bowl radius: R90 GROHE FastFixation installation system sink mountable left or right cut-out (top mount): 1140 x 480 mm drilling holes: 2 x 35 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional: push to open excenter (40 986 SD0) amount of fasteners included (top mount): 18
new			31 573 SD1 Minta Kitchen sink and tap bundle K500 stainless steel sink with drainer (31 571 SD1) Minta single-lever sink mixer (32 168) pull out mousseur spout




GROHE STAINLESS STEEL SINKS

Ref. no.

Colour

		31 568 SD0	stainless steel
		K400+ Stainless steel sink with drainer model: K400+ 45-S 87.3/51.3 1.0 rev mounting type: flat edge material: stainless steel AISI 316 (V4A) material thickness: 0.7 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 450 mm dimensions: 873 x 513 mm 1 bowl: 363 x 400 x 188 mm outer radius: R10, inner bowl radius: R95 GROHE FastFixation installation system sink mountable left or right cut-out: 840 x 480 mm drilling holes: 2 x 35 mm drainer: automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set amount of fasteners included (flat edge): 18	
		31 569 SD0	stainless steel
		K400+ Stainless steel sink with drainer model: K400+ 60-S 98.3/51.3 1.5 rev mounting type: flat edge material: stainless steel AISI 316 (V4A) material thickness: 0.7 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 983 x 513 mm 1 bowl: 363 x 400 x 188 mm 0.5 bowl: 150 x 300 x 188 mm outer radius: R10, inner bowl radius: R95 GROHE FastFixation installation system sink mountable left or right cut-out: 950 x 480 mm drilling holes: 2 x 35 mm drainer: automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set amount of fasteners included (flat edge): 18	
		31 566 SD0	stainless steel
		K400 Stainless steel sink with drainer model: K400 45-S 86/50 1.0 rev mounting type: standard built-in material: stainless steel AISI 304 (V2A) material thickness: 0.7 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 450 mm dimensions: 860 x 500 mm 1 bowl: 362.5 x 400 x 188 mm outer radius: R10, inner bowl radius: R95 GROHE FastFixation installation system sink mountable left or right cut-out: 840 x 480 mm drilling holes: 2 x 35 mm drainer: automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set amount of fasteners included (top mount): 6	





GROHE STAINLESS STEEL SINKS

Ref. no.	Colour
 	31 567 SD0 stainless steel K400 Stainless steel sink with drainer model: K400 60-S 97/50 1.5 rev mounting type: standard built-in material: stainless steel AISI 304 (V2A) material thickness: 0.7 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 970 x 500 mm 1 bowl: 363 x 400 x 188 mm 0.5 bowl: 150 x 300 x 188 mm outer radius: R10, inner bowl radius: R95 GROHE FastFixation installation system sink mountable left or right cut-out: 950 x 480 mm drilling holes: 2 x 35 mm drainer: automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set amount of fasteners included (top mount): 8
 	31 587 SD0 stainless steel K400 Stainless steel sink with drainer model: K400 80-S 116/50 2.0 rev mounting type: standard built-in material: stainless steel AISI 304 (V2A) material thickness: 0.7 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 800 mm dimensions: 1160 x 500 mm 2 bowl: 362.5 x 400 x 188 mm outer radius: R10, inner bowl radius: R95 GROHE FastFixation installation system sink mountable left or right cut-out: 1140 x 480 mm drilling holes: 2 x 35 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set amount of fasteners included (top mount): 8
 	31 570 SD0 stainless steel Concetto Kitchen sink and tap bundle K400 stainless steel sink with drainer (31 566 SD0) Concetto single lever sink mixer (32 663 003) pull out mousseur spout



GROHE STAINLESS STEEL SINKS

Ref. no.

Colour

new  	31 564 SD1 stainless steel K200 Stainless steel sink with drainer model: K200 60-S 96.5/50 1.5 rev mounting type: top mount material: stainless steel AISI 304 (V2A) material thickness: 0.6 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 965 x 500 mm 1 bowl: 346 x 396 x 165 mm 0.5 bowl: 180 x 340 x 130 mm outer radius: R10 (topmount), inner bowl radius: R100 GROHE FastFixation installation system sink mountable left or right cut-out (top mount): 941 x 476 mm drilling holes: 2 x 35 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional: push to open excenter (40 986 SD0) amount of fasteners included (top mount): 16
new  	31 565 SD1 stainless steel Eurosmart Kitchen sink and tap bundle K200 stainless steel sink with drainer (31 552 SD1) Eurosmart single lever sink mixer (33 281 003)
new  	31 562 SD1 stainless steel Bau Kitchen sink and tap bundle K200 stainless steel sink with drainer (31 552 SD1) Bau Edge single lever sink mixer (31 367 001)
new  	31 552 SD1 stainless steel K200 Stainless steel sink with drainer model: K200 45-S 86/50 1.0 rev mounting type: top mount material: stainless steel AISI 304 (V2A) material thickness: 0.6 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 450 mm dimensions: 860 x 500 mm 1 bowl: 350 x 400 x 160 mm outer radius: R6 (topmount), inner bowl radius: R100 GROHE FastFixation installation system sink mountable left or right cut-out (top mount): 842 x 482 mm drilling holes: 2 x 35 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional: push to open excenter (40 986 SD0) amount of fasteners included (top mount): 14




GROHE STAINLESS STEEL SINKS

Ref. no.	Colour
 	31 720 SD0 stainless steel K200 Stainless steel sink model: K200 50-S Ø 44 1.0 mounting type: standard built-in material: stainless steel AISI 304 (V2A) GROHE Whisper min. cabinet size: 500 mm dimensions: Ø 440 mm 1 bowl: Ø 390 mm GROHE FastFixation installation system cut-out: Ø 422 mm drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set amount of fasteners included (top mount): 5
 	31 719 SD0 stainless steel K200 Stainless steel sink model: K200 60-S 53.3/45.8 1.0 rev mounting type: standard built-in material: stainless steel AISI 304 (V2A) GROHE Whisper min. cabinet size: 600 mm dimensions: 533 x 458 mm 1 bowl: 482 x 406 mm inner bowl radius: R60 GROHE FastFixation installation system cut-out: 517 x 442 mm drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set amount of fasteners included (top mount): 8

GROHE COMPOSITE SINKS

Ref. no.


Colour


		31 650 AT0	granite gray
		31 650 AP0	granite black
K700 Composite sink model: K700 50-C 40/50 1.0 mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 500 mm dimensions: 400 x 500 mm 1 bowl: 340 x 370 x 200 mm GROHE FastFixation installation system cut-out: 380 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional: push to open excenter (40 986 SD0) amount of fasteners included (top mount): 6 outer radius: R6, inner bowl radius: R45			
		31 651 AT0	granite gray
		31 651 AP0	granite black
K700 Composite sink model: K700 60-C 56/51 1.0 mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 560 x 510 mm 1 bowl: 500 x 360 x 200 mm GROHE FastFixation installation system cut-out: 545 x 495 mm drainer: automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional: push to open excenter (40 986 SD0) amount of fasteners included (top mount): 8 outer radius: R6, inner bowl radius: R10			
		31 652 AT0	granite gray
		31 652 AP0	granite black
K700 Composite sink model: K700 80-C 78/51 1.0 mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 800 mm dimensions: 780 x 510 mm 1 bowl: 720 x 370 x 220 mm GROHE FastFixation installation system cut-out: 764 x 494 mm drainer: automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional: push to open excenter (40 986 SD0) amount of fasteners included (top mount): 9 outer radius: R6, inner bowl radius: R10			

GROHE COMPOSITE SINKS

Ref. no.

Colour


	31 657 AT0 31 657 AP0	granite gray granite black
	K700 Composite sink model: K700 90-C 83.8/55.9 2.0 mounting type: standard built-in and undermount material: quartz composite GROHE Whisper min. cabinet size: 900 mm dimensions: 838 x 559 mm 1 bowl: 406 x 438 x 241 mm 1 bowl: 316 x 438 x 241 mm outer radius: R6, inner bowl radius: R15 GROHE FastFixation installation system sink mountable left cut-out (top mount installation): 818 x 539 mm cut-out (undermount installation): 757 x 437 mm drainer: automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional: push to open excenter (40 986 SD0) amount of fasteners included (top mount): 9 amount of fasteners included (undermount): 9	

	31 658 AT0 31 658 AP0	granite gray granite black
	K700 Composite sink model: K700 100-C 90/50 2.0 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 1000 mm dimensions: 900 x 500 mm 1 bowl: 465 x 443 x 230 mm 1 bowl: 315 x 443 x 230 mm GROHE FastFixation installation system sink mountable left or right cut-out: 880 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional: push to open excenter (40 986 SD0) amount of fasteners included (top mount): 10 outer radius: R6, inner bowl radius: R8	

GROHE COMPOSITE SINKS

Ref. no.

Colour



31 653 AT0
31 653 AP0

granite gray
granite black

K700 Undermount
Composite sink

model: K700U 50-C 45.7/40.6 1.0

mounting type: standard built-in and undermount

material: quartz composite

GROHE Whisper

min. cabinet size: 500 mm

dimensions: 457 x 406 mm

1 bowl: 417 x 366 x 203 mm

outer radius: R6, inner bowl radius: R10

GROHE FastFixation installation system

cut-out: 417 x 366 mm

drainer: Ø 3.5"/90 mm basket strainer waste

optional: push to open excenter (40 986 SD0)


accessories included: waste kit, basket

strainer waste, mounting set

mounting with silicone (top mount)

amount of fasteners included (undermount): 8

optional: push to open excenter (40 986 SD0)



31 654 AT0
31 654 AP0

granite gray
granite black

K700 Undermount
Composite sink

model: K700U 60-C 53.3/45.7 1.0

mounting type: standard built-in and undermount

material: quartz composite

GROHE Whisper

min. cabinet size: 600 mm

dimensions: 533 x 457 mm

1 bowl: 469 x 393 x 205 mm

GROHE FastFixation installation system

cut-out: 468 x 390 mm

drainer: Ø 3.5"/90 mm basket strainer waste

optional: push to open excenter (40 986 SD0)


accessories included: waste kit, basket

strainer waste, mounting set

amount of fasteners included (top mount): 6

amount of fasteners included (undermount): 6

outer radius: R7, inner bowl radius: R10



31 655 AT0
31 655 AP0

granite gray
granite black

K700 Undermount
Composite sink

model: K700U 70-C 61/45.7 1.0

mounting type: standard built-in and undermount

material: quartz composite

GROHE Whisper

min. cabinet size: 700 mm

dimensions: 610 x 460 mm

1 bowl: 544 x 394 x 205 mm

GROHE FastFixation installation system

cut-out: 543 x 393 mm

drainer: Ø 3.5"/90 mm basket strainer waste

optional: push to open excenter (40 986 SD0)

accessories included: waste kit, basket

strainer waste, mounting set

amount of fasteners included (top mount): 6



amount of fasteners included (undermount): 6

outer radius: R3, inner bowl radius: R10

GROHE COMPOSITE SINKS

Ref. no.


Colour

31 644 AT0
31 644 AP0

granite gray
granite black


K500
Composite sink with drainer
model: K500 50-C 86/50 1.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 860 x 500 mm
1 bowl: 347 x 440 x 200 mm
GROHE FastFixation installation system
sink mountable left or right
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional: push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12
outer radius: R6, inner bowl radius: R12

31 645 AT0
31 645 AP0

granite gray
granite black

K500
Composite sink with drainer
model: K500 60-C 100/50 1.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 480 x 440 x 200 mm
GROHE FastFixation installation system
sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional: push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12
outer radius: R6, inner bowl radius: R12

31 646 AT0
31 646 AP0

granite gray
granite black


K500
Composite sink with drainer
model: K500 60-C 100/50 1.5 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 345 x 440 x 200 mm
0.5 bowl: 155 x 295 x 146 mm
GROHE FastFixation installation system
sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional: push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12
outer radius: R6, inner bowl radius: big bowl R12, small bowl R10

GROHE COMPOSITE SINKS

Ref. no.

Colour






31 647 AT0
31 647 AP0

granite gray
granite black

K500
Composite sink with drainer
model: K500 80-C 116/50 2.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
1 bowl: 330 x 440 x 200 mm
2 bowl: 330 x 440 x 200 mm
GROHE FastFixation installation system
sink mountable left or right
cut-out: 1140 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional: push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12
outer radius: R6, inner bowl radius: R12






31 648 AT0
31 648 AP0

granite gray
granite black

K500
Composite sink
model: K500 60-C 55.5/46 1.5 rev
mounting type: standard built-in and undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 555 x 460 mm
1 bowl: 335 x 400 x 200 mm
0.5 bowl: 155 x 400 x 140 mm
outer radius: R6, inner bowl radius: big bowl R12, small bowl R10
GROHE FastFixation installation system
sink mountable left or right
cut-out: 525 x 400 mm
drainer: Ø 3.5"/90 mm basket strainer waste
optional: push to open excenter (40 986 SD0)
accessories included: waste kit, basket strainer waste, mounting set
optional: push to open excenter (40 986 SD0)
mounting with silicone (top mount)
amount of fasteners included (undermount): 8








31 649 AT0
31 649 AP0

granite gray
granite black

K500
Composite sink
model: K500 90-C 86/50 2.0
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 900 mm
dimensions: 860 x 500 mm
1 bowl: 390 x 430 x 200 mm
2 bowl: 380 x 365 x 200 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
sink mountable left
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional: push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10


GROHE COMPOSITE SINKS

	Ref. no.	Colour
 	31 639 AT0 31 639 AP0 K400 Composite sink with drainer model: K400 50-C 78/50 1.0 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 500 mm dimensions: 780 x 500 mm 1 bowl: 347 x 440 x 205 mm outer radius: R6, inner bowl radius: R10 GROHE FastFixation installation system sink mountable left or right cut-out: 765 x 485 mm drainer: automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional: push to open excenter (40 986 SD0) amount of fasteners included (top mount): 70	granite gray granite black
 	31 640 AT0 31 640 AP0 K400 Composite sink with drainer model: K400 50-C 86/50 1.0 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 500 mm dimensions: 860 x 500 mm 1 bowl: 337 x 420 x 205 mm outer radius: R6, inner bowl radius: R10 GROHE FastFixation installation system sink mountable left or right cut-out: 840 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional: push to open excenter (40 986 SD0) amount of fasteners included (top mount): 10	granite gray granite black
 	31 641 AT0 31 641 AP0 K400 Composite sink with drainer model: K400 60-C 100/50 1.0 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 1000 x 500 mm 1 bowl: 480 x 420 x 205 mm outer radius: R6, inner bowl radius: R10 GROHE FastFixation installation system sink mountable left or right cut-out: 980 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional: push to open excenter (40 986 SD0) amount of fasteners included (top mount): 12	granite gray granite black

GROHE COMPOSITE SINKS

Ref. no.

Colour

31 642 AT0

31 642 AP0

granite gray

granite black

K400

Composite sink with drainer

model: K400 60-C 100/50 1.5 rev

mounting type: standard built-in

material: quartz composite

GROHE Whisper

min. cabinet size: 600 mm

dimensions: 1000 x 500 mm

1 bowl: 335 x 420 x 205 mm

0.5 bowl: 155 x 295 x 146 mm

outer radius: R6, inner bowl radius: big bowl R10, small bowl R8

GROHE FastFixation installation system

sink mountable left or right


cut-out: 980 x 480 mm

drainer: automatic waste fitting

accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set

optional: push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 10

31 643 AT0

31 643 AP0

granite gray

granite black

K400

Composite sink with drainer

model: K400 80-C 116/50 1.5 rev

mounting type: standard built-in

material: quartz composite

GROHE Whisper

min. cabinet size: 800 mm

dimensions: 1160 x 500 mm

1 bowl: 400 x 420 x 205 mm

2 bowl: 295 x 295 x 205 mm

outer radius: R6, inner bowl radius: R10

GROHE FastFixation installation system

sink mountable left or right


cut-out: 1140 x 480 mm

drainer: automatic waste fitting

accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set

optional: push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 10

31 656 AT0

31 656 AP0

granite gray

granite black

K200

Composite sink

model: K200 50-C 51 1.0

mounting type: standard built-in

material: quartz composite

GROHE Whisper

min. cabinet size: 500 mm

dimensions: Ø 510 mm

1 bowl: Ø 380 x 200 mm

inner bowl radius: Ø 380

GROHE FastFixation installation system

cut-out: Ø 490 mm

drainer: automatic waste fitting

accessories included: waste kit, basket strainer waste, mounting set

optional: push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 3

GROHE
SPECIAL FITTINGS





CONTENTS

Electronic fittings	Eurocube E	312
	Essence E	314
	Europlus E	317
	Eurosmart Cosmopolitan E	319
	Euroeco Cosmopolitan E	326
Special thermostats	Bau Cosmopolitan E	328
	Grohtherm Micro	330
Single-lever mixer	Grohtherm Special	331
	Euroeco Special	333
	Euroeco Single Sequential	334
Self-closing fittings	Eurosmart Cosmopolitan T	335
	Euroeco Cosmopolitan T	337

**SYSTEM REQUIREMENTS
FOR ELECTRONIC FAUCETS WITH BLUETOOTH**


Apple iOS 8.0 or higher
Android 4.3 or higher

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.


*** Available for free via iTunes app or Google Play store.



chrome

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter


with plug transformer: 100-200 V AC, 50-60 Hz, 0 V DC
GROHE StarLight chrome finish
 laminar spray regulator 5.7 l/min
 flexible connection hoses
 non-return valve, dirt strainers
 integrated solenoid valve
 rapid installation system
 7 pre-set programs:
 auto flush, thermal disinfection, cleaning mode
 additional functions and precise settings by remote control 36 407
 CE approved, type of protection faucet IP 59K



chrome

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter


GROHE StarLight chrome finish
 laminar spray regulator 5.7 l/min
 flexible connection hoses
 non-return valve, dirt strainers
 integrated solenoid valve
 external battery
 rapid installation system
 multistage battery status display
 7 pre-set programs:
 auto flush, thermal disinfection, cleaning mode
 additional functions and precise settings by remote control 36 407
 CE approved
 type of protection faucet IP 59K



chrome


Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
laminar spray regulator 5.7 l/min
7 pre-set programs:
auto flush, thermal disinfection, cleaning mode
additional functions and precise settings by remote control 36 407
for use with Rapid SL 38 748 002 or roughing-in set 36 264 001
CE approved



Concealed mounting box

concealed mounting box
 for installation with pre-mixed or cold water
 suitable for IR-sets for final installation
 connection housing for power supply
 suitable for 36 447 000, 36 442 000




38 748 002

Rapid SL

Element for wash basin with rough-in set for infra-red electronic
suitable for trim sets Essence E 36 447 000 and Eurocube E 36 442 000

1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
for on-the-wall installation 38 558 00M needs to be ordered separately



36 407 001

Remote control

for all GROHE one eye infra-red products as of 06/2015

monitoring

consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)

configuration

cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)

service

send and save profile
reset to factory or user settings
service details, demo mode


3 x 1.5 V DC (AAA) battery supply



36 340 000

Power extension cable


length 3.00 m



36 338 000

Switch-mode power supply

for one eye infra-red wash basin mixer
switch-mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief



36 444 000

chrome

Essence E

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC

GROHE StarLight chrome finish

adjustable swivel area 0° / 150° / 360°

laminar spray regulator 5.0 l/min

flexible connection hoses

non-return valve, dirt strainers, integrated solenoid valve


rapid installation system

7 pre-set programs:

auto flush, thermal disinfection, cleaning mode

additional functions and precise settings by remote control 36 407

CE approved, type of protection faucet IP 59K



36 445 000

chrome

Essence E

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6V lithium battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE StarLight chrome finish

adjustable swivel area 0° / 150° / 360°

laminar spray regulator 5.0 l/min

flexible connection hoses

non-return valve, dirt strainers, integrated solenoid valve

external battery

rapid installation system


multistage battery status display

7 pre-set programs:

auto flush, thermal disinfection, cleaning mode

additional functions and precise settings by remote control 36 407

CE approved, type of protection faucet IP 59K



36 446 000

chrome

Essence E

Infra-red electronic basin tap 1/2" without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water

6V lithium battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE StarLight chrome finish

adjustable swivel area 0° / 150° / 360°

laminar spray regulator 5.0 l/min

flexible connection hose

dirt strainers, integrated solenoid valve

external battery

rapid installation system


multistage battery status display

7 pre-set programs:

auto flush, thermal disinfection, cleaning mode

additional functions and precise settings by remote control 36 407

CE approved, type of protection faucet IP 59K



36 447 000

chrome

Essence E

Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water

with transformer 100-230 V AC, 50-60 Hz, 6 V DC

laminar spray regulator 5.0 l/min


7 pre-set programs:

auto flush, thermal disinfection, cleaning mode


additional functions and precise settings by remote control 36 407

for use with Rapid SL 38 748 002 or roughing-in set 36 264 001


CE approved



for installation with pre-mixed or cold water
suitable for IR-sets for final installation
connection housing for power supply
suitable for 36 447 000, 36 442 000



for on-the-wall installation 38 558 00M needs to be ordered separately




- send and save profile
- reset to factory or user settings
- service details, demo mode

3 x 1.5 V DC (AAA) battery supply




length 3.00 m



36 338 000

Switch-mode power supply

for one eye infra-red wash basin mixer
switch-mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief



36 207 001

chrome

Europlus E

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose
6V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)

GROHE StarLight finish

GROHE EcoJoy mousseur 5.7 l/min

flexible connection hoses

non-return valve, dirt strainers, solenoid valve

rapid installation system

multistage battery status display

7 pre-set programs:

auto flush, thermal disinfection, cleaning mode


additional functions and precise settings by remote control 36 407

CE approved, type of protection faucet IP 59K

36 208 001

chrome

ditto, without mixing device



36 015 001

chrome

Europlus E

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC

GROHE StarLight finish

GROHE EcoJoy mousseur 5.7 l/min

flexible connection hoses

non-return valve, dirt strainers, solenoid valve

rapid installation system

7 pre-set programs:

auto flush, thermal disinfection, cleaning mode


additional functions and precise settings by remote control 36 407

CE approved, type of protection faucet IP 59K

36 016 001

chrome

ditto, without mixing device



36 407 001

Remote control

for all GROHE one eye infra-red products as of 06/2015

monitoring

consumption and usage data

thermal disinfection cycles (infrared faucets)

auto flush cycles (infrared faucets)

configuration

cleaning mode on/off

thermal disinfection (infrared faucets)

detection range (infrared fittings)

shut off delay (infrared faucets)

auto flush (infrared faucets)

service

send and save profile

reset to factory or user settings

service details, demo mode


3 x 1.5 V DC (AAA) battery supply



36 340 000

Power extension cable

length 3.00 m



36 338 000

Switch-mode power supply

for one eye infra-red wash basin mixer
switch-mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief



36 209 000

chrome


Hidden mixing device

vandal-proof, covered and pre-adjustable mixer
special mixing device
adjustment by screwdriver
metallic cap
GROHE StarLight chrome finish

GROHE EUROSMART COSMOPOLITAN E

Ref. no.

Colour



36 327 001

chrome

Eurosmart Cosmopolitan E

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose
6V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)

GROHE StarLight finish

GROHE EcoJoy mousseur 5.7 l/min

flexible connection hoses

non-return valve, dirt strainers, integrated solenoid valve
external battery

rapid installation system

multistage battery status display

7 pre-set programs:

auto flush, thermal disinfection, cleaning mode


additional functions and precise settings by remote control 36 407

CE approved, type of protection faucet IP 59K

36 331 001

chrome

ditto, with pop-up waste set 1 1/4"



36 422 000

chrome

Eurosmart Cosmopolitan E

Infra-red electronic basin mixer 1/2" L-Size

with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose
6V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)

GROHE StarLight finish

GROHE EcoJoy mousseur 5.7 l/min

flexible connection hoses

non-return valve, dirt strainers, integrated solenoid valve
external battery

rapid installation system


multistage battery status display

7 pre-set programs:

auto flush, thermal disinfection, cleaning mode

additional functions and precise settings by remote control 36 407

CE approved, type of protection faucet IP 59K



36 325 001

chrome

Eurosmart Cosmopolitan E

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC

GROHE StarLight finish

GROHE EcoJoy mousseur 5.7 l/min

flexible connection hoses


non-return valve, dirt strainers, integrated solenoid valve
rapid installation system

7 pre-set programs:

auto flush, thermal disinfection, cleaning mode

additional functions and precise settings by remote control 36 407

CE approved, type of protection faucet IP 59K



36 421 000

chrome

Eurosmart Cosmopolitan E

Infra-red electronic basin mixer 1/2" L-Size

with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC

GROHE StarLight finish

GROHE EcoJoy mousseur 5.7 l/min

flexible connection hoses

non-return valve, dirt strainers, integrated solenoid valve

rapid installation system

7 pre-set programs:

auto flush, thermal disinfection, cleaning mode


additional functions and precise settings by remote control 36 407

CE approved, type of protection faucet IP 59K

GROHE EUROSMART COSMOPOLITAN E

Ref. no.

Colour



36 439 000

chrome

Eurosmart Cosmopolitan E

Infra-red electronic basin tap 1/2" without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)

GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min

flexible connection hose

dirt strainers, integrated solenoid valve

external battery

rapid installation system


multistage battery status display

7 pre-set programs:

auto flush, thermal disinfection, cleaning mode

additional functions and precise settings by remote control 36 407

CE approved, type of protection faucet IP 59K



36 330 001

chrome

Eurosmart Cosmopolitan E

Infra-red electronic basin mixer 1/2" with hidden mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose
6V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)

GROHE StarLight finish

GROHE EcoJoy mousseur 5.7 l/min

flexible connection hoses

non-return valve, dirt strainers, integrated solenoid valve

external battery

rapid installation system


multistage battery status display

7 pre-set programs:

auto flush, thermal disinfection, cleaning mode

additional functions and precise settings by remote control 36 407

CE approved, type of protection faucet IP 59K



36 386 001

chrome

Eurosmart Cosmopolitan E

Powerbox

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and service purpose including Powerbox self-generating power system

GROHE StarLight finish

GROHE EcoJoy 6.0 l/min mousseur

including all flexible connection hoses

non-return valve, dirt strainers

rapid installation system

power generator with water turbine

internal energy saving unit

with use of 60 s/24 h stand-by, 260 s/100 h stand-by

with additional backup power

7 pre-set programs:

auto flush, thermal disinfection, cleaning mode

additional functions and precise settings by remote control 36 407


CE approved

GROHE EUROSMART COSMOPOLITAN E

Ref. no.

Colour

new



36 454 000

chrome

Eurosmart Cosmopolitan E Special Infra-red electronic wall basin mixer with thermostatic temperature control

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose
6V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
activation by hand, deactivation automatically when leaving detection zone
two additional detection modes adjustable (hand-hand or body-body)

GROHE StarLight chrome finish

GROHE CoolTouch

laminar mousseur 9 l/min
non-return valve, dirt strainers

GROHE SafetyPlus fixed temperature stop

temperature scale handle with internal safety stop between 35°C and 43°C
full unmixed hot or cold water in extreme handle position for legionella sampling
projection 287 mm, swivel range stop at 130°
with S-unions and with covers, self-sealing escutcheons
multistage battery status display

7 pre-set programs:

auto flush, thermal disinfection, cleaning mode


additional functions and precise settings by remote control 36 407

CE approved

36 455 000

chrome

ditto, projection 255 mm



36 332 000

chrome

Eurosmart Cosmopolitan E Infra-red electronic wall basin mixer with thermostatic temperature control

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose
6V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
activation by hand, deactivation automatically when leaving detection zone
two additional detection modes adjustable (hand-hand or body-body)

GROHE StarLight chrome finish

GROHE CoolTouch

laminar mousseur 9 l/min
non-return valve, dirt strainers

GROHE SafeStop at 38°C

projection 287 mm, swivel range stop at 130°
with S-unions and with covers, self-sealing escutcheons
multistage battery status display

7 pre-set programs:

auto flush, thermal disinfection, cleaning mode


additional functions and precise settings by remote control 36 407

CE approved

36 333 000

chrome

ditto, projection 255 mm



36 334 SD0

stainless steel

Eurosmart Cosmopolitan E Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
laminar mousseur 9 l/min
stainless steel escutcheon

SuperSteel spout, projection 232 mm

7 pre-set programs:

auto flush, thermal disinfection, cleaning mode

additional functions and precise settings by remote control 36 407

set for final installation for concealed fitting box 36 336 001/36 337 001

CE approved

36 335 SD0


stainless steel

ditto, projection 172 mm

GROHE EUROSMART COSMOPOLITAN E

Ref. no.


Colour



36 337 001

Euroeco Cosmopolitan E Concealed mounting box


wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
stop valve
connection housing for power supply
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve



36 336 001

Eurosmart Cosmopolitan E Concealed mounting box

with integrated pre-adjustable thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
connection housing for power supply
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve



36 376 000

chrome


Eurosmart Cosmopolitan E Infra-red electronic basin mixer with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight finish
laminar flow limiter 9 l/min
chrome escutcheon, chrome spout, projection 232 mm
7 pre-set programs:
auto flush, thermal disinfection, cleaning mode
additional functions and precise settings by remote control 36 407
set for final installation for concealed fitting box 36 339 001
CE approved

36 315 000

ditto, projection 172 mm

chrome



36 339 001

Eurosmart Cosmopolitan E Concealed mounting box


with mixture
wall installation
suitable for IR-sets for final installation
2 stop valves
housing with mixing device
non-return valve
connection housing for power supply
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

GROHE EUROSMART COSMOPOLITAN E

Ref. no.

Colour

new



36 457 000

chrome

Eurosmart Cosmopolitan E Special

Infra-red electronic shower mixer with thermostatic temperature control

with infrared sensor for bi-directional communication

for monitoring, configuration and service purpose

6V lithium battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

ergonomic metal handle

GROHE StarLight chrome finish

GROHE CoolTouch

non-return valve, dirt strainers

GROHE SafetyPlus fixed temperature stop

temperature scale handle with internal safety stop between 35°C and 43°C

full unmixed hot or cold water in extreme handle position for legionella sampling

shower bottom outlet with integrated non return-valve

with S-unions and with covers, self-sealing escutcheons

multistage battery status display

7 pre-set programs:


auto flush

thermal disinfection, cleaning mode

additional functions and precise settings by remote control 36 407

CE approved

new



36 456 000

chrome

Eurosmart Cosmopolitan E Special

Infra-red electronic for concealed shower thermostat

with infrared sensor for bi-directional communication

for monitoring, configuration and service purpose

for concealed installation box 36 458 000 and 36 459 000

ergonomic metal handle

GROHE StarLight chrome finish

GROHE SafetyPlus fixed temperature stop

temperature scale handle with internal safety stop between 35°C and 43°C

full unmixed hot or cold water in extreme handle position for legionella sampling

7 pre-set programs:


auto flush

thermal disinfection, cleaning mode

additional functions and precise settings by remote control 36 407

CE approved

new



36 458 000

Eurosmart Cosmopolitan E

Concealed body

for shower

with integrated thermostatic mixer

suitable for infra-red set 36 456 000

2 stop valves

non-return valves with filters


6V lithium battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

allows for waterproofing of wall construction surrounding the concealed body

with sealing sleeve

new



36 459 000

Eurosmart Cosmopolitan E

Concealed body

for shower

with integrated thermostatic mixer

suitable for infra-red set 36 456 000

2 stop valves

non-return valves with filters

connection housing for power supply

with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC

allows for waterproofing of wall construction surrounding the concealed body


with sealing sleeve

GROHE EUROSMART COSMOPOLITAN E

Ref. no.

Colour

new



36 463 000

chrome

Eurosmart Cosmopolitan E

Infra-red electronic for concealed shower thermostat

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose for concealed installation box 36 416 000 and 36 464 000 for hidden thermostatic mixer

GROHE StarLight chrome finish


7 pre-set programs:

auto flush, thermal disinfection, cleaning mode

additional functions and precise settings by remote control 36 407 000

CE approved

new



36 464 000

Eurosmart Cosmopolitan E

Concealed body

for shower

with integrated pre-adjustable thermostatic mixer

suitable for infra-red set 36 463 000

2 stop valves


non-return valves with filters

6V lithium battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

new



36 416 001

Eurosmart Cosmopolitan E

Concealed body

for shower

with integrated pre-adjustable thermostatic mixer

suitable for infra-red set 36 415 000 and 36 463 000


2 stop valves

non-return valves with filters

connection housing for power supply

with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC

allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve



36 407 001

Remote control

for all GROHE one eye infra-red products as of 06/2015

monitoring

consumption and usage data

thermal disinfection cycles (infrared faucets)

auto flush cycles (infrared faucets)

configuration

cleaning mode on/off

thermal disinfection (infrared faucets)

detection range (infrared fittings)

shut off delay (infrared faucets)

auto flush (infrared faucets)

service

send and save profile

reset to factory or user settings

service details, demo mode

3 x 1.5 V DC (AAA) battery supply



36 340 000


Power extension cable

length 3.00 m

GROHE EUROSMART COSMOPOLITAN E

Ref. no.

Colour



36 338 000


Switch-mode power supply

for one eye infra-red wash basin mixer
switch-mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief

GROHE EUROECO COSMOPOLITAN E

Ref. no.

Colour



36 271 000

chrome

Euroeco Cosmopolitan E

Infra-red electronic basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)

GROHE StarLight finish

GROHE EcoJoy mousseur 5.7 l/min

flexible connection hoses, dirt strainers

external solenoid valve, external battery

rapid installation system


multistage battery status display

7 pre-set programs:

auto flush, thermal disinfection, cleaning mode

additional functions and precise settings by remote control 36 407

CE approved, type of protection faucet IP 59K



36 269 000

chrome

Euroeco Cosmopolitan E

Infra-red electronic basin tap 1/2" without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

for cold or premixed water

with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC

GROHE StarLight finish

GROHE EcoJoy mousseur 5.7 l/min

flexible connection hoses, dirt strainers

external solenoid valve


rapid installation system

7 pre-set programs:

auto flush, thermal disinfection, cleaning mode

additional functions and precise settings by remote control 36 407

CE approved, type of protection faucet IP 59K



36 274 000

chrome

Euroeco Cosmopolitan E

Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

for cold or premixed water

6V lithium battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE StarLight finish

GROHE EcoJoy mousseur 5.7 l/min


multistage battery status display

7 pre-set programs:

auto flush, thermal disinfection, cleaning mode

additional functions and precise settings by remote control 36 407

CE approved



36 273 000

chrome

Euroeco Cosmopolitan E

Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

for cold or premixed water

with transformer 100-230 V AC, 50-60 Hz, 6 V DC

GROHE StarLight finish

GROHE EcoJoy mousseur 5.7 l/min

chrome escutcheon, chrome spout, projection 172 mm

7 pre-set programs:

auto flush, thermal disinfection, cleaning mode

additional functions and precise settings by remote control 36 407


set for final installation for concealed fitting box 36 336 001/36 337 001

CE approved

GROHE EUROECO COSMOPOLITAN E

Ref. no.


Colour



36 337 001

Euroeco Cosmopolitan E Concealed mounting box


wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
stop valve
connection housing for power supply
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve



36 336 001

Eurosmart Cosmopolitan E Concealed mounting box

with integrated pre-adjustable thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
connection housing for power supply
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve



36 407 001

Remote control

for all GROHE one eye infra-red products as of 06/2015

monitoring

consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)

configuration

cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)

service

send and save profile
reset to factory or user settings
service details, demo mode


3 x 1.5 V DC (AAA) battery supply



36 340 000

Power extension cable

length 3.00 m




36 338 000

Switch-mode power supply

for one eye infra-red wash basin mixer
switch-mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief


GROHE
BAU COSMOPOLITAN E

Colour




chrome

type of protection faucet IP 59



chrome

type of protection faucet IP 59




chrome

CE approved

GROHE BAU COSMOPOLITAN E

Ref. no.

Colour



36 407 001

Remote control

for all GROHE one eye infra-red products as of 06/2015

monitoring

consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)

configuration

cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)

service

send and save profile
reset to factory or user settings
service details, demo mode


3 x 1.5 V DC (AAA) battery supply



36 340 000

Power extension cable

length 3.00 m





36 338 000

Switch-mode power supply

for one eye infra-red wash basin mixer
switch-mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief

GROHE

GROHTHERM MICRO


Ref. no.	Colour
 	34 487 000 chrome Grohtherm Micro Safety Mixer temperature adjustment 15-43° C (± 2° C) thermal disinfection without re-adjustment of temperature connection 3/8" below with cap nut above 3/8" male thread GROHE TurboStat GROHE StarLight chrome finish built-in non-return valves dirt strainers without connection set max. pressure differential 5:1
 	47 533 000 chrome Grohtherm Micro Connection set for Grohtherm Micro union nut 3/8" T-unit 2 outlets 3/8" male thread flexible connection hose union nuts GROHE StarLight chrome finish

GROHE

GROHTHERM SPECIAL

Ref. no.

Colour





34 667 000

chrome

Grohtherm Special Shower Safety mixer

wall mounted
ergonomic handles, ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge
temperature scale handle with internal safety stop between 35C and 43C
easy thermal disinfection via optional key 47 994 000
integrated stop valve
shower bottom outlet with integrated non return-valve
dirt strainers, with S-unions and with covers
GROHE Quickfix for fast exchange of non return valves
100% GROHE CoolTouch safety housing with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE SafetyPlus fixed temperature stop




34 665 000

chrome

Grohtherm Special Bath Safety Mixer

wall mounted
ergonomic handles
Aquadimmer handle with multiple function
flow control, integrated stop valve, diverter bath/shower
GROHE TurboStat compact cartridge
temperature scale handle with internal safety stop between 35C and 43C
easy thermal disinfection via optional key 47 994 000
shower bottom outlet with integrated non return-valve
laminar mousseur
dirt strainers, with S-unions and with covers
GROHE Quickfix for fast exchange of non return valves
100% GROHE CoolTouch safety housing with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE SafetyPlus fixed temperature stop




34 020 001

chrome

Grohtherm Special Basin Safety mixer 1/2"

wall mounted
ergonomic metal lever 250 mm for elbow actuation, swivel area 100°
ceramic headpart 1/2"
GROHE TurboStat compact cartridge
GROHE SafetyPlus ergonomic metal temperature handle with pre-adjustable safety stop between 35°C and 43°C
easy thermal disinfection via optional key 47 994 000
cast spout with reinforced bearing, swivel area 90°
laminar flow limiter 9 l/min
built-in non-return valves and dirt strainers
projection 255 mm
covered S-unions
shut-off position
GROHE StarLight chrome finish




34 666 000

chrome

Grohtherm Special Basin Safety mixer 1/2"

wall mounted
ergonomic handles, ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge
temperature scale handle with internal safety stop between 35C and 43C
easy thermal disinfection via optional key 47 994 000
integrated stop valve
bottom outlet for spouts 13 378 or 13 380
dirt strainers, with S-unions and with covers
GROHE Quickfix for fast exchange of non return valves
100% GROHE CoolTouch safety housing with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE SafetyPlus fixed temperature stop


GROHE GROHTHERM SPECIAL

		Ref. no.	Colour
		13 378 000	chrome
		Cast swivel spout length 115 mm swivelling (180 or 90°) and lockable laminar flow limiter 9 l/min GROHE StarLight finish	
		13 380 000	chrome
		ditto, length 175 mm	

GROHE EUROECO SINGLE SEQUENTIAL

Ref. no.

Colour



32 789 000

chrome


Euroeco Single Sequential
Single-lever safety basin mixer 1/2"

smooth body
GROHE StarLight chrome finish
GROHE EcoJoy for less water and perfect flow
ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow limiter 9 l/min
lever length 120 mm
rapid installation system
flexible connection hoses

32 788 000

chrome

ditto, with pop-up waste set 1 1/4"




32 790 000

chrome

Euroeco Single Sequential
Single-lever safety basin mixer 1/2"

smooth body
high version
GROHE StarLight chrome finish
GROHE EcoJoy for less water and perfect flow
ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow limiter 9 l/min
lever length 120 mm
rapid installation system
flexible connection hoses




32 795 000

chrome

Euroeco Single Sequential
Single-lever safety basin mixer 1/2"

wall mounted
GROHE StarLight chrome finish
GROHE EcoJoy for less water and perfect flow
ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
cast spout with flow straightener 9 l/min.
projection 204 mm
lever length 170 mm
S-unions



32 792 000

chrome


Euroeco Single Sequential
Single-lever safety basin mixer 1/2"

wall mounted
GROHE StarLight chrome finish
GROHE EcoJoy for less water and perfect flow
ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
cast swivel spout, lockable with
flow straightener 9 l/min.
swivel area 90°
projection 197 mm
lever length 120 mm
S-unions

GROHE EUROSMART COSMOPOLITAN T

Ref. no.

Colour



36 317 000


chrome

Eurosmart Cosmopolitan T
Self-closing basin mixer with mixing device and adjustable temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min. flow limiter
3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)
pressure range 0.5 to 6 bar
flexible connection hoses
non-return valve
dirt strainers

36 318 000

chrome


ditto, with pop-up waste set 1 1/4"



36 319 000

chrome


Eurosmart Cosmopolitan T
Self-closing basin mixer with mixing device and adjustable temperature limiter
wall mounted
GROHE StarLight chrome finish
GROHE EcoJoy for less water and perfect flow
laminar flow limiter 9 l/min
swivel cast spout 200 mm
swivel range stop at 130°
3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)
pressure range 0.5 to 6 bar
S-unions
non-return valve
dirt strainers



36 320 000

chrome

Eurosmart Cosmopolitan T
Self-closing shower mixer 1/2" with mixing device and adjustable temperature limiter
wall mounted
GROHE StarLight chrome finish
mixing device with hot water stop-valve
hose connection G 1/2"
3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)
pressure range 0.5 to 6 bar
S-unions
non-return valve
dirt strainers



36 321 000


chrome

Eurosmart Cosmopolitan T
Self-closing shower mixer 1/2" with mixing device and adjustable temperature limiter
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)
pressure range 0.5 to 6 bar
dirt strainers
without concealed body

GROHE EUROSMART COSMOPOLITAN T

Ref. no.

Colour



36 322 001


Eurosmart Cosmopolitan T
Concealed mounting box

wall installation
suitable for self-closing final installation sets
with adhesive flange for sealing the wall
2 stop valves
housing with mixing device
non-return valve
for use with 36 321 000
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

GROHE EUROECO COSMOPOLITAN T

Ref. no.


Colour



36 265 000

chrome


Euroeco Cosmopolitan T
Self-closing pillar tap 1/2"
 for cold or premixed water
 marking: blue/red
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min. flow limiter
 3 adjustable flow times: short - medium - long
 (factory setting: short), approx. 7, 15, 30 sec
 (pressure dependent)



36 266 000

chrome


Euroeco Cosmopolitan T
Self-closing pillar tap 1/2"
 wall mounted
 for cold or premixed water
 marking: blue/red
GROHE StarLight chrome finish
GROHE EcoJoy for less water and perfect flow
 flow limiter 5.7 l/min
 3 adjustable flow times: short - medium - long
 (factory setting: short), approx. 7, 15, 30 sec
 (pressure dependent)



36 268 000

chrome

Euroeco Cosmopolitan T
Self-closing shower valve 1/2"
 for concealed installation
 for cold or premixed water
 marking: blue/red
GROHE StarLight chrome finish
 3 adjustable flow times: short - medium - long
 (factory setting: medium), approx. 7, 15, 30 sec
 (pressure dependent)



36 267 000

chrome

Euroeco Cosmopolitan T
Self-closing shower valve 1/2"
 exposed installation
 for cold or premixed water
 marking: blue/red
GROHE StarLight chrome finish
 3 adjustable flow times: short - medium - long
 (factory setting: medium), approx. 7, 15, 30 sec
 (pressure dependent)

SPECIAL FITTINGS

GROHE SENSIA
SMART TOILET






CONTENTS

GROHE Sensia Arena	340
Manual bidet seat	342

GROHE SENSIA ARENA

Ref. no.

Colour




46 944 001

GROHE Sensia Arena

Installation kit for automatic flush and pre-flush
for Rapid SL and Rapid SLX with flushing cistern GD2
servo motor for GD 2
actuation rod for flushing valve
cable and blind cap
flexible hose
WC actuation plate not included
CE approved

new



14 926 002


GROHE Sensia Arena

Remote control
including wall holder

GROHE MANUAL BIDET SEAT

Ref. no.

Colour



39 557 SH0

alpine white

Manual bidet seat


WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
mounting plate





CONTENTS

Essence	346
Cube Ceramic	349
Euro Ceramic	353
Bau Ceramic	358
Acrylic shower trays	363




39 564 00H

alpine white

GROHE Essence
Wash basin 70

wall hung
1 hole punched, 2 holes pre-punched
with overflow on opposite site to faucet
700 x 485 mm
suitable for half and full pedestal
sanitary ware
PureGuard anti scale coating and anti bacterial glazing




39 565 00H

alpine white

GROHE Essence
Wash basin 60

wall hung
1 hole punched, 2 holes pre-punched
with overflow on opposite site to faucet
600 x 485 mm
suitable for half and full pedestal
sanitary ware
PureGuard anti scale coating and anti bacterial glazing




39 566 00H

alpine white

GROHE Essence
Vanity basin 100

wall hung
1 hole punched, 2 holes pre-punched
with overflow on opposite site to faucet
suitable for vanity units
1000 x 460 mm
sanitary ware
PureGuard anti scale coating and anti bacterial glazing




39 567 00H

alpine white

GROHE Essence
Vanity basin 80

wall hung
1 hole punched, 2 holes pre-punched
with overflow on opposite site to faucet
suitable for vanity units
800 x 460 mm
sanitary ware
PureGuard anti scale coating and anti bacterial glazing




39 568 00H

alpine white

GROHE Essence
Vanity basin 60

wall hung
1 hole punched, 2 holes pre-punched
with overflow on opposite site to faucet
suitable for vanity units
600 x 460 mm
sanitary ware
PureGuard anti scale coating and anti bacterial glazing




39 608 00H

alpine white

GROHE Essence
Vessel basin 60


without overflow
600 x 400 mm
including fixation set
including ceramic waste, removable cover
non-closable
sanitary ware
PureGuard anti scale coating and anti bacterial glazing



39 609 00H

alpine white


GROHE Essence
Vessel basin 45
without overflow
450 x 450 mm
including fixation set
including ceramic waste, removable cover
non-closable
sanitary ware
PureGuard anti scale coating and anti bacterial glazing



39 570 000

alpine white


GROHE Essence
Half pedestal
including fixation set
sanitary ware



39 571 00H

alpine white


GROHE Essence
Wall hung WC
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 3/4.5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close)



39 572 00H

alpine white


GROHE Essence
Floor standing WC for close coupled combination
close coupled
universal trap for horizontal and vertical outlet
wash down
rimless
flush volume 3/4.5 l
including fixation set
cistern to be ordered separately
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close)



39 573 00H

alpine white

GROHE Essence
Floor standing back to wall WC
universal trap for horizontal and vertical outlet
back to wall
for concealed cistern
rimless
flush volume 3/4.5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close)




39 578 000

alpine white

GROHE Essence

Exposed flushing cistern for close coupled combination
side inlet
including flushing set GROHE AV1
dual flush 4.5/3 l
including fixation set
sanitary ware




39 579 000

alpine white

GROHE Essence

Exposed flushing cistern for close coupled combination
bottom inlet
inlet and outlet concealed
including flushing set GROHE AV1
dual flush 4.5/3 l
including fixation set
sanitary ware




39 577 000

alpine white

GROHE Essence

WC seat soft close
with lid
quick release function
detachable
material: Duroplast
including fixation set
compatible with all Essence bowls




39 576 000

alpine white

GROHE Essence

WC seat
with lid
quick release function
detachable
material: Duroplast
including fixation set
compatible with all Essence bowls




39 574 00H

alpine white

GROHE Essence

Wall hung bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing



39 575 00H

alpine white


GROHE Essence

Floor standing bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing

GROHE CUBE CERAMIC

Ref. no.

Colour




39 386 00H

alpine white

Cube Ceramic
Wash basin 100

wall hung
1 hole punched, 2 holes pre-punched
with overflow
1010 x 490 mm
sanitary ware
PureGuard anti scale coating and anti bacterial glazing




39 469 00H

alpine white

Cube Ceramic
Wash basin 80

wall hung
1 hole punched, 2 holes pre-punched
with overflow
800 x 490 mm
sanitary ware
PureGuard anti scale coating and anti bacterial glazing




39 473 00H

alpine white

Cube Ceramic
Wash basin 60

wall hung
1 hole punched, 2 holes pre-punched
with overflow
600 x 490 mm
sanitary ware
PureGuard anti scale coating and anti bacterial glazing




39 474 00H

alpine white

Cube Ceramic
Wash basin 50

wall hung
1 hole punched, 2 holes pre-punched
with overflow
500 x 490 mm
sanitary ware
PureGuard anti scale coating and anti bacterial glazing




39 475 00H

alpine white

Cube Ceramic
Counter top basin 100

flat back side glazed
1 hole punched, 2 holes pre-punched
with overflow
1000 x 490 mm
including fixation set
sanitary ware
PureGuard anti scale coating and anti bacterial glazing



39 476 00H

alpine white







Cube Ceramic
Counter top basin 80

flat back side glazed
1 hole punched, 2 holes pre-punched
with overflow
800 x 490 mm
including fixation set
sanitary ware
PureGuard anti scale coating and anti bacterial glazing

GROHE CUBE CERAMIC

Ref. no.


Colour

 	39 477 00H alpine white Cube Ceramic Counter top basin 60 flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm including fixation set sanitary ware PureGuard anti scale coating and anti bacterial glazing
 	39 478 00H alpine white Cube Ceramic Counter top basin 60 flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 500 x 490 mm including fixation set sanitary ware PureGuard anti scale coating and anti bacterial glazing
 	39 481 00H alpine white Cube Ceramic Vessel basin 50 without overflow 500 x 470 mm including fixation set sanitary ware PureGuard anti scale coating and anti bacterial glazing
 	39 482 00H alpine white Cube Ceramic Vessel basin 40 without overflow 400 x 400 mm including fixation set sanitary ware PureGuard anti scale coating and anti bacterial glazing
 	39 480 00H alpine white Cube Ceramic Under-counter wash basin 50 installation from below with overflow 492 x 370 mm including fixation set sanitary ware PureGuard anti scale coating and anti bacterial glazing
 	39 479 00H alpine white Cube Ceramic Counter basin 60 flat back side glazed built-in 1 hole punched, 2 holes pre-punched with overflow 605 x 490 mm including fixation set sanitary ware PureGuard anti scale coating and anti bacterial glazing

GROHE CUBE CERAMIC

Ref. no.

Colour




39 483 00H

alpine white

Cube Ceramic Hand rinse basin 45

wall hung
1 hole punched
with overflow
455 x 350 mm
sanitary ware
PureGuard anti scale coating and anti bacterial glazing




39 245 00H

alpine white

Cube Ceramic Wall hung WC

for concealed cistern
horizontal outlet
wash down
rimless
flush volume 3/4.5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
compatible with seat and cover 39 488 000 (soft close)




39 485 00H

alpine white

Cube Ceramic Floor standing back to wall WC

for concealed cistern
universal trap for horizontal and vertical outlet
back to wall
wash down
rimless
flush volume 3/4.5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
compatible with seat and cover 39 488 000 (soft close)




39 484 00H

alpine white

Cube Ceramic Floor standing WC for close coupled combination

close coupled
universal trap for horizontal and vertical outlet
rimless
flush volume 3/4.5 l
including fixation set
cistern to be ordered separately
sanitary ware
fully skirted with invisible fixation
PureGuard anti scale coating and anti bacterial glazing
compatible with seat and cover 39 488 000 (soft close)







39 489 000


alpine white

Cube Ceramic Exposed flushing cistern for close coupled combination

side inlet
including flushing set GROHE AV1
including fixation set
sanitary ware

GROHE CUBE CERAMIC

	Ref. no.	Colour
		39 490 000 alpine white Cube Ceramic Exposed flushing cistern for close coupled combination bottom inlet inlet and outlet concealed including flushing set GROHE AV1 including fixation set sanitary ware
		39 488 000 alpine white Cube Ceramic WC seat soft close with lid soft close quick release function detachable material: Duroplast including fixation set compatible with all Cube Ceramic bowls
		39 486 00H alpine white Cube Ceramic Wall hung bidet 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation PureGuard anti scale coating and anti bacterial glazing
		39 487 00H alpine white Cube Ceramic Floor standing bidet 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation PureGuard anti scale coating and anti bacterial glazing




39 585 00H

alpine white

**Euro Ceramic
Vanity basin 100**

wall hung
1 hole punched, 2 holes pre-punched
with overflow
1000 x 460 mm
suitable for vanity units
sanitary ware
PureGuard anti scale coating and anti bacterial glazing




39 584 00H

alpine white

**Euro Ceramic
Vanity basin 80**

wall hung
1 hole punched, 2 holes pre-punched
with overflow
800 x 460 mm
suitable for vanity units
sanitary ware
PureGuard anti scale coating and anti bacterial glazing



39 323 000


alpine white

39 323 00H

alpine white

**Euro Ceramic
Wash basin 65**

wall hung
1 hole punched
with overflow
650 x 515 mm
sanitary ware
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)



39 335 000


alpine white

39 335 00H

alpine white

**Euro Ceramic
Wash basin 60**

wall hung
1 hole punched
with overflow
600 x 480 mm
sanitary ware
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)



39 337 000


alpine white

39 337 00H

alpine white

**Euro Ceramic
Counter top basin 60**

1 hole punched
with overflow
600 x 480 mm
sanitary ware
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)



39 336 000

alpine white

39 336 00H

alpine white


**Euro Ceramic
Wash basin 55**

wall hung
1 hole punched
with overflow
550 x 450 mm
sanitary ware
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)

GROHE EURO CERAMIC

Ref. no.


Colour



39 423 000

alpine white

Universal
Undercounter wash basin 55
installation from below
with overflow
560 x 420 mm
sanitary ware




39 324 000

alpine white

39 324 00H

alpine white

Euro Ceramic
Hand rinse basin 45
wall hung
1 hole punched
with overflow
450 x 400 mm
sanitary ware
distance between installation holes: 160 mm
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)




39 327 000

alpine white

39 327 00H

alpine white


Euro Ceramic
Mini hand rinse basin
wall hung
1 hole punched
370 x 180 mm
sanitary ware
no pedestals recommended
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)



39 201 000

alpine white


Euro Ceramic
Semi pedestal for wash basin
invisible fixation set
sanitary ware
suitable for all GROHE wash basins except
39 324 000, 39 324 00H, 39 327000, 39 327 00H



39 325 000

alpine white






Euro Ceramic
Semi pedestal for hand rinse basin
invisible fixation set
sanitary ware
suitable for hand rinse basins 39 324 000/39 324 00H



39 202 000

alpine white


Euro Ceramic
Full pedestal for wash basin
invisible fixation set
sanitary ware
suitable for all GROHE wash basins except
39 324 000, 39 324 00H, 39 327000, 39 327 00H

Ref. no.		Colour
	39 328 000	alpine white
	39 328 00H	alpine white
		
Euro Ceramic Wall hung WC for concealed cistern horizontal outlet GROHE Triple Vortex flushing technology wash down rimless flush volume 3/5 l including fixation set sanitary ware fully skirted with invisible fixation optional: PureGuard anti scale coating and anti bacterial glazing (00H) compatible with seat and cover 39 330 001 (soft close) or 39 331 001 (standard)		
	39 554 000	alpine white
	39 554 00H	alpine white
		
Euro Ceramic Wall hung WC set horizontal outlet GROHE Triple Vortex flushing technology rimless flush volume 3/5 l including fixation set sanitary ware fully skirted with invisible fixation Euro Ceramic WC seat soft close quick release function detachable material: Duroplast		
	39 206 000	alpine white
	39 206 00H	alpine white
		
Euro Ceramic Wall hung compact WC for concealed cistern horizontal outlet GROHE Triple Vortex flushing technology wash down rimless flush volume 3/5 l 49 cm width including fixation set sanitary ware fully skirted with invisible fixation optional: PureGuard anti scale coating and anti bacterial glazing (00H) compatible with seat and cover 39 330 001 (soft close) or 39 331 001 (standard)		
	39 538 000	alpine white
	39 538 00H	alpine white
		
Euro Ceramic Wall hung WC, basic for concealed cistern horizontal outlet wash down rimless flush volume 3/5 l sanitary ware compatible with seat and cover 39 330 001 (soft close) or 39 331 001 (standard)		
	39 338 000	alpine white
	39 338 00H	alpine white
		
Euro Ceramic Floor standing WC for close coupled combination close coupled universal trap for horizontal and vertical outlet GROHE Triple Vortex flushing technology wash down rimless flush volume 3/5 l including fixation set cistern to be ordered separately sanitary ware fully skirted with invisible fixation optional: PureGuard anti scale coating and anti bacterial glazing (00H) compatible with seat and cover 39 330 001 (soft close) or 39 331 001 (standard)		

GROHE EURO CERAMIC

Ref. no.


Colour



39 332 000

alpine white


**Euro Ceramic
Exposed flushing cistern**
bottom inlet
inlet and outlet concealed
including flushing set with dual flush
including fixation set
sanitary ware



39 333 000

alpine white

**Euro Ceramic
Exposed flushing cistern**
side or back inlet
for back inlet please order mounting set 49 522 000 (sold separately)
including flushing set with dual flush
including fixation set
sanitary ware




39 462 000

alpine white

39 462 00H

alpine white

**Euro Ceramic
Floor standing 2 piece WC set**
close coupled
universal trap for horizontal and vertical outlet
GROHE Triple Vortex flushing technology
rimless
flush volume 6/3 l
including cistern with bottom inlet, seat and cover soft close and fixation set
sanitary ware
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)




39 329 000

alpine white

39 329 00H

alpine white

**Euro Ceramic
Floor standing WC**
universal trap for horizontal and vertical outlet
wash down
rimless
flush volume 3/5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)
compatible with seat and cover 39 330 001 (soft close) or 39 331 001 (standard)









39 555 000

alpine white

**Euro Ceramic
Floor standing WC set**
universal trap for horizontal and vertical outlet
rimless
flush volume 3/5 l
including fixation set
sanitary ware
Euro Ceramic WC seat
soft close
quick release function
detachable
material: Duroplast

GROHE EURO CERAMIC


Ref. no.		Colour
		39 339 000 39 339 00H Euro Ceramic Floor standing back to wall WC horizontal outlet back to wall GROHE Triple Vortex flushing technology wash down rimless flush volume 3/5 l including fixation set sanitary ware fully skirted with invisible fixation optional: PureGuard anti scale coating and anti bacterial glazing (00H) compatible with seat and cover 39 330 001 (soft close) or 39 331 001 (standard)
		alpine white alpine white
		39 330 001 Euro Ceramic WC seat soft close with lid soft close quick release function detachable material: Duroplast including fixation set suitable for all GROHE Euro Ceramic WCs
		alpine white
		39 331 001 Euro Ceramic WC seat with lid quick release function detachable material: Duroplast including fixation set suitable for all GROHE Euro Ceramic WCs
		alpine white
		39 208 000 39 208 00H Euro Ceramic Wall hung bidet 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation optional: PureGuard anti scale coating and anti bacterial glazing (00H)
		alpine white alpine white
		39 340 000 39 340 00H Euro Ceramic Floor standing bidet 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation optional: PureGuard anti scale coating and anti bacterial glazing (00H)
		alpine white alpine white



39 420 000

alpine white


Bau Ceramic
Wash basin 65
wall hung
1 hole punched
with overflow
646 x 468 mm
sanitary ware



39 421 000

alpine white


Bau Ceramic
Wash basin 60
wall hung
1 hole punched
with overflow
609 x 442 mm
sanitary ware



39 440 000

alpine white


Bau Ceramic
Wash basin 55
wall hung
1 hole punched
with overflow
553 x 386 mm
sanitary ware



39 422 000

alpine white


Bau Ceramic
Counter basin 55
built-in
1 hole punched
with overflow
560 x 400 mm
sanitary ware



39 423 000

alpine white


Universal
Undercounter wash basin 55
installation from below
with overflow
560 x 420 mm
sanitary ware



39 424 000

alpine white


Bau Ceramic
Hand rinse basin 45
wall hung
1 hole punched
with overflow
453 x 354 mm
sanitary ware
distance between installation holes: 205 mm



39 426 000

alpine white


Bau Ceramic
Half pedestal
including fixation set
sanitary ware
suitable to all Bau Ceramic wash basins except 39 424 000



39 425 000

alpine white

Bau Ceramic
Full pedestal
including fixation set
sanitary ware



39 427 000

alpine white


Bau Ceramic
Wall hung WC
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware
compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)



39 491 000

alpine white


Bau Ceramic
Wall hung WC
for concealed cistern
wash down
open rim
horizontal outlet
flush volume 6/3 l
sanitary ware
compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)



39 428 000

alpine white


Bau Ceramic
Floor standing WC for close coupled combination
wash down
boxed rim
horizontal outlet
flush volume 6/3 l
including fixation set
cistern to be ordered separately
sanitary ware
compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)



39 349 000

alpine white

Bau Ceramic
Floor standing WC for close coupled combination
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
cistern to be ordered separately
sanitary ware
compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)



39 429 000

alpine white

Bau Ceramic

Floor standing WC for close coupled combination

wash down

rimless

vertical outlet, concealed


flush volume 6/3 l

including fixation set

cistern to be ordered separately

sanitary ware

compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)



39 436 000

alpine white

Bau Ceramic


Exposed flushing cistern

bottom inlet

inlet and outlet concealed

including flushing set

sanitary ware



39 437 000

alpine white


Bau Ceramic

Exposed flushing cistern

side inlet

including flushing set

sanitary ware



39 430 000

alpine white

Bau Ceramic

Floor standing WC

wash down


rimless

horizontal outlet

flush volume 6/3 l

including fixation set

sanitary ware



39 431 000

alpine white

Bau Ceramic

Floor standing WC

wash down


rimless

vertical outlet

flush volume 6/3 l

including fixation set

sanitary ware



39 492 000

alpine white

Bau Ceramic

WC seat

with lid


quick release function

detachable

material: Duroplast

including fixation set


compatible with all Bau Ceramic bowls



39 493 000

alpine white


**Bau Ceramic
WC seat soft close**
with lid
quick release function
detachable
material: Duroplast
including fixation set
compatible with all Bau Ceramic bowls



39 433 000

alpine white


**Bau Ceramic
Wall hung bidet**
1 hole punched
with overflow
sanitary ware



39 432 000

alpine white


**Bau Ceramic
Floor standing bidet**
1 hole punched
with overflow
including fixation set
sanitary ware



39 438 000

alpine white


**Bau Ceramic
Urinal**
concealed inlet
flush volume 1 l
including fixation set
sanitary ware
for installation please order urinal trap 39 732 000 (horizontal outlet) or 39 733 000 (vertical outlet), sold separately



39 439 000

alpine white


**Bau Ceramic
Urinal**
top inlet
flush volume 1 l
including fixation set
sanitary ware
for installation please order urinal trap 39 732 000 (horizontal outlet) or 39 733 000 (vertical outlet), sold separately



39 351 000

alpine white

**Bau Ceramic
Wall hung WC set**
WC seat and lid with soft close feature
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware



39 347 000

alpine white


Bau Ceramic

Bundle close coupled WC

Bau Ceramic floor standing toilet with horizontal outlet (39 428 000)

Bau Ceramic exposed flushing cistern (39 437 000)

Bau Ceramic WC seat (39 493 000)



39 346 000

alpine white


Bau Ceramic

Bundle close coupled WC

Bau Ceramic floor standing toilet with vertical outlet (39 429 000)

Bau Ceramic exposed flushing cistern (39 437 000)

Bau Ceramic WC seat (39 493 000)



39 557 SH0

alpine white

Manual bidet seat

WC seat with lid

2 dedicated spray arms (1 for anal area, 1 for lady spray)

pre- and post-rinsing of spray nozzle with fresh water

manually operated side handle requires no electricity

adjustable spray intensity


Duroplast WC seat and lid with soft close function

mounting plate

GROHE ACRYLIC SHOWER TRAYS

Ref. no.

Colour





39 300 000

alpine white

Acrylic shower tray 1000 x 1000

dimensions: 1000 x 1000 mm
depth: 30 mm
material: acrylic
diameter of waste outlet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately





39 301 000

alpine white

Acrylic shower tray 900 x 900

dimensions: 900 x 900 mm
depth: 30 mm
material: acrylic
diameter of waste outlet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately




39 302 000

alpine white

Acrylic shower tray 800 x 800

dimensions: 800 x 800 mm
depth: 30 mm
material: acrylic
diameter of waste outlet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately




39 305 000

alpine white

Acrylic shower tray 800 x 1200

dimensions: 800 x 1200 mm
depth: 30 mm
material: acrylic
diameter of waste outlet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately




39 306 000

alpine white

Acrylic shower tray 800 x 1000

dimensions: 800 x 1000 mm
depth: 30 mm
material: acrylic
diameter of waste outlet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately



39 307 000




alpine white

Acrylic shower tray 900 x 1400

dimensions: 900 x 1400 mm
depth: 30 mm
material: acrylic
diameter of waste outlet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately


GROHE

ACRYLIC SHOWER TRAYS

Ref. no.		Colour
		39 308 000 Acrylic shower tray 900 x 1200 dimensions: 900 x 1200 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
		alpine white
		49 533 000 49 533 SH0 Waste set for universal shower tray Ø 112 mm vertical outlet GROHE StarLight chrome finish flow rate 1.1 l/s according to DIN EN 274
		chrome alpine white
		49 534 000 49 534 SH0 Waste set for universal shower tray Ø 112 mm horizontal outlet GROHE StarLight chrome finish flow rate 0.7 l/s (42 l/min) according to DIN EN 274
		chrome alpine white

GROHE
INSTALLATION SYSTEMS






CONTENTS

Rapid SLX	Rapid SLX	368
Rapid SL	Rapid SL for WC	369
	Rapid SL for urinal	374
	Rapid SL for wash basin and bidet	375
	Rapid SL for the disabled	377
	Rapid SL accessories	378
Uniset	Uniset frames and accessories	379

new



39 596 000

Rapid SLX

Element for WC, 1.13 m installation height with integrated socket and shower toilet connection

small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
TUV approved

2 WC fixing bolts

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern GD 2, 3 - 6 l, containing following features:

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush

water supply from right, back or top

low noise (group I acc. to German Noise Specification)

fully insulated against condensation

1/2" water supply connection including integrated angle valve and push fit

flexible hose union

no tools required for installation of inspection shaft, for vertical use

including flow manager


prevents overspill in rimless toilets

easy flow regulation via inspection shaft without removing the valves

for on-the-wall installation 38 558 00M needs to be ordered separately

for flush plates 156x197 mm revision shaft 66 791 needs to be ordered

new



39 603 000

chrome

Rapid SLX

3-in-1 set for WC, 1.13 m installation height

with flushing cistern GD 2, 6 - 9 l


Rapid SLX element for WC (39 596 000) with integrated power socket

Skate Cosmopolitan S flush plate, chrome (37 535 000)

Rapid SL wall brackets (38 558 00M)

including flow manager

new



39 598 000

Rapid SLX

3-in-1 set for WC, 1.13 m installation height

with flushing cistern GD 2, 6 - 9 l

Rapid SLX element for WC (39 596 000) with integrated power socket

Rapid SL wall brackets (38 558 00M)


WC set for noise protection (37 131 000)

including flow manager

GROHE RAPID SL FOR WC

Ref. no.

Colour



39 374 KS0

velvet black

GROHE glass module

for Rapid SL and Uniset

with flushing cistern GD 2

for connecting shower toilet Sensia Arena or common wall-hung WCs for tiled/plastered walls

two-piece glass cover made of tempered safety glass (8 mm)

upper part removable for maintenance


flush plate Skate Cosmopolitan, chrome

HPL mounting plate with hole pattern for all connections

mounting plate with concealed water connection for Sensia Arena

set for noise protection

including accessory for mounting glass plate and WC ceramic



39 374 LS0

moon white

GROHE glass module

for Rapid SL and Uniset

with flushing cistern GD 2

for connecting shower toilet Sensia Arena or common wall-hung WCs for tiled/plastered walls

two-piece glass cover made of tempered safety glass (8 mm)

upper part removable for maintenance


flush plate Skate Cosmopolitan, chrome

HPL mounting plate with hole pattern for all connections

mounting plate with concealed water connection for Sensia Arena

set for noise protection

including accessory for mounting glass plate and WC ceramic



38 528 001

Rapid SL

Element for WC, 1.13 m installation height

for on-the-wall installations or studed walls

powder coated steel frame, self-supporting

for dry-cladding, completely pre-assembled

with fixed connections

TUV approved

2 WC fixing bolts, WC ceramics with small bearing area (< 205 mm) require

38 779 000

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop

or single flush

water supply from left/right or back

low noise (group I acc. to German Noise Specification)

insulated against condensation

1/2" water supply connection including integrated angle valve and push fit


flexible hose union

no tools required for installation of inspection shaft

for vertical or horizontal use

for on-the-wall installation 38 558 00M needs to be ordered separately

for mounting of small flush plates revision shaft 40 911 000 needs to be ordered separately



38 763 001

chrome

Rapid SL

2-in-1 set for WC, 1.13 m installation height

with flushing cistern GD 2, 6 - 9 l


Rapid SL element for WC (38 528 001)

Skate Air flush plate, chrome, vertical installation (38 505 000)

GROHE RAPID SL FOR WC

Ref. no.

Colour



38 860 000

chrome

Rapid SL

3-in-1 set for WC, 1.13 m installation height


with flushing cistern GD 2, 6 - 9 l

Rapid SL element for WC (38 528 001)

Nova Cosmopolitan flush plate, chrome (38 765 000)

GROHE Fresh retrofit set (38 796 000)

Rapid SL wall brackets (38 558 00M)



39 501 000

chrome

Rapid SL

3-in-1 set for WC, 1.13 m installation height


with flushing cistern GD 2, 6 - 9 l

Rapid SL element for WC (38 528 001)

Skate Cosmopolitan S flush plate, chrome (37 535 000)

Rapid SL wall brackets (38 558 00M)

including revision shaft 40 911 000 for mounting of small flush plates



38 721 001

chrome

Rapid SL


3-in-1 set for WC, 1.13 m installation height

with flushing cistern GD 2, 6 - 9 l

Rapid SL element for WC (38 528 001)

Skate Air flush plate, chrome, vertical installation (38 505 000)

Rapid SL wall brackets (38 558 00M)



38 772 001

chrome

Rapid SL

3-in-1 set for WC, 1.13 m installation height

with flushing cistern GD 2, 6 - 9 l

Rapid SL element for WC (38 528 001)


Skate Cosmopolitan flush plate, chrome (38 732 000)

Rapid SL wall brackets (38 558 00M)

GROHE RAPID SL FOR WC

Ref. no.

Colour



38 536 001

Rapid SL

Element for WC, 1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections

TÜV approved

2 WC fixing bolts, WC ceramics with small bearing area (< 205 mm) require 38 779 000

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush

water supply from left/right or back

low noise (group I acc. to German Noise Specification)

insulated against condensation

1/2" water supply connection including integrated angle valve and push fit

flexible hose union


no tools required for installation of inspection shaft

for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation

for mounting of small flush plates revision shaft 40 911 000 needs to be ordered separately

new



39 687 000

Rapid SL Slim

Element for WC with flushing cistern 88.9 mm, 1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections

2 WC fixing bolts, distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern SLIM, 3 - 6 l, containing following features:

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush

water supply from top

insulated against condensation

1/2" water supply connection including integrated angle valve and push fit

flexible hose union

Shortable inspection shaft incl. protection during construction phase, for vertical use


for on-the-wall installation wall brackets 39 699 000 need to be ordered separately

for mounting of small flush plates revision shaft 40 949 000 to be ordered separately

GROHE RAPID SL FOR WC

Ref. no.

Colour



38 525 001

Rapid SL

Element for WC, 1.00 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections

TÜV approved

2 WC fixing bolts, WC ceramics with small bearing area (< 205 mm) require 38 779 000

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:

pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush

front or top actuation

water supply from left/right or back

low noise (group I acc. to German Noise Specification)

insulated against condensation


1/2" water supply connection including integrated angle valve and push fit

flexible hose union

Shortable inspection shaft incl. protection during construction phase

for on-the-wall installation 38 558 00M needs to be ordered separately

for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)



38 526 000

Rapid SL

Element for WC, 0.82 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections

TÜV approved

2 WC fixing bolts, distance of fixing bolts 180/230 mm

PP outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:

pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush

front or top actuation

water supply from left/right or back

low noise (group I acc. to German Noise Specification)

insulated against condensation


1/2" water supply connection including integrated angle valve and push fit

flexible hose union

Shortable inspection shaft incl. protection during construction phase

for on-the-wall installation 38 558 00M needs to be ordered separately

for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)



38 519 001

Rapid SL

Element for WC with flush valve, 1.13 m installation height with flush valve 6 - 9 l

for manual/electronic actuation

for on-the-wall installations or studded walls

steel frame with foil coating/hot galvanized, self-supporting

for dry-cladding, completely pre-assembled

TÜV approved

2 WC fixing bolts, distance of fixing bolts 180/230 mm

WC ceramics with small bearing area (< 205 mm) require 38 779 000

PP outlet bend Ø 90 mm

depth adjustable

PP reducer Ø 90/110 mm

inlet and outlet connecting set

manual/electronic actuation

low noise (group I acc. to German Noise Specification)

stop valve

6 - 9 l adjustable

flush bend


flow rate adjustment

for on-the-wall installation 38 558 00M needs to be ordered separately


GROHE RAPID SL FOR WC

Ref. no.

Colour



42 333 000
4.5 l adapter for GD2
to reduce the maximum flush volume to 4.5 liters




42 327 000
PP-outlet bend Ø 90 mm
variable depth adjustment

GROHE RAPID SL FOR URINAL

Ref. no.

Colour



38 786 001

Rapid SL

Element for urinal with GROHE Rapido U 1.13 and 1.30 m installation height

for manual actuation or Tectron infra-red electronic 6 V or 230 V

for on-the-wall installations or studded walls

powder coated steel frame, self-supporting

for dry-cladding, completely pre-assembled

height adjustable fitting connections

TUV approved

HT-outlet bend Ø 50 mm

fixing bolts M8, with fixing device for the ceramic

inlet connection and inlet connecting set

stop valve

flow pressure min 0.5 bar

operating pressure max 10 bar

flush aid

functional unit checked ex factory


water supply connections 1/2" outer thread

connecting box for mains supply 230 V

installation box with gasket

shortable inspection shaft incl. protection during construction phase for sets for final installation with dimensions 116 x 144 mm

for on-the-wall installation 38 558 00M needs to be ordered separately



39 376 000

Rapid SL

Element for urinal with temperature sensor

with roughing-in set for T sensor

1.13 and 1.30 m installation height

for on-the-wall installations or studded walls

powder coated steel frame, self-supporting

for dry-cladding, completely pre-assembled

height adjustable fitting connections

TUV approved

HT-outlet bend Ø 50 mm

fixing bolts M8, with fixing device for the ceramic

inlet connection and inlet connecting set

box for concealed installation including roughing-in box

stop valve and flush elbow


for T sensor electronic installation set 39 368 or 39 369 needs to be ordered separately

for on-the-wall installation 38 558 00M needs to be ordered separately

GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. no.

Colour



38 554 001

Rapid SL

Element for wash basin, single hole installation with noise protection

1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections

TUV approved

wash basin fixing bolts M10 with fixing device for ceramic


variable distance of fixing bolts

HT-outlet bend Ø 50 mm

seal Ø 32 mm

2 noise protected fitting connections 1/2"

for on-the-wall installation 38 558 00M needs to be ordered separately



39 052 000

Rapid SL

Element for wash basin, single hole installation, height adjustable with noise protection

1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections

TUV approved

fixing and connecting traverse, height adjustable

wash basin fixing bolts M10 with fixing device for ceramic


variable distance of fixing bolts

HT-outlet bend Ø 50 mm

seal Ø 32 mm

2 noise protected fitting connections 1/2"

for on-the-wall installation 38 558 00M needs to be ordered separately



38 748 002

Rapid SL

Element for wash basin with roughin-in set for infra-red electronic suitable for trim sets Essence E 36 447 000 and Eurocube E 36 442 000

1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled

wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts

HT-outlet bend Ø 50 mm

seal Ø 32 mm

pre-mounted roughing-in set with protecting block

fire-proof pipe for laying electronic cables

installation box with water group, stop valve and flush elbow



connection with noise protected fitting holder 1/2"

connecting box for mains supply 230 V

CE approved

for installation with pre-mixed or cold water

for on-the-wall installation 38 558 00M needs to be ordered separately



38 553 001

Rapid SL

Element for bidet, 1.13 m installation height

vertical support for ceramics with small bearing area (< 205 mm)

powder coated steel frame, self-supporting

for on-the-wall installations or studded walls

pre-assembled

height adjustable fitting connections

TUV approved

bidet fixing bolts

HT-outlet bend Ø 50 mm

seal Ø 32 mm

2 noise protected fitting connections 1/2"



for on-the-wall installation 38 558 00M needs to be ordered separately

GROHE

RAPID SL FOR WASH BASIN AND BIDET

Ref. no.

Colour



38 543 000

Rapid SL

Element for bidet, 0.82 m installation height

powder coated steel frame, self-supporting
for on-the-wall installations or studded walls
pre-assembled
height adjustable fitting connections

TUV approved

bidet fixing bolts

HT-outlet bend Ø 50 mm

seal Ø 32 mm


2 noise protected fitting connections 1/2"

for on-the-wall installation 38 558 00M needs to be ordered separately

GROHE RAPID SL FOR THE DISABLED

Ref. no.

Colour



39 140 000

Rapid SL

**Element for WC, 1.13 m installation height
with fixing element for back support and support rails
for WC bowls 70 cm projection**

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections

TUV approved

2 WC fixing bolts

4 wall brackets

distance of fixing bolts 180/230 mm

PP outlet bend Ø 90 mm

depth adjustable

PP reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop
or single flush

water supply from left/right or back

low noise (group I acc. to German Noise Specification)

insulated against condensation

1/2" water supply connection including integrated angle valve and push fit

flexible hose union





no tools required for installation of inspection shaft

for vertical or horizontal use

including wall brackets 38 558 00M for on-the-wall installation

for mounting of small flush plates revision shaft 40 911 000 needs to be ordered
separately

GROHE RAPID SL ACCESSORIES


Ref. no.	Colour
 	38 558 00M Rapid SL Wall brackets for on-the-wall installations for fixing elements at the brick-wall or in front of the studded wall steady vertical adjustment from 130 - 230 mm cladding for single or series installation 2 pieces
new 	39 699 000 Wall brackets for slim cistern for use with 88.9 mm cistern
 	40 911 000 Revision shaft for small flush plates for combination with Rapid SL and Uniset with GD 2 cisterns
 	40 949 000 chrome Revision shaft for small flush plates for combination with 80 mm cistern
new 	66 791 000 Revision shaft for combination with Rapid SLX cisterns

GROHE UNISSET FRAMES AND ACCESSORIES

Ref. no.

Colour

new



39 683 000

Uniset Slim

Element for WC with flushing cistern 88.9 mm

module for masonry-in

793 x 426 x 130 mm

2 WC fixing bolts, distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm, depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern SLIM, 3 - 6 l, containing following features:

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush

water supply from top

1/2" water supply connection including integrated angle valve and push fit

flexible hose union


low noise (group I acc. to German Noise Specification)

insulated against condensation

Shortable inspection shaft incl. protection during construction phase, for vertical use

for mounting of small flush plates revision shaft 40 949 000 to be ordered separately

new



39 840 000

Uniset Slim

2-in-1 set for WC

with flushing cistern SLIM, 3 - 6 l

Uniset SLIM element for WC (39 683 000)

support feet (37 304 000)

39 452 000

chrome

Uniset


3-in-1 set for WC

with flushing cistern GD 2, 6 - 9 l

Uniset element for WC (38 643 001)

Skate Air flush plate, chrome, vertical installation (38 505 000)


support feet (37 304 000)



GROHE UNISSET FRAMES AND ACCESSORIES

Ref. no.

Colour



38 723 001


Uniset

2-in-1 set for WC

with flushing cistern GD 2, 6 - 9 l

Uniset element for WC (38 643 001)

Skate Air flush plate, chrome, vertical installation (38 505 000)



38 825 000

chrome


Uniset

2-in-1 set for WC

with flushing cistern GD 2, 6 - 9 l

Uniset element for WC (38 643 001)

Skate Cosmopolitan flush plate, chrome (38 732 000)



38 643 001

Uniset

Element for WC with EPS housing

sound-insulating EPS module for masonry-in

830 x 470 x 130 mm

rail adaptors for modular fixing

wall rail with fixing accessories for single installation

2 WC fixing bolts, distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm, depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop

or single flush

water supply from left/right/back or top

low noise (group I acc. to German Noise Specification)

insulated against condensation

1/2" water supply connection including integrated angle valve and push fit

flexible hose union

for vertical or horizontal use

no tools required for installation of inspection shaft



preparation for shower toilets with additional accessory 40 899 000

for mounting of small flush plates revision shaft 40 911 000 needs to be ordered separately

GROHE UNISET FRAMES AND ACCESSORIES

Ref. no.

Colour



37 578 001

Uniset

Element for bidet with EPS housing

sound-insulating EPS module for masonry-in with closed surface

rail adaptors for modular fixing

wall rail with fixing accessories for single installation

bidet fixing bolts


height adjustable fitting and outlet connections

HT-outlet bend Ø 50 mm

seal Ø 32 mm

2 variable fitting connections

for on-the-wall installation please order support feet 37 304 000 (sold separately)



38 703 000

Uniset

Element for bidet

steel frame, hot galvanized, with 4 fixing brackets


2 bidet fixing bolts

height adjustable fitting and outlet connections

HT-outlet bend Ø 50 mm

seal Ø 32 mm

2 variable fitting connections 1/2"



37 304 000

Uniset


Support feet

matching Uniset for WC and bidet

made of hot galvanized steel

fixing material

for on-the-wall installations



40 911 000

Revision shaft for small flush plates

for combination with Rapid SL and Uniset with GD 2 cisterns

40 949 000

chrome

ditto, for combination with SLIM cistern

GROHE
FLUSHING SYSTEMS






CONTENTS

WC	Flushing cisterns	386
	Accessories for flushing cisterns	387
	WC flush valves	390
	Electronic actuations for WC	392
Urinal	Electronic actuations for urinal	393
	Urinal flush valves	396

GROHE FLUSHING CISTERNS

Ref. no.

Colour




38 661 000

Flushing cistern GD 2

6 - 9 l adjustable
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right/back or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit
flexible hose union
no tools required for installation of inspection shaft
for vertical or horizontal use
flush pipe insulated against condensation
fixing brackets
for mounting of small flush plates revision shaft 40 911 000 needs to be ordered separately

new




39 694 000

Solo Slim

Flushing cistern for WC 88.9 mm

flushing cistern SLIM, 3 - 6 l, containing following features:

adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from top
1/2" water supply connection including integrated angle valve and push fit
flexible hose union
low noise (group I acc. to German Noise Specification)
insulated against condensation
Shortable inspection shaft incl. protection during construction phase, for vertical use
for mounting of small flush plates revision shaft 40 949 000 to be ordered separately



38 422 000

Flushing cistern for WC

6 - 9 l adjustable

0.82 m installation height

dual flush discharge valve, pneumatic


front or top actuation

water supply from left/right or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
415 x 410 x 360 mm
1/2" water supply connection
fixing brackets
flush pipe
Shortable inspection shaft incl. protection during construction phase

GROHE ACCESSORIES FOR FLUSHING CISTERNS

Ref. no.

Colour



37 095 000


Filling valve

3/8" universal application
without adapter for the pipe connection
cap, restrictor

**) max. shortening 100 mm

37 092 000

ditto, with adaptor



43 537 000


Filling valve

for concealed flushing cisterns 6 l



42 253 000

Discharge valve, Dual Flush




37 522 P10

matt chrome/chrome

Servo-set

- retrofit unit for close-coupled flushing cisterns
- connection from below
- with filling valve, servo discharge valve
- interruptible flush cycle
- fixing set with 100 mm screws and cellular rubber joint 100 mm dia.
- centring for filling and discharge valve
- when having larger bore holes
- GROHE StarLight** chrome finish

**) max. shortening 100 mm



37 521 P10

matt chrome/chrome

Servo-set


retrofit unit for close-coupled
flushing cisterns
connection from the side
with filling valve, servo discharge valve
interruptible flush cycle
fixing set with 100 mm screws and
cellular rubber joint 100 mm dia.
centring for filling and discharge valve
when having larger bore holes
GROHE StarLight chrome finish

**) max. shortening 100 mm

GROHE ACCESSORIES FOR FLUSHING CISTERNS

Ref. no.

Colour




37 078 PI0

matt chrome/chrome

Servo-set
 retrofit unit for close-coupled flushing cisterns
 connection from the side with filling valve, servo discharge valve
 interruptible flush cycle
 fixing set with 100 mm screws and cellular rubber joint 100 mm dia.
 centring for filling and discharge valve when having larger bore holes
GROHE StarLight chrome finish

**) max. shortening 100 mm



37 088 PI0


matt chrome/chrome

Servo discharge valve
 interruptible flush cycle
 with short discharge valve housing
 decide for maintenance opening and complete before installation
 escutcheon
 push button for lid holes Ø 16 - 35 mm
 fixing material
GROHE StarLight chrome finish

37 085 PI0


matt chrome/chrome

ditto, with push button for lid hole Ø 40 mm



42 320 000


Dual Flush discharge valve AV1
 AV1 complete with pipe extension
 6 - 9 l adjustable
 without valve seat
without actuation



37 311 K00

black





WC inlet and outlet connecting set
 for wall hung WC
 connecting pipe Ø 45 mm
 waste sleeve Ø 90 mm
 150 mm long
 cover for WC fixing bolts






37 489 000

Extension
 for concealed flush pipe
 length 200 mm

GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. no.	Colour
 	37 104 K00 WC inlet and outlet connecting set for wall hung WC connecting pipe Ø 45 mm length 200 mm connector waste sleeve Ø 110 mm 150 mm long cover for WC fixing bolts	black
 	42 327 000 PP-outlet bend Ø 90 mm variable depth adjustment	
 	42 333 000 4.5 l adapter for GD2 to reduce the maximum flush volume to 4.5 liters	
 	42 300 000 Flow restrictor reduces flow rate	
 	40 911 000 Revision shaft for small flush plates for combination with Rapid SL and Uniset with GD 2 cisterns	
	40 949 000 ditto, for combination with SLIM cistern	chrome


GROHE WC FLUSH VALVES

Ref. no.	Colour
 	37 349 000 chrome Rondo A.S. Flush valve for WC (3/4") chrome plated brass integrated stop valve GROHE StarLight chrome finish for wash-down and wash-out bowls control cap and connection to plastic flush pipe with flow rate adjustment 6 - 9 l adjustable with escutcheon flow pressure min 1.2 bar operating pressure max 5 bar minimum 1" supply pipe low noise (group I acc. to German Noise Specification)
 	37 139 000 chrome DAL-Automatic flush valve for WC 3/4" chrome plated brass GROHE StarLight chrome finish for wash-down and wash-out bowls with flow rate adjustment
 	37 108 000 chrome Flush pipe for WC flush valve Ø 28 x 26 mm 1000 x 200 mm straight chrome plated brass without flush pipe fixing device for distance to the wall 15 - 85 mm connector

GROHE WC FLUSH VALVES

Ref. no.


Colour



37 153 000

Flush valve for WC
concealed installation
(3/4")


stop valve
6 - 9 l adjustable
flow pressure range from 1.2 - 5.0 bar
with flow rate adjustment
box for concealed installation with
flush elbow
flush pipe adjustable in length
without wall plate/actuation
low noise (group I acc. to German Noise Specification)



37 157 000

Flush valve for WC
concealed installation
(3/4")

stop valve
6 - 14 l adjustable
for low pressure
for wash-down and wash-out bowls
flow pressure range from 0.6 - 3.0 bar
(min. static pressure 1.5 bar)
with flow rate adjustment
box for concealed installation with
flush elbow
flush pipe adjustable in length
without wall plate/actuation
volume needed: 1.6 l/sec




37 048 000

Flush valve for WC
concealed installation
(3/4")

with **connection** to solenoid valve

stop valve
6 - 9 l adjustable
flow pressure range from 1.2 - 5.0 bar
with flow rate adjustment
2 m connecting cable
box for concealed installation with
flush elbow
concealed flush pipe
without electronic actuation



37 102 SH0


alpine white

Inlet set
connecting pipe from flush pipe of
concealed flush valve 6 to 9l and
concealed flushing cistern
to **pedestal WC**
connector
escutcheon

GROHE ELECTRONIC ACTUATIONS FOR WC

Ref. no.

Colour



38 698 SD1

stainless steel

Tectron Skate

Infra-red electronic for WC flushing cistern

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with transformer 100-230 V AC, 50-60 Hz, 6 V DC for flushing cistern GD 2

servo motor

front plate 156 x 197 mm


7 pre-set programs:

auto flush, cleaning mode, pre-flush on/off

additional functions and precise settings by remote control 36 407

adjustable flush (3 - 9 l) by hand and remote

CE approved



38 699 001

chrome

Tectron Surf

Infra-red electronic for WC flushing cistern

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

GROHE StarLight chrome finish

with transformer 100-230 V AC, 50-60 Hz, 6 V DC

for flushing cistern GD 2

servo motor

front plate 156 x 197 mm


7 pre-set programs:

auto flush, cleaning mode, pre-flush on/off

additional functions and precise settings by remote control 36 407

adjustable flush (3 - 9 l) by hand and remote

CE approved



37 419 000

chrome

37 419 SD0

stainless steel

Tectron Skate

Infra-red electronic for WC flushing cistern

with additional manual actuation

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

with transformer 100-230 V AC, 50-60 Hz, 6 V DC

for start stop actuation

for flushing cistern GD 2

servo motor

front plate 156 x 197 mm


7 pre-set programs:

auto flush, cleaning mode, pre-flush on/off

additional functions and precise settings by remote control 36 407

adjustable flush (3 - 9 l) by hand and remote

CE approved



38 393 SD1

stainless steel

Tectron Skate

Infra-red electronic for WC flush valve

with transformer 100-230 V AC, 50-60 Hz, 6 V DC

concealed installation

front plate 156 x 197 mm

solenoid valve


7 pre-set programs:

auto flush, cleaning mode, pre-flush on/off, additional functions and precise

settings by remote control 36 407

adjustable flush (3 - 9 l) by hand and remote

CE approved



36 340 000

Power extension cable

length 3.00 m

GROHE ELECTRONIC ACTUATIONS FOR URINAL


Ref. no.

Colour

37 421 000

chrome


Tectron Rondo
Infra-red electronic for Urinal
 with infrared sensor for bi-directional communication for monitoring, configuration and service purpose
 6V lithium battery, type CR-P2
 battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight finish
 metal housing
 exposed installation
 flow pressure min 0.5 bar
 operating pressure max 10 bar
 with **integrated stop valve**
 flush pipe with rubber connector
 multistage battery status display
 7 pre-set programs:
 auto flush
 cleaning mode
 pre-flush on/off
 additional functions and precise settings by remote control 36 407
 adjustable flow time by hand or remote
 CE approved



GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. no.

Colour



37 336 001

chrome

Tectron Surf

Infra-red electronic for Urinal

with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with transformer 100-230 V AC, 50-60 Hz, 6 V DC

GROHE StarLight finish

cartridge with solenoid valve and dirt strainer

front plate 116 x 144 mm

flow pressure min 0.5 bar, operating pressure max 10 bar

7 pre-set programs:

auto flush, cleaning mode, pre-flush on/off


additional functions and precise settings by remote control 36 407

adjustable flow time by hand or remote

set for final installation

for Rapido U

CE approved



37 337 001

chrome

Tectron Surf

Infra-red electronic for Urinal

with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6V lithium battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE StarLight finish

cartridge with solenoid valve and dirt strainer

front plate 116 x 144 mm

flow pressure min 0.5 bar, operating pressure max 10 bar

multistage battery status display

7 pre-set programs:

auto flush, cleaning mode, pre-flush on/off


additional functions and precise settings by remote control 36 407

adjustable flow time by hand or remote

set for final installation

for Rapido U or Rapido UMB

CE approved



37 321 001

chrome

37 321 SD1

stainless steel

Tectron Skate

Infra-red electronic for Urinal

with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with transformer 100-230 V AC, 50-60 Hz, 6 V DC

GROHE StarLight finish

cartridge with solenoid valve and dirt strainer

front plate 116 x 144 mm

flow pressure min 0.5 bar, operating pressure max 10 bar

7 pre-set programs:

auto flush, cleaning mode, pre-flush on/off


additional functions and precise settings by remote control 36 407

adjustable flow time by hand or remote

set for final installation

for Rapido U

CE approved



37 324 001

chrome

37 324 SD1

stainless steel

Tectron Skate

Infra-red electronic for Urinal

with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6V lithium battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE StarLight finish

cartridge with solenoid valve and dirt strainer

front plate 116 x 144 mm

flow pressure min 0.5 bar

operating pressure max 10 bar

multistage battery status display

7 pre-set programs:

auto flush, cleaning mode, pre-flush on/off

additional functions and precise settings by remote control 36 407

adjustable flow time by hand or remote

set for final installation


for Rapido U or Rapido UMB

CE approved

GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. no.


Colour



37 338 000

GROHE Rapido U

roughing-in set for urinal
for manual actuation or Tectron infra-red electronic 6 V or 230 V
stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply
installation box with gasket
fixing points for dry cladding and masonry-in
shortable inspection shaft incl. protection



36 407 001

Remote control

for all GROHE one eye infra-red products as of 06/2015

monitoring

consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)


configuration

cleaning mode on/off
thermal disinfection (infrared faucets)
detection range (infrared fittings)
shut off delay (infrared faucets)
auto flush (infrared faucets)

service

send and save profile
reset to factory or user settings
service details, demo mode


3 x 1.5 V DC (AAA) battery supply



39 368 000

Temperature sensor for urinal

with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
siphon with temperature sensor
cartridge with solenoid valve and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs:
auto flush, cleaning mode, pre-flush on/off
CE approved



39 367 000

Temperature sensor for urinal





6V lithium battery, type CR-P2
with water connection set and stop valve
siphon with temperature sensor
cartridge with solenoid valve and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs:
auto flush, cleaning mode, pre-flush on/off
CE approved

GROHE

URINAL FLUSH VALVES

Ref. no.

Colour

 	37 339 000 chrome Rondo Flush valve for urinal 15 mm (1/2") chrome plated brass integrated stop valve GROHE StarLight chrome finish with control cap and flush pipe connection flow rate adjustment flush volume adjustable 1.0 - 4.0 l with wall escutcheon flush pipe 200 mm rubber connector with escutcheon flow pressure min 0.5 bar operating pressure max 5 bar minimum 1" supply pipe
 	37 342 000 chrome Rondo Flush valve for urinal 15 mm (1/2") chrome plated brass vandal proof by metal actuation knob integrated stop valve GROHE StarLight chrome finish with control cap and flush pipe connection flow rate adjustment flush volume adjustable 1.0 - 4.0 l with wall escutcheon flush pipe 200 mm rubber connector with escutcheon flow pressure min 0.5 bar operating pressure max 5 bar minimum 1" supply pipe
 	37 396 000 chrome Press urinal flush valve 15 mm (1/2") chrome plated brass GROHE StarLight chrome finish with wall escutcheon
 	37 044 000 Inlet connecting set for urinal bowls with inlet from back connector Ø 33.5 - 38 mm

GROHE
ACTUATIONS








CONTENTS

WC	Wall plates for WC	400
	GROHE Fresh	406
	Wall plates for WC flush valves	407
Urinal	Wall plates for urinal	408


GROHE WALL PLATES FOR WC

	Ref. no.	Colour
 	37 535 000	chrome
	37 535 P00	matt chrome
	37 535 SH0	alpine white
	37 535 DC0	supersteel
	37 535 BE0	polished nickel
	37 535 EN0	brushed nickel
	37 535 GL0	cool sunrise
	37 535 GN0	brushed cool sunrise
	37 535 DA0	warm sunset
	37 535 DL0	brushed warm sunset
	37 535 A00	hard graphite
	37 535 AL0	brushed hard graphite
	Skate Cosmopolitan S Wall plate for dual flush for pneumatic discharge valve AV1 GD 2 cistern vertical installation 130 x 172 mm ABS	
	GROHE StarLight chrome finish GROHE EcoJoy for less water and perfect flow flush plate with magnetic holder and fixing brackets included compatible with Rapid SLX for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000	
 	37 601 000	chrome
	37 601 P00	matt chrome
	37 601 SH0	alpine white
	37 601 DC0	supersteel
	37 601 BE0	polished nickel
	37 601 EN0	brushed nickel
	37 601 GL0	cool sunrise
	37 601 GN0	brushed cool sunrise
	37 601 DA0	warm sunset
	37 601 DL0	brushed warm sunset
	37 601 A00	hard graphite
	37 601 AL0	brushed hard graphite
	Nova Cosmopolitan S Wall plate for dual flush for pneumatic discharge valve AV1 GD 2 cistern vertical installation 130 x 172 mm ABS	
	GROHE StarLight chrome finish GROHE EcoJoy for less water and perfect flow flush plate with magnetic holder and fixing brackets included compatible with Rapid SLX for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000	
 	37 624 000	chrome
	37 624 P00	matt chrome
	37 624 SH0	alpine white
	37 624 DC0	supersteel
	37 624 BE0	polished nickel
	37 624 EN0	brushed nickel
	37 624 GL0	cool sunrise
	37 624 GN0	brushed cool sunrise
	37 624 DA0	warm sunset
	37 624 DL0	brushed warm sunset
	37 624 A00	hard graphite
	37 624 AL0	brushed hard graphite
	Arena Cosmopolitan S Wall plate for dual flush for pneumatic discharge valve AV1 GD 2 cistern vertical installation 130 x 172 mm ABS	
	GROHE StarLight chrome finish GROHE EcoJoy for less water and perfect flow flush plate with magnetic holder and fixing brackets included compatible with Rapid SLX for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000	

GROHE WALL PLATES FOR WC

Ref. no.

Colour



40 911 000


Revision shaft for small flush plates

for combination with Rapid SL and Uniset with GD 2 cisterns

40 949 000

chrome

ditto, for combination with SLIM cistern



38 915 KS0

velvet black

38 915 LS0

moon white

Veris Light

Wall plate

for dual flush

for SoftTouch flushing activation

external highlighted outline

with LEDs in blue, red, yellow, white

colour gradient adjustable

on/off timer for individual regulation of illuminating period

3 m connecting cable

transformer for external installation

servo motor

110 V to 240 V 50/60 Hz broad range power supply, 9 VA


CE approved

for GD 2 cisterns with pneumatic discharge valve AV1

200 x 200 mm

made of security glass

GROHE EcoJoy for less water and perfect flow



38 809 000

chrome

Nova Cosmopolitan Light

Wall plate

for dual flush

external highlighted outline

with LEDs in blue, red, yellow, white

colour gradient adjustable

on/off button

timer for individual regulation of illuminating period

3 m connecting cable

transformer for external installation

operating voltage 230 V AC, 50/60 Hz, 2.0 VA

Product contains built-in LED lamps, which

cannot be changed: energy efficiency class: A+

CE approved

for pneumatic discharge valve AV1

vertical and horizontal installation

156 x 197 mm


ABS

GROHE StarLight chrome finish

GROHE EcoJoy for less water and perfect flow

for combination with Rapid SL and Uniset with GD 2 cisterns

for use with Rapid SLX please order shaft 66 791 000 (sold separately)



38 765 000

chrome

38 765 SH0

alpine white

38 765 P00

matt chrome

Nova Cosmopolitan

Wall plate

for dual flush

for pneumatic discharge valve AV1

vertical and horizontal installation

156 x 197 mm

ABS

GROHE StarLight chrome finish

GROHE EcoJoy for less water and perfect flow


for combination with Rapid SL and Uniset with GD 2 cisterns

for use with Rapid SLX please order shaft 66 791 000 (sold separately)

GROHE WALL PLATES FOR WC

Ref. no.

Colour



38 845 LS0
38 845 KS0
38 845 MF0

moon white
velvet black
chrome/daVinci satin


Skate Cosmopolitan

Wall plate

with glass surface
for dual flush
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of security glass
mounting-set

GROHE EcoJoy for less water and perfect flow

for combination with Rapid SL and Uniset with GD 2 cisterns
for use with Rapid SLX please order shaft 66 791 000 (sold separately)



38 916 0A0

mirror glass


Skate Cosmopolitan

Wall plate

with mirror surface
plastic actuation buttons, titanium
for dual flush
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of security glass
mounting-set

GROHE EcoJoy for less water and perfect flow

for combination with Rapid SL and Uniset with GD 2 cisterns
for use with Rapid SLX please order shaft 66 791 000 (sold separately)



38 821 000

chrome

Skate Cosmopolitan


Wall plate

for dual flush
vandal-proof
for pneumatic discharge valve AV1
vertical installation
156 x 197 mm
made of brass

GROHE StarLight chrome finish

GROHE EcoJoy for less water and perfect flow

for combination with Rapid SL and Uniset with GD 2 cisterns
for use with Rapid SLX please order shaft 66 791 000 (sold separately)



38 732 SD0

stainless steel

Skate Cosmopolitan

Wall plate, stainless steel

for dual flush
for pneumatic discharge valve AV1
vertical installation
156 x 197 mm
plastic fixing frame
not suitable for GROHE Fresh

GROHE StarLight finish

GROHE EcoJoy for less water and perfect flow




for combination with Rapid SL and Uniset with GD 2 cisterns
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

38 776 SD0




stainless steel

ditto, horizontal installation







GROHE WALL PLATES FOR WC


Ref. no.		Colour
 	38 732 000	chrome
	38 732 DC0	supersteel
	38 732 SH0	alpine white
	38 732 P00	matt chrome
	38 732 BE0	polished nickel
	38 732 EN0	brushed nickel
	38 732 GL0	cool sunrise
	38 732 GN0	brushed cool sunrise
	38 732 DA0	warm sunset
	38 732 DL0	brushed warm sunset
 	38 732 A00	hard graphite
	38 732 AL0	brushed hard graphite
	Skate Cosmopolitan Wall plate for dual flush for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm ABS GROHE StarLight chrome finish GROHE EcoJoy for less water and perfect flow for combination with Rapid SL and Uniset with GD 2 cisterns for use with Rapid SLX please order shaft 66 791 000 (sold separately)	
	38 732 BR0	titanium
	ditto, with anti-fingerprint surface	
	38 844 000	chrome
	38 844 SH0	alpine white
	38 844 P00	matt chrome
	Arena Cosmopolitan Wall plate for dual flush for pneumatic discharge valve AV1 vertical installation 156 x 197 mm ABS GROHE EcoJoy for less water and perfect flow GROHE StarLight chrome finish for combination with Rapid SL and Uniset with GD 2 cisterns for use with Rapid SLX please order shaft 66 791 000 (sold separately)	
	38 858 000	chrome
 	38 858 P00	matt chrome
	38 858 SH0	alpine white
	ditto, horizontal installation	
	38 505 000	chrome
	38 505 SH0	alpine white
	38 505 P00	matt chrome
	Skate Air Wall plate for dual flush for pneumatic discharge valve AV1 vertical installation 156 x 197 mm ABS GROHE StarLight chrome finish GROHE EcoJoy for less water and perfect flow for combination with Rapid SL and Uniset with GD 2 cisterns for use with Rapid SLX please order shaft 66 791 000 (sold separately)	
	38 506 SH0	alpine white
	38 506 P00	matt chrome
	38 506 000	chrome
	ditto, horizontal installation	

GROHE WALL PLATES FOR WC

		Ref. no.	Colour
		38 862 000	chrome
		38 862 SH0	alpine white
		38 862 P00	matt chrome
		Skate Wall plate for dual flush for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm ABS GROHE StarLight chrome finish GROHE EcoJoy for less water and perfect flow for combination with Rapid SL and Uniset with GD 2 cisterns for use with Rapid SLX please order shaft 66 791 000 (sold separately)	
		38 862 SD0	stainless steel
		Skate Wall plate for dual flush for pneumatic discharge valve AV1 vertical installation 156 x 197 mm material: stainless steel GROHE EcoJoy for less water and perfect flow for combination with Rapid SL and Uniset with GD 2 cisterns for use with Rapid SLX please order shaft 66 791 000 (sold separately)	
		38 861 000	chrome
		Surf Wall plate for dual flush for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm ABS GROHE StarLight chrome finish GROHE EcoJoy for less water and perfect flow for combination with Rapid SL and Uniset with GD 2 cisterns for use with Rapid SLX please order shaft 66 791 000 (sold separately)	

GROHE WALL PLATES FOR WC

Ref. no.		Colour
		38 564 000 38 564 SH0 Skate Air Wall plate for start stop actuation for pneumatic discharge valve vertical installation 156 x 197 mm ABS GROHE StarLight chrome finish GROHE EcoJoy for less water and perfect flow
		chrome alpine white
		38 565 000 38 565 SH0 ditto, horizontal installation
		chrome alpine white
		38 573 000 38 573 SH0 38 573 P00 Skate Wall plate for start stop actuation for pneumatic discharge valve vertical and horizontal installation 156 x 197 mm ABS GROHE StarLight chrome finish GROHE EcoJoy for less water and perfect flow
		chrome alpine white matt chrome
		38 672 SD0 Skate Wall plate, stainless steel for start stop actuation vandal-proof for pneumatic discharge valve vertical installation 156 x 197 mm push button actuation plastic fixing frame hidden fixing screws GROHE EcoJoy for less water and perfect flow
		stainless steel
		38 574 000 Surf Wall plate for start stop actuation for pneumatic discharge valve vertical and horizontal installation 156 x 197 mm ABS GROHE StarLight chrome finish GROHE EcoJoy for less water and perfect flow
		chrome
		37 060 000 Pneumatic actuation GROHE StarLight chrome finish push button actuation with escutcheon Ø 100 mm pneumatic hose 1.50 m without wall plate
		chrome



38 805 000

chrome

Skate Cosmopolitan Set Fresh

Wall plate

for dual flush

with **GROHE Fresh**

fixing frame with opening function

with box for support of aromatic tabs

for chlorine-free tabs only

for pneumatic discharge valve AV1

vertical and horizontal installation

156 x 197 mm



ABS

GROHE StarLight chrome finish

GROHE EcoJoy for less water and perfect flow

for combination with Rapid SL and Uniset with GD 2 cisterns

for use with Rapid SLX please order shaft 66 791 000 (sold separately)



38 796 000

GROHE Fresh

Adaptor

for GROHE flushing cistern GD 2 with pneumatic

discharge valve and regular inspection shaft

not suitable for Skate Cosmopolitan with

wood or glass surface

fixing frame with opening function




with box for support of aromatic tabs

for chlorine-free tabs only






for all GROHE wall plates

156 x 197 mm

GROHE WALL PLATES FOR WC FLUSH VALVES

Ref. no.		Colour
	 37 547 000 37 547 P00 37 547 SH0 Skate Wall plate vertical installation 156 x 197 mm manual activation push button actuation ABS GROHE StarLight chrome finish	chrome matt chrome alpine white
	 38 445 SD0 Skate Wall plate, stainless steel vertical installation 156 x 197 mm push button actuation plastic fixing frame hidden fixing screws	stainless steel
	 37 063 000 37 063 SH0 Surf Wall plate 156 x 197 mm manual activation push button actuation ABS GROHE StarLight chrome finish	chrome alpine white

GROHE WALL PLATES FOR URINAL

		Ref. no.	Colour
		38 784 000 38 784 SH0 38 784 P00	chrome alpine white matt chrome
		Skate Cosmopolitan Actuation plate manual activation for urinal set for final installation for Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE StarLight chrome finish	
		38 784 SD0	stainless steel
		Skate Cosmopolitan Wall plate, stainless steel manual activation for urinal set for final installation for Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable plastic fixing frame hidden fixing screws	
		38 804 000 38 804 SH0 38 804 P00	chrome alpine white matt chrome
		Nova Cosmopolitan Actuation plate manual activation for urinal set for final installation for Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE StarLight chrome finish	
		38 857 000 38 857 SH0 38 857 P00	chrome alpine white matt chrome
		Arena Cosmopolitan Actuation plate manual activation for urinal set for final installation for Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE StarLight chrome finish	
		38 808 000 38 808 SH0 38 808 P00	chrome alpine white matt chrome
		Surf Actuation plate manual activation for urinal set for final installation for Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE StarLight chrome finish	

GROHE CONNECTION AND SECURITY TECHNOLOGY















CONTENTS


Angle valves	412
WAS valves	414
Safety systems	415

GROHE ANGLE VALVES

	Ref. no.	Colour
	22 037 000	chrome
	22 037 DC0	supersteel
	22 037 BE0	polished nickel
	22 037 EN0	brushed nickel
	22 037 GL0	cool sunrise
	22 037 GN0	brushed cool sunrise
	22 037 DA0	warm sunset
	22 037 DL0	brushed warm sunset
	22 037 A00	hard graphite
	22 037 AL0	brushed hard graphite
	Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight finish	
	22 041 000	chrome
	Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight finish	
		
	22 018 000	chrome
	Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight finish	
		
	22 025 000	chrome
	Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle metal push-on escutcheon Ø 55 mm marking: neutral GROHE StarLight finish	
		
	22 939 000	chrome
	Angle valve 1/2" connector set 3/8" for copper pipe Ø 10 mm TDL handles marking: neutral escutcheon GROHE StarLight finish	
		

GROHE ANGLE VALVES


	Ref. no.	Colour
 	22 940 000 Angle valve 1/2" without connector set 1/2" for copper pipe Ø 10 mm TDL handles marking: neutral escutcheon GROHE StarLight finish	chrome
 	22 958 00M Angle valve connection thread 1/2" TDL handles marking: neutral escutcheon GROHE StarLight finish sales unit 1 piece	chrome
 	22 917 000 Atlanta Angle valve 1/2" wall connection 1/2" outlet thread 3/8" socket spanner headpart closed cap with compression nut Ø 10mm marking: neutral escutcheon GROHE StarLight finish	chrome
 	22 012 000 22 012 DC0 22 012 AL0 Eurocube Angle valve 1/2" wall connection 1/2" outlet thread 3/8" Cartridge headpart metal handle marking: neutral metal push-on escutcheon	chrome supersteel brushed hard graphite
 	22 013 000 Eurocube Angle valve 1/2" wall connection 1/2" outlet 1/2" Cartridge headpart metal handle marking: neutral metal push-on escutcheon	chrome



22 035 000

chrome


Original WAS combination service valve 1/2"
pre-roughened connection thread for easy sealing
wall connection 1/2"
outlet thread 3/8"
with length compensation
with compression nut Ø 10mm
outlet 3/4"
with hose connection
grease chamber headpart
non-return valve type EB
long connecting shaft
ergonomic handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish
for combination with pipe ventilating valve type HB 41 239 000



22 033 000

chrome

Original WAS combination service valve 3/8"
wall connection 3/8"
outlet thread 3/8"
with length compensation
with compression nut Ø 10mm
outlet 3/4"
with hose connection
grease chamber headpart
non-return valve type EB
long connecting shaft
ergonomic handles
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish
for combination with pipe ventilating valve type HB 41 239 000



41 010 000


chrome

Original WAS connecting valve 1/2"
wall mounted
grease chamber headpart 1/2" for closable hose connection
non-return valve type EB
protected against backflow
GROHE StarLight finish

GROHE SAFETY SYSTEMS

Ref. no.

Colour



41 238 000

chrome

Vacuum breaker 1/2"

type HB

vertical installation

for intrinsic safety against backflow according to DIN 1988.100 and DIN EN 1717

GROHE StarLight chrome finish





CONTENTS

Cartridges	418
Thermo elements and thermostatic cartridges	419
Head parts	420
Extension sets	421
Flow straighteners	422
Waste sets and traps	423
Cleaning and care	424
Spare parts for shower toilet	425

GROHE CARTRIDGES

Ref. no. Colour

Ref. no. Colour



46 580 000
Cartridge
28 mm
GROHE SilkMove
with ceramic sealing system
with temperature limiter
for all single lever mixers



46 374 000
Cartridge
35 mm
GROHE SilkMove
with ceramic sealing system
with temperature limiter
adjustable flow rate limiter
for all single lever mixers



46 048 000
Cartridge
46 mm
GROHE SilkMove
with ceramic sealing system
adjustable flow rate limiter
for all single lever mixers

GROHE THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

Ref. no. Colour

Ref. no. Colour



47 439 000
Thermostatic compact cartridge 1/2"
GROHE TurboStat compact cartridge



47 483 000
Thermostatic compact cartridge 3/4"
GROHE TurboStat compact cartridge



49 028 000
Thermostatic compact cartridge 3/4"
for Grohtherm SmartControl concealed
GROHE TurboStat compact cartridge
including fastening nut

GROHE HEAD PARTS

Ref. no.	Colour	Ref. no.	Colour
	07 146 000 Headpart 1/2" short spindle, 1/2" multi packaging: 10 pieces		45 346 000 Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 180° stop: right-hand
	45 964 000 ditto, packaging unit 20		45 342 000 Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 180° stop: left-hand
	45 883 000 Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 90° stop: left-hand		45 882 000 Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 90° stop: right-hand

GROHE EXTENSION SETS

Ref. no. Colour

Ref. no. Colour




46 191 000
Extension set
25 mm
for universal single-lever mixer for concealed installation 1/2"
for use with bath and shower mixer
for use with all trim set designs and surfaces



14 048 000
Rapido SmartBox
Universal extension set single-lever mixers, 25 mm
25 mm
fits Grohtherm SmartControl and SmartControl Mixer sets
for final installation with up to three functions in combination with GROHE Rapido SmartBox



14 056 000
Universal extension set single-lever mixers, 25 mm
fits for concealed single-lever mixers in combination with **GROHE Rapido SmartBox**



14 057 000
Universal extension set single-lever mixers, 50 mm
fits for concealed single-lever mixers in combination with **GROHE Rapido SmartBox**



14 058 000
Universal extension set 2-handle thermostats, 25 mm
fits for concealed 2-handle thermostats in combination with **GROHE Rapido SmartBox**

GROHE FLOW STRAIGHTENERS

Ref. no.	Colour		Ref. no.	Colour	
			48 190 000 chrome		
		Water saving set flow rate 1.9 l/min includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8" low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence			Water saving set flow rate 1.35 l/min includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8" low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence
			48 159 000 chrome		
		Mousseur external thread M 24 x 1 flow class PCA 5.7 l/min. at 3 bar SpeedClean anti-lime system male thread			Flow straightener external thread M 24 x 1 flow class PCA 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE StarLight finish male thread
			13 929 000 chrome		
		Mousseur external thread M 24 x 1 flow class A 13.5 - 15.0 l/min at 3 bar GROHE StarLight finish male thread			13 937 000 Mousseur set mousseur 14.9 l/min at 3 bar mousseur 7.2 l/min at 3 bar external thread M 16.5 x 1 including disassembly-key male thread

GROHE WASTE SETS AND TRAPS

Ref. no. Colour

Ref. no. Colour



28 910 000 chrome
Waste set 1 1/4"
for wash basins with overflow
for basin/bidet fittings
complete
GROHE StarLight chrome finish



40 565 000 chrome
40 565 DC0 supersteel
40 565 AL0 brushed hard graphite
Plug incl. cup
for wash basins with overflow
for standard pop-up waste set 1 1/4"
GROHE StarLight chrome finish



65 807 000 chrome
65 807 BE0 polished nickel
65 807 GL0 cool sunrise
65 807 DA0 warm sunset
65 807 A00 hard graphite
Waste set with push-open plug
with push-open cover
for wash basins with overflow
removable cover
removable plug
closable
GROHE StarLight chrome finish



65 807 DC0 supersteel
65 807 EN0 brushed nickel
65 807 GN0 brushed cool sunrise
65 807 DL0 brushed warm sunset
65 807 AL0 brushed hard graphite
Waste set with push-open plug
with push-open cover
for wash basins with overflow
removable cover
removable plug
closable
GROHE StarLight finish



40 824 000 chrome
Waste set with push-open plug
for wash basins with overflow
removable plug
closable



07 182 000 chrome
Plug
for waste set 1 1/4"
GROHE StarLight chrome finish



28 947 000 chrome
P-trap 1 1/4"
for basins
wall connection
escutcheon
GROHE StarLight chrome finish



28 961 000 chrome
Trap
for bidet
escutcheon
wall connection
GROHE StarLight chrome finish



40 564 000 chrome
40 564 DC0 supersteel
40 564 A00 hard graphite
40 564 AL0 brushed hard graphite
Bottle trap
for wash basin
GROHE StarLight chrome finish
brass body



28 912 000 chrome
28 912 BE0 polished nickel
28 912 GL0 cool sunrise
28 912 DA0 warm sunset
28 912 A00 hard graphite
Trap 1 1/4"
for basins
chrome plated brass
(screw-top for cleaning)
large sliding escutcheon
GROHE StarLight chrome finish



28 912 DC0 supersteel
28 912 EN0 brushed nickel
28 912 GN0 brushed cool sunrise
28 912 DL0 brushed warm sunset
28 912 AL0 brushed hard graphite
Trap 1 1/4"
for basins
chrome plated brass
(screw-top for cleaning)
large sliding escutcheon
GROHE StarLight finish

GROHE CLEANING AND CARE

Ref. no. Colour

Ref. no. Colour



45 937 000
Grohe Special grease
25 g
sales unit 15 pieces



48 166 000
Grohclean
Detergent for fittings and bathrooms
500 ml spray bottle
based on citric acid
Multilingual leporello:
DE, EN, FR, ES, IT, NL, DK, RU, UA, PL,
GR, RO, PT, BG, HR, SRB, SLO, HU
in display box
sales unit 10 pieces

GROHE SPARE PARTS FOR SHOWER TOILET

Ref. no. Colour

Ref. no. Colour



14 926 002
GROHE Sensia Arena
Remote control
including wall holder

GROHE SURVEY OF CONTENTS

Ref. no.	Page	Ref. no.	Page	Ref. no.	Page	Ref. no.	Page	Ref. no.	Page
07		18		19 578 EN1	78	19 952 GL0	131	20 304 001	51
07 146 000	420	18 349 000	104	19 578 GL1	78	19 952 GN0	131	20 342 000	17
07 182 000	423	19		19 578 GN1	78	19 965 001	54	20 342 AL0	17
13		19 025 000	131	19 590 000	27	19 966 000	63	20 342 DC0	17
13 139 003	38	19 069 003	37	19 781 000	17	19 967 001	75	20 344 000	16
13 139 AL3	38	19 069 AL3	37	19 781 AL0	17	19 967 A01	75	20 344 AL0	16
13 139 DA3	38	19 069 DA3	37	19 781 DC0	17	19 967 AL1	75	20 344 DC0	16
13 139 DC3	38	19 069 DC3	37	19 783 000	17	19 967 BE1	75	20 346 000	17
13 139 GL3	38	19 069 GL3	37	19 783 AL0	17	19 967 DA1	75	20 346 AL0	17
13 252 000	124, 126	19 088 003	37	19 783 DC0	17	19 967 DC1	75	20 346 DC0	17
13 254 000	123, 127	19 088 AL3	37	19 787 001	19	19 967 DL1	75	20 348 000	17
13 255 001	113, 118	19 088 DA3	37	19 787 AL1	19	19 967 EN1	75	20 348 AL0	17
13 258 000	121	19 088 DC3	37	19 787 DC1	19	19 967 GL1	75	20 348 DC0	17
13 261 000	106	19 088 GL3	37	19 796 000	20	19 967 GN1	75	20 351 000	60
13 262 000	106	19 287 003	30	19 796 AL0	20	19 968 000	81	20 351 AL0	60
13 264 000	27	19 287 AL3	30	19 796 DC0	20	19 969 000	81	20 351 DC0	60
13 276 002	94	19 287 DA3	30	19 798 000	20	19 972 002	109	20 389 000	42
13 277 002	95	19 287 DC3	30	19 798 AL0	20	19 974 002	84	20 389 IGO	42
13 278 002	85	19 287 GL3	30	19 798 DC0	20	19 976 001	78	20 393 001	128
13 279 002	86	19 309 000	24	19 806 001	129	19 997 000	57	20 404 001	128
13 280 001	91	19 316 000	25	19 807 001	129	19 998 000	57	20 414 000	42
13 281 001	91	19 345 001	90	19 808 001	129	20		20 414 IGO	42
13 299 000	20	19 346 001	90	19 809 001	129	20 008 003	35	20 415 000	42
13 299 AL0	20	19 381 000	103	19 854 001	129	20 008 AL3	35	20 415 IGO	42
13 299 DC0	20	19 382 000	105	19 855 001	129	20 008 DA3	35	20 417 000	41
13 303 000	64	19 383 000	105	19 895 000	61	20 008 DC3	35	20 417 IGO	41
13 303 AL0	64	19 384 000	27	19 895 AL0	61	20 008 GL3	35	20 421 001	110
13 303 DC0	64	19 386 000	24	19 895 DC0	61	20 009 003	35	20 470 000	120
13 304 000	64	19 408 001	75	19 897 001	63	20 009 AL3	35	20 474 001	112
13 317 000	26	19 408 A01	75	19 897 AL1	63	20 009 DA3	35	21	
13 319 000	20	19 408 AL1	75	19 897 DC1	63	20 009 DC3	35	21 019 003	34
13 319 AL0	20	19 408 BE1	75	19 910 000	64	20 009 GL3	35	21 019 AL3	34
13 319 DC0	20	19 408 DA1	75	19 918 003	31	20 021 003	34	21 019 DA3	34
13 341 000	45	19 408 DC1	75	19 918 AL3	31	20 021 AL3	34	21 019 DC3	34
13 341 IGO	45	19 408 DL1	75	19 918 DA3	31	20 021 DA3	34	21 019 GL3	34
13 378 000	332	19 408 EN1	75	19 918 DC3	31	20 021 DC3	34	21 022 003	34
13 380 000	332	19 408 GL1	75	19 918 GL3	31	20 021 GL3	34	21 022 AL3	34
13 383 001	55	19 408 GN1	75	19 919 000	44	20 164 003	35	21 022 DA3	34
13 383 DC1	55	19 409 001	51	19 922 003	38	20 164 AL3	35	21 022 DC3	34
13 390 000	123, 126	19 409 AL1	51	19 922 AL3	38	20 164 DA3	35	21 022 GL3	34
13 404 003	71	19 409 DC1	51	19 922 DA3	38	20 164 DC3	35	21 044 003	34
13 404 AL3	71	19 450 002	109	19 922 DC3	38	20 164 GL3	35	21 044 AL3	34
13 404 DC3	71	19 451 002	109	19 922 GL3	38	20 169 003	35	21 044 DA3	34
13 425 001	113, 118	19 506 002	94	19 923 003	38	20 169 AL3	35	21 044 DC3	34
13 449 001	80	19 506 003	101	19 923 AL3	38	20 169 DA3	35	21 044 GL3	34
13 449 A01	80	19 506 LS3	101	19 923 DA3	38	20 169 DC3	35	21 107 000	41
13 449 AL1	80	19 507 002	94	19 923 DC3	38	20 169 GL3	35	21 107 IGO	41
13 449 BE1	80	19 507 003	100	19 923 GL3	38	20 187 000	103	21 375 001	128
13 449 DA1	80	19 507 LS3	100	19 929 000	42	20 188 000	23	22	
13 449 DC1	80	19 571 002	92	19 929 IGO	42	20 189 000	23	22 009 001	114
13 449 DL1	80	19 571 003	98	19 930 000	42	20 193 000	23	22 012 000	64, 413
13 449 EN1	80	19 571 LS3	98	19 930 IGO	42	20 201 000	130	22 012 AL0	64, 413
13 449 GL1	80	19 573 002	84	19 936 000	44	20 202 000	130	22 012 DC0	64, 413
13 449 GN1	80	19 575 001	88	19 936 IGO	44	20 203 000	130	22 013 000	65, 413
13 929 000	422	19 576 002	90	19 942 000	45	20 205 000	130	22 018 000	412
13 937 000	422	19 577 001	54	19 942 IGO	45	20 208 002	92	22 018 000	412
14		19 577 AL1	54	19 944 000	45	20 216 001	88	22 025 000	412
14 048 000	182, 421	19 577 DC1	54	19 944 IGO	45	20 238 001	114	22 033 000	414
14 056 000	182, 421	19 578 001	78	19 952 000	131	20 284 001	114	22 035 000	414
14 057 000	182, 421	19 578 A01	78	19 952 A00	131	20 287 000	125	22 037 000	412
14 058 000	182, 421	19 578 AL1	78	19 952 AL0	131	20 288 000	122	22 037 A00	412
14 077 XH0	15, 38	19 578 BE1	78	19 952 BE0	131	20 289 001	116	22 037 AL0	412
14 926 002	341, 425	19 578 DA1	78	19 952 DA0	131	20 292 000	120	22 037 BE0	412
		19 578 DC1	78	19 952 DC0	131	20 296 001	74	22 037 DA0	412
		19 578 DL1	78	19 952 DL0	131	20 299 001	74	22 037 DC0	412
				19 952 EN0	131	20 301 003	67	22 037 DL0	412

GROHE

SURVEY OF CONTENTS

Ref. no.	Page	Ref. no.	Page	Ref. no.	Page	Ref. no.	Page	Ref. no.	Page
22 037 EN0	412	23 303 000	41	23 491 BE1	79	23 751 000	125	24 049 003	100
22 037 GL0	412	23 303 IGO	41	23 491 DA1	79	23 752 000	125	24 049 LS3	100
22 037 GN0	412	23 310 000	41	23 491 DC1	79	23 753 000	125	24 051 002	93
22 041 000	412	23 310 IGO	41	23 491 DL1	79	23 754 000	125	24 052 002	93
22 917 000	413	23 313 000	41	23 491 EN1	79	23 757 001	110	24 053 001	90
22 939 000	412	23 313 IGO	41	23 491 GL1	79	23 758 001	111	24 054 001	90
22 940 000	413	23 315 000	43	23 491 GN1	79	23 760 001	111	24 055 002	85
22 958 00M	413	23 315 IGO	43	23 537 002	107	23 761 001	112	24 056 002	85
23		23 316 000	43	23 541 001	74	23 762 001	115	24 057 001	77
23 029 000	16	23 316 IGO	43	23 564 003	96	23 763 001	116	24 057 A01	77
23 029 AL0	16	23 317 000	43	23 567 003	96	23 764 001	116	24 057 AL1	77
23 029 DC0	16	23 317 IGO	43	23 569 003	97	23 790 001	50	24 057 BE1	77
23 033 000	16	23 318 000	44	23 569 LS3	97	23 791 001	50	24 057 DA1	77
23 033 AL0	16	23 318 IGO	44	23 570 003	97	23 791 AL1	50	24 057 DC1	77
23 033 DC0	16	23 319 000	42	23 570 LS3	97	23 791 DC1	50	24 057 DL1	77
23 043 003	92	23 322 001	107	23 571 000	52, 75	23 792 001	54	24 057 EN1	77
23 048 003	94	23 325 000	102	23 589 001	72	23 792 AL1	54	24 057 GL1	77
23 054 003	83	23 328 001	110	23 589 A01	72	23 792 DC1	54	24 057 GN1	77
23 061 003	197	23 330 001	110	23 589 AL1	72	23 843 003	67	24 058 001	77
23 076 000	23	23 331 001	112	23 589 BE1	72	23 843 AL3	67	24 058 A01	77
23 090 000	122	23 335 001	115	23 589 DA1	72	23 843 DC3	67	24 058 AL1	77
23 095 000	119	23 337 001	115	23 589 DC1	72	23 844 003	67	24 058 BE1	77
23 106 001	50	23 338 001	116	23 589 DL1	72	23 845 003	70	24 058 DA1	77
23 106 AL1	50	23 377 00E	102	23 589 EN1	72	23 846 003	71	24 058 DC1	77
23 106 DC1	50	23 379 001	73	23 589 GL1	72	23 846 AL3	71	24 058 DL1	77
23 109 000	16	23 390 00E	59	23 589 GN1	72	23 846 DC3	71	24 058 EN1	77
23 109 AL0	16	23 403 000	23	23 590 001	72	23 851 003	66	24 058 GL1	77
23 109 DC0	16	23 405 001	51	23 590 A01	72	23 851 AL3	66	24 058 GN1	77
23 112 000	16	23 405 AL1	51	23 590 AL1	72	23 851 DC3	66	24 059 003	69
23 112 AL0	16	23 405 DC1	51	23 590 BE1	72	23 871 003	66	24 059 AL3	69
23 112 DC0	16	23 406 000	60	23 590 DA1	72	23 871 AL3	66	24 059 DC3	69
23 114 000	16	23 406 AL0	60	23 590 DC1	72	23 871 DC3	66	24 060 003	69
23 114 AL0	16	23 406 DC0	60	23 590 DL1	72	23 872 003	66	24 060 AL3	69
23 114 DC0	16	23 425 000	81	23 590 EN1	72	23 877 001	115	24 060 DC3	69
23 117 000	18	23 427 000	81	23 590 GL1	72	23 878 001	115	24 061 000	62
23 117 AL0	18	23 428 000	81	23 590 GN1	72	23 886 001	115	24 061 AL0	62
23 117 DC0	18	23 429 000	31, 57	23 599 000	122	23 891 001	116	24 061 DC0	62
23 119 000	19	23 430 000	82	23 601 000	126	23 894 001	110	24 062 000	62
23 119 AL0	19	23 431 000	82	23 603 001	117	23 895 001	110	24 062 AL0	62
23 119 DC0	19	23 432 000	84	23 605 001	113	23 901 001	111	24 062 DC0	62
23 127 000	59	23 444 001	52	23 631 000	123	23 902 001	111	24 063 001	53
23 127 00E	59	23 444 AL1	52	23 632 000	126	23 911 001	111	24 063 AL1	53
23 127 AL0	59	23 444 DC1	52	23 634 001	117	23 917 001	115	24 063 DC1	53
23 127 DC0	59	23 445 000	59	23 636 001	112	23 920 001	88	24 064 001	53
23 132 000	59	23 445 AL0	59	23 654 000	56	23 921 000	103	24 064 AL1	53
23 132 00E	59	23 445 DC0	59	23 656 000	56	23 922 002	107	24 064 DC1	53
23 135 000	60	23 446 000	60	23 657 000	56	23 923 002	107	24 065 003	32
23 135 00E	60	23 447 000	61	23 658 000	56	23 925 000	102	24 065 AL3	32
23 135 AL0	60	23 447 AL0	61	23 661 000	56	23 926 000	102	24 065 DA3	32
23 135 DC0	60	23 447 DC0	61	23 664 000	57	23 931 001	87	24 065 DC3	32
23 137 000	59	23 448 002	83	23 665 000	57	23 932 001	87	24 065 GL3	32
23 138 000	61	23 449 002	83	23 666 000	57	24		24 066 003	32
23 138 AL0	61	23 450 001	87	23 667 001	58	24 027 003	36	24 066 AL3	32
23 138 DC0	61	23 462 001	73	23 672 001	63	24 027 AL3	36	24 066 DA3	32
23 140 000	61	23 462 A01	73	23 672 AL1	63	24 027 DA3	36	24 066 DC3	32
23 140 AL0	61	23 462 AL1	73	23 672 DC1	63	24 027 DC3	36	24 066 GL3	32
23 140 DC0	61	23 462 BE1	73	23 707 003	96	24 027 GL3	36	24 067 000	43
23 141 000	62	23 462 DA1	73	23 708 003	96	24 036 000	82	24 067 IGO	43
23 145 000	61	23 462 DC1	73	23 716 003	97	24 042 002	108	24 068 000	43
23 145 AL0	61	23 462 DL1	73	23 718 003	97	24 043 002	109	24 068 IGO	43
23 145 DC0	61	23 462 EN1	73	23 719 003	97	24 044 000	105	24 069 000	25
23 147 001	199	23 462 GL1	73	23 720 003	98	24 044 000	105	24 070 000	25
23 200 000	18, 61	23 462 GN1	73	23 722 003	99	24 045 000	105	24 071 000	18
23 296 001	51	23 463 001	73	23 726 003	99	24 046 003	100	24 071 AL0	18
23 296 AL1	51	23 491 001	79	23 739 002	88	24 047 003	100	24 071 DC0	18
23 296 DC1	51	23 491 A01	79	23 741 001	79	24 048 003	99	24 072 000	18
		23 491 AL1	79	23 741 DC1	79	24 048 LS3	99	24 072 AL0	18

GROHE

SURVEY OF CONTENTS

Ref. no.	Page	Ref. no.	Page	Ref. no.	Page	Ref. no.	Page	Ref. no.	Page
24 072 DC0	18	25 044 GL3	37	26 334 000	249	26 479 000	208	26 574 BE0	226
24 075 000	169	25 219 001	105	26 335 000	249	26 479 A00	208	26 574 DA0	226
24 076 000	170	25 450 001	128	26 353 000	247	26 479 AL0	208	26 574 DC0	226
24 077 000	170	25 452 001	129	26 354 000	247	26 479 DC0	208	26 574 DL0	226
24 078 000	168	26		26 356 IL0	248	26 479 DL0	208	26 574 EN0	226
24 079 000	168			26 357 000	248	26 479 GN0	208	26 574 GL0	226
24 080 000	168	26 003 003	36	26 358 000	248	26 479 LS0	208	26 574 GN0	226
24 092 001	78	26 003 AL3	36	26 362 LN0	206	26 481 000	209	26 574 LS0	226
24 092 A01	78	26 003 DA3	36	26 370 000	254	26 481 A00	209	26 575 000	226
24 092 AL1	78	26 003 DC3	36	26 370 A00	254	26 481 AL0	209	26 577 LS0	226
24 092 BE1	78	26 003 GL3	36	26 370 AL0	254	26 481 DC0	209	26 579 LS0	227
24 092 DA1	78	26 010 001	129	26 370 DC0	254	26 481 DL0	209	26 580 000	228
24 092 DC1	78	26 037 001	46	26 370 DL0	254	26 481 GN0	209	26 580 LS0	228
24 092 DL1	78	26 037 IG0	46	26 370 GN0	254	26 481 LS0	209	26 581 000	227
24 092 EN1	78	26 038 000	47	26 373 001	186, 214	26 483 000	209	26 581 LS0	227
24 092 GL1	78	26 038 IG0	47	26 374 000	188	26 484 000	209	26 582 000	228
24 092 GN1	78	26 042 000	215	26 376 001	186, 214	26 507 000	194	26 582 A00	228
24 093 003	70	26 054 000	211	26 381 001	203	26 507 A00	194	26 582 AL0	228
24 093 AL3	70	26 056 000	210	26 404 000	235	26 507 AL0	194	26 582 DC0	228
24 093 DC3	70	26 064 000	211	26 405 000	237	26 507 BE0	194	26 582 DL0	228
24 094 000	62	26 065 000	211	26 406 001	245	26 507 DA0	194	26 582 GN0	228
24 094 AL0	62	26 066 000	210	26 408 000	221	26 507 DC0	194	26 582 LS0	228
24 094 DC0	62	26 066 A00	210	26 410 000	221	26 507 DL0	194	26 584 000	229
24 095 001	53	26 066 AL0	210	26 412 000	212	26 507 EN0	194	26 584 LS0	229
24 095 AL1	53	26 066 BE0	210	26 414 000	213	26 507 GL0	194	26 587 000	229
24 095 DC1	53	26 066 DA0	210	26 443 000	191	26 507 GN0	194	26 587 LS0	229
24 096 003	32	26 066 DC0	210	26 449 000	191	26 507 LS0	194	26 588 000	230
24 096 AL3	32	26 066 DL0	210	26 452 001	204	26 508 000	194	26 588 LS0	230
24 096 DA3	32	26 066 EN0	210	26 453 001	204	26 508 A00	194	26 589 000	230
24 096 DC3	32	26 066 GL0	210	26 455 000	220	26 508 AL0	194	26 589 LS0	230
24 096 GL3	32	26 066 GN0	210	26 456 EN0		26 508 DC0	194	26 590 000	230
24 099 000	18	26 067 000	211	26 457 000	220	26 508 DL0	194	26 592 000	231
24 134 003	32	26 067 A00	211	26 457 EN0		26 508 GN0	194	26 592 LS0	231
24 134 AL3	32	26 067 AL0	211	26 459 000	212	26 508 LS0	194	26 594 000	231
24 134 DA3	32	26 067 BE0	211	26 461 000	212	26 509 000	195	26 594 LS0	232
24 134 DC3	32	26 067 DA0	211	26 465 000	225	26 510 000	195	26 602 000	255
24 134 GL3	32	26 067 DC0	211	26 465 A00	225	26 548 000	227	26 603 000	255
24 135 003	33	26 067 DL0	211	26 465 AL0	225	26 554 LS0	231	26 603 A00	255
24 135 AL3	33	26 067 EN0	211	26 465 BE0	225	26 557 000	209	26 603 AL0	255
24 135 DA3	33	26 067 GL0	211	26 465 DA0	225	26 558 000	209	26 603 BE0	255
24 135 DC3	33	26 067 GN0	211	26 465 DC0	225	26 559 000	209	26 603 DA0	255
24 135 GL3	33	26 070 000	211	26 465 DL0	225	26 560 000	209	26 603 DC0	255
24 138 003	33	26 071 000	211	26 465 EN0	225	26 561 000	216	26 603 DL0	255
24 138 AL3	33	26 075 000	198	26 465 GL0	225	26 561 LS0	216	26 603 EN0	255
24 138 DA3	33	26 075 A00	198	26 465 GN0	225	26 562 000	216	26 603 GL0	255
24 138 DC3	33	26 075 AL0	198	26 475 000	207	26 562 LS0	216	26 603 GN0	255
24 138 GL3	33	26 075 BE0	198	26 475 A00	207	26 563 000	210	26 648 000	192
24 153 000	171, 175	26 075 DA0	198	26 475 AL0	207	26 564 000	210	26 648 LS0	192
24 153 AL0	171, 175	26 075 DC0	198	26 475 BE0	207	26 564 A00	210	26 652 000	192
24 153 DC0	171, 175	26 075 DL0	198	26 475 DA0	207	26 564 AL0	210	26 657 000	193
24 154 000	171, 175	26 075 EN0	198	26 475 DC0	207	26 564 DC0	210	26 662 000	220
24 154 AL0	171, 175	26 075 GL0	198	26 475 DL0	207	26 564 DL0	210	26 666 000	220
24 154 DC0	171, 175	26 075 GN0	198	26 475 EN0	207	26 564 GN0	210	26 670 000	200
24 155 000	172, 175	26 087 000	198	26 475 GL0	207	26 565 000	210	26 673 000	201
24 155 AL0	172, 175	26 145 000	223	26 475 GN0	207	26 566 000	210	26 675 000	202
24 155 DC0	172, 175	26 146 000	223	26 475 LS0	207	26 566 A00	210	26 681 000	220
25		26 161 001	242	26 477 000	208	26 566 AL0	210	26 685 000	220
		26 164 001	245	26 477 A00	208	26 566 DC0	210	26 687 000	212
25 010 003	36	26 223 001	201	26 477 AL0	208	26 566 DL0	210	26 688 000	212
25 010 AL3	36	26 224 001	202	26 477 BE0	208	26 566 GN0	210	26 689 000	200
25 010 DA3	36	26 250 000	191	26 477 DA0	208	26 567 000	217	26 692 000	201
25 010 DC3	36	26 254 000	207	26 477 DC0	208	26 567 LS0	217	26 694 000	203
25 010 GL3	36	26 264 001	191, 207	26 477 DL0	208	26 568 000	217	26 723 000	196
25 044 003	37	26 328 000	246	26 477 EN0	208	26 568 LS0	217	27	
25 044 AL3	37	26 330 001	128	26 477 GL0	208	26 574 000	226		
25 044 DA3	37	26 332 000	246	26 477 GN0	208	26 574 A00	226	27 055 000	251
25 044 DC3	37	26 333 000	246	26 477 LS0	208	26 574 AL0	226	27 056 000	251

GROHE

SURVEY OF CONTENTS

Ref. no.	Page	Ref. no.	Page	Ref. no.	Page	Ref. no.	Page	Ref. no.	Page
27 057 000	253	27 500 000	255	27 889 000	236	28 497 000	224	29 118 DA0	163
27 057 A00	253	27 512 001	247	27 890 000	236	28 576 000	223	29 118 DC0	163
27 057 AL0	253	27 513 001	247	27 892 000	255	28 605 000	252	29 118 DL0	163
27 057 BE0	253	27 514 001	248	27 922 001	200	28 622 000	252	29 118 EN0	163
27 057 DA0	253	27 521 000	255	27 923 001	242	28 626 000	254	29 118 GL0	163
27 057 DC0	253	27 522 000	255	27 924 001	244	28 628 000	254	29 118 GN0	163
27 057 DL0	253	27 523 000	255	27 926 001	243	28 690 000	225, 251	29 119 000	163
27 057 EN0	253	27 524 000	255	27 928 002	240	28 724 000	224	29 119 A00	163
27 057 GL0	253	27 530 000	219	27 934 000	188	28 778 000	218	29 119 AL0	163
27 057 GN0	253	27 541 001	221	27 938 001	215	28 910 000	423	29 119 BE0	163
27 062 000	219	27 559 000		27 939 001	215	28 912 000	423	29 119 DA0	163
27 067 000	219	27 574 002	239	27 968 001	193	28 912 A00	423	29 119 DC0	163
27 074 000	251	27 575 002	239	27 969 000	47	28 912 AL0	423	29 119 DL0	163
27 074 A00	251	27 576 002	239	27 969 IG0	47	28 912 BE0	423	29 119 EN0	163
27 074 AL0	251	27 577 002	239	27 970 000	47	28 912 DA0	423	29 119 GL0	163
27 074 BE0	251	27 578 002	240	27 970 IG0	47	28 912 DC0	423	29 119 GN0	163
27 074 DA0	251	27 579 002	240	27 974 000	46, 219	28 912 DL0	423	29 120 000	163
27 074 DC0	251	27 580 002	240	27 974 IG0	46, 219	28 912 EN0	423	29 121 000	164
27 074 DL0	251	27 584 002	241	27 978 000	46, 224	28 912 GL0	423	29 121 A00	164
27 074 EN0	251	27 588 002	241	27 986 000	46, 224	28 912 GN0	423	29 121 AL0	164
27 074 GL0	251	27 594 000	252	27 986 IG0	46, 224	28 939 000	131	29 121 BE0	164
27 074 GN0	251	27 595 000	251	27 993 000	47	28 947 000	423	29 121 DA0	164
27 075 000	252	27 596 000	256	27 993 IG0	47	28 948 000	221	29 121 DC0	164
27 076 000	253	27 597 10E	242	28		28 961 000	423	29 121 DL0	164
27 137 000	250	27 598 001	244			28 982 000	223	29 121 EN0	164
27 222 000	233	27 598 10E	244	28 002 000	221	28 990 000	131	29 121 GL0	164
27 226 001	233	27 600 001	243	28 020 L01	247	28 990 A00	131	29 121 GN0	164
27 227 001	233	27 601 10E	244	28 025 000	249	28 990 AL0	131	29 122 000	164
27 232 001	233	27 608 001	238	28 094 000	221	28 990 BE0	131	29 122 A00	164
27 239 001	233	27 609 001	238	28 105 000	249	28 990 DA0	131	29 122 AL0	164
27 251 000	216	27 615 002	196	28 139 000	249	28 990 DC0	131	29 122 BE0	164
27 251 A00	216	27 621 000	253	28 140 000	249	28 990 DL0	131	29 122 DA0	164
27 251 AL0	216	27 644 001	243	28 142 000	249	28 990 EN0	131	29 122 DC0	164
27 251 BE0	216	27 645 001	243	28 143 000	249	28 990 GL0	131	29 122 DL0	164
27 251 DA0	216	27 693 000	252	28 145 000	249	28 990 GN0	131	29 122 EN0	164
27 251 DC0	216	27 696 000	199	28 150 001	250	28 991 000	131	29 122 GL0	164
27 251 DL0	216	27 698 000	236	28 151 001	250	29		29 122 GN0	164
27 251 EN0	216	27 699 000	236	28 154 001	250			29 123 000	160
27 251 GL0	216	27 700 000	236	28 155 001	250	29 025 002	17, 24	29 123 A00	160
27 251 GN0	216	27 702 000	237	28 198 000	222	29 032 000		29 123 AL0	160
27 253 000	216	27 704 000	254	28 308 000	219	29 033 000		29 123 DC0	160
27 271 000	215	27 705 000	220	28 341 000	225	29 037 000	19, 44	29 123 DL0	160
27 285 000	215	27 706 000	252	28 348 000	225	29 037 002	38, 70	29 123 GN0	160
27 286 000	214	27 706 AL0	252	28 361 000	223	29 039 001	113	29 124 000	160
27 355 000	234	27 706 DC0	252	28 362 000	250	29 040 001	112	29 124 A00	160
27 367 000	235	27 707 000	253	28 362 A00	250	29 041 001	117	29 124 AL0	160
27 368 000	235	27 707 AL0	253	28 362 BE0	250	29 042 001	117	29 124 DC0	160
27 369 000	235	27 707 DC0	253	28 362 DA0	250	29 043 000	123	29 124 DL0	160
27 389 002	205	27 709 000	223	28 362 DC0	250	29 044 000	123	29 124 GN0	160
27 394 002	204	27 711 000	224	28 362 GL0	250	29 045 000	126	29 125 000	160
27 399 002	205	27 798 10E	245	28 364 000	250	29 046 000	126	29 126 000	161
27 400 000	235	27 803 10E	244	28 368 000	218	29 047 000	120	29 126 A00	161
27 421 002	199	27 805 001	238	28 368 LS0	218	29 048 000	120	29 126 AL0	161
27 467 000	215	27 812 IL1	247	28 373 000	218	29 069 000	186	29 126 DC0	161
27 470 000	217	27 841 000	255	28 388 000	250	29 072 000	187	29 126 DL0	161
27 470 LS0	217	27 851 000		28 388 A00	250	29 073 000	187	29 126 GN0	161
27 473 002	197	27 853 001	244	28 388 BE0	250	29 074 000	188	29 127 000	161
27 475 002	197	27 863 000	217	28 388 DA0	250	29 079 001	113	29 127 A00	161
27 477 000	218	27 865 000	186, 214	28 388 DC0	250	29 081 001	117	29 127 AL0	161
27 478 000	218	27 869 001	213	28 388 GL0	250	29 086 000	19, 26	29 127 DC0	161
27 479 000	218	27 870 001	213	28 409 001	250	29 097 003	98	29 127 DL0	161
27 480 000	218	27 888 000	236	28 410 001	250	29 098 003	100	29 127 GN0	161
27 484 000	224	27 888 A00	236	28 413 001	250	29 099 003	101	29 144 000	14
27 485 000	224	27 888 AL0	236	28 417 000	249	29 118 000	163	29 145 000	14
27 488 000	223	27 888 DC0	236	28 419 002	242	29 118 A00	163	29 146 000	15
27 492 000	220	27 888 DL0	236	28 421 002	242	29 118 AL0	163	29 147 000	14
27 499 000	255	27 888 GN0	236	28 436 002	242	29 118 BE0	163	29 148 000	14

GROHE

SURVEY OF CONTENTS

Ref. no.	Page	Ref. no.	Page	Ref. no.	Page	Ref. no.	Page	Ref. no.	Page
29 149 000	14	30 294 DC0	277	31 379 000	271	31 642 AP0	309	32 146 000	23
29 150 LS0	164	30 294 DL0	277	31 379 DC0	271	31 642 AT0	309	32 147 000	24
29 151 LS0	165	30 294 EN0	277	31 391 003	288	31 643 AP0	309	32 168 000	273
29 152 LS0	165	30 294 GL0	277	31 395 000	279	31 643 AT0	309	32 168 DC0	273
29 153 LS0	161	30 294 GN0	277	31 395 DC0	279	31 644 AP0	306	32 204 001	87
29 156 LS0	162	30 305 001	287	31 481 001	286	31 644 AT0	306	32 204 10E	87
29 157 LS0	162	30 305 DC1	287	31 482 003	284	31 645 AP0	306	32 207 001	87
29 158 LS0	162	30 321 DG0	277	31 483 002	282	31 645 AT0	306	32 208 001	89
29 303 003	68	30 321 DP0	277	31 483 DC2	282	31 646 AP0	306	32 210 001	89
29 303 AL3	68	30 321 DU0	277	31 491 000	282	31 646 AT0	306	32 211 001	89
29 303 DC3	68	30 321 GE0	277	31 491 DC0	282	31 647 AP0	307	32 212 001	89
29 306 003	68	30 321 HG0	277	31 535 001	290	31 647 AT0	307	32 224 003	288
29 307 003	70	30 321 MW0	277	31 536 001	290	31 648 AP0	307	32 257 002	281
29 307 AL3	70	30 321 TY0	277	31 538 001	290	31 648 AT0	307	32 259 003	281
29 307 DC3	70	30 321 XC0	277	31 545 001	263	31 649 AP0	307	32 294 002	275
29 708 000		30 321 YF0	277	31 552 SD1	301	31 649 AT0	307	32 294 DC2	275
29 800 000	183	30 321 YR0	277	31 562 SD1	301	31 650 AP0	303	32 321 002	274
29 802 000	183	30 325 001	268	31 563 SD1	297	31 650 AT0	303	32 321 A02	274
29 805 000	183	30 325 DC1	268	31 564 SD1	301	31 651 AP0	303	32 321 AL2	274
29 813 000	183	30 327 001	269	31 565 SD1	301	31 651 AT0	303	32 321 DA2	274
29 904 LS0	165	30 327 DC1	269	31 566 SD0	299	31 652 AP0	303	32 321 DC2	274
30		30 339 001	270	31 567 SD0	300	31 652 AT0	303	32 321 DL2	274
30 079 001	268	30 339 DC1	270	31 568 SD0	299	31 653 AP0	305	32 322 002	274
30 079 DC1	268	30 362 000	276	31 569 SD0	299	31 653 AT0	305	32 322 A02	274
30 080 001	269	30 362 AL0	276	31 570 SD0	300	31 654 AP0	305	32 322 AL2	274
30 083 001	268	30 362 DC0	276	31 571 SD1	297	31 654 AT0	305	32 322 DA2	274
30 083 DC1	268	30 384 000	264	31 572 SD1	298	31 655 AP0	305	32 322 DC2	274
30 085 001	269	30 386 000	264	31 573 SD1	298	31 655 AT0	305	32 322 DL2	274
30 085 DC1	269	30 388 000	264	31 574 AL1	295	31 656 AP0	309	32 469 20E	83
30 098 001	289	30 393 000	264	31 574 DL1	295	31 656 AT0	309	32 482 003	288
30 193 000	286	30 463 000	287	31 574 GN1	295	31 657 AP0	304	32 488 000	274
30 215 001	280	30 463 DC0	287	31 574 SD1	295	31 657 AT0	304	32 488 A00	274
30 215 DC1	280	30 484 001	289	31 575 SD1	295	31 658 AP0	304	32 488 AL0	274
30 219 002	275	30 567 000	287	31 576 SD1	295	31 658 AT0	304	32 488 DA0	274
30 219 DC2	275	30 567 DC0	287	31 577 SD1	296	31 680 000	291	32 488 DC0	274
30 221 002	284	31		31 578 SD1	296	31 688 000	291	32 488 DL0	274
30 269 000	277	31 124 002	284	31 580 SD1	297	31 693 000	291	32 553 002	275
30 269 A00	277	31 126 004	284	31 581 SD1	293	31 706 000	290	32 553 DC2	275
30 269 AL0	277	31 128 001	282	31 582 SD1	293	31 715 000	291	32 612 003	66
30 269 DA0	277	31 129 001	283	31 583 SD1	293	31 719 SD0	302	32 612 AL3	66
30 269 DC0	277	31 187 001	289	31 584 SD1	294	31 720 SD0	302	32 612 DC3	66
30 269 DL0	277	31 191 001	289	31 585 SD1	294	31 726 SD0	296	32 618 003	67
30 269 GL0	277	31 255 000	279	31 586 SD1	294	31 812 001	289	32 618 AL3	67
30 269 GN0	277	31 255 DC0	279	31 587 SD0	300	32		32 618 DC3	67
30 270 000	278	31 302 002	262	31 588 SD1	298	32 042 003	30	32 628 001	73
30 270 A00	278	31 302 DC2	262	31 593 002	275	32 042 AL3	30	32 628 A01	73
30 270 AL0	278	31 303 000	265	31 593 DC2	275	32 042 DA3	30	32 628 AL1	73
30 270 BE0	278	31 323 002	260	31 613 000	272	32 042 DC3	30	32 628 BE1	73
30 270 DA0	278	31 323 DC2	260	31 613 DA0	272	32 042 GL3	30	32 628 DA1	73
30 270 DC0	278	31 325 002	261	31 613 DC0	272	32 043 003	30	32 628 DC1	73
30 270 DL0	278	31 325 DC2	261	31 615 000	277	32 043 AL3	30	32 628 DL1	73
30 270 EN0	278	31 326 002	261	31 615 A00	277	32 043 DA3	30	32 628 EN1	73
30 270 GL0	278	31 326 DC2	261	31 615 AL0	277	32 043 DC3	30	32 628 GL1	73
30 270 GN0	278	31 347 003	260	31 615 BE0	277	32 043 GL3	30	32 628 GN1	73
30 273 001	283	31 347 DC3	260	31 615 DA0	277	32 067 000	274	32 629 002	88
30 274 000	273	31 358 002	272	31 615 DC0	277	32 108 003	31	32 647 003	30
30 274 A00	273	31 358 DC2	272	31 615 DL0	277	32 108 AL3	31	32 647 AL3	30
30 274 AL0	273	31 360 001	272	31 615 EN0	277	32 108 DA3	31	32 647 DA3	30
30 274 DA0	273	31 367 001	290	31 615 GL0	277	32 108 DC3	31	32 647 GL3	30
30 274 DC0	273	31 368 001	290	31 615 GN0	277	32 108 GL3	31	32 650 003	31
30 274 DL0	273	31 375 000	272	31 639 AP0	308	32 109 001	50	32 650 AL3	31
30 294 000	277	31 375 A00	272	31 639 AT0	308	32 109 AL1	50	32 650 DA3	31
30 294 A00	277	31 375 AL0	272	31 640 AP0	308	32 109 DC1	50	32 650 DC3	31
30 294 AL0	277	31 375 DA0	272	31 640 AT0	308	32 114 001	50	32 650 GL3	31
30 294 BE0	277	31 375 DC0	272	31 641 AP0	308	32 114 AL1	50	32 652 003	31
30 294 DA0	277	31 375 DL0	272	31 641 AT0	308	32 114 DC1	50	32 652 AL3	31

GROHE

SURVEY OF CONTENTS

Ref. no.	Page	Ref. no.	Page	Ref. no.	Page	Ref. no.	Page	Ref. no.	Page
32 652 DA3	31	32 929 002	108	33 636 A01	76	34 779 000	177	36 455 000	321
32 652 DC3	31	32 935 001	76	33 636 AL1	76	35		36 456 000	323
32 652 GL3	31	32 935 A01	76	33 636 BE1	76			36 457 000	323
32 653 003	33	32 935 AL1	76	33 636 DA1	76			36 458 000	323
32 653 AL3	33	32 935 BE1	76	33 636 DC1	76	35 028 000	183	36 459 000	323
32 653 DA3	33	32 935 DA1	76	33 636 DL1	76	35 034 000	253	36 463 000	324
32 653 DC3	33	32 935 DC1	76	33 636 EN1	76	35 600 000	14, 14	36 464 000	324
32 653 GL3	33	32 935 DL1	76	33 636 GL1	76	36		37	
32 661 003	282	32 935 EN1	76	33 636 GN1	76				
32 661 DC3	282	32 935 GL1	76	33 769 000	24				
32 663 003	282	32 935 GN1	76	33 770 002	281	36 015 001	317	37 044 000	396
32 663 DC3	282	32 950 000	271	33 772 002	281	36 016 001	317	37 048 000	391
32 667 001	283	32 950 DC0	271	33 848 001	52	36 194 000	292	37 060 000	405
32 706 000		33		33 848 AL1	52	36 207 001	317	37 063 000	407
32 754 002	26			33 848 DC1	52	36 208 001	317	37 063 SH0	407
32 757 000	23			33 849 001	52	36 209 000	318	37 078 PI0	388
32 762 000	333	33 163 003	66	33 849 AL1	52	36 264 001	312, 315	37 085 PI0	388
32 763 000	333	33 190 002	83	33 849 DC1	52	36 265 000	337	37 088 PI0	388
32 765 000	333	33 190 20E	83	33 850 001	53	36 266 000	337	37 092 000	387
32 767 000	333	33 202 003	287	33 865 001	52	36 267 000	337	37 095 000	387
32 778 000	333	33 241 003	68	33 865 AL1	52	36 268 000	337	37 102 SH0	391
32 788 000	334	33 241 AL3	68	33 865 DC1	52	36 269 000	326	37 104 K00	389
32 789 000	334	33 241 DC3	68	33 975 004	284	36 271 000	326	37 108 000	390
32 790 000	334	33 244 002	84	33 982 002	285	36 273 000	326	37 139 000	390
32 792 000	334	33 251 000	264	34		36 274 000	326	37 153 000	391
32 795 000	334	33 265 002	107			36 315 000	322	37 157 000	391
32 805 000	122	33 281 003	287			36 317 000	335	37 304 000	382
32 825 00E	102	33 281 DC3	287	34 020 001	331	36 318 000	335	37 311 K00	388
32 826 000	25	33 300 002	108	34 143 003	176	36 319 000	335	37 321 001	394
32 830 001	103	33 302 20A	108	34 155 003	176	36 320 000	335	37 321 SD1	394
32 831 000	104	33 339 000	25	34 169 001	173	36 321 000	335	37 324 001	394
32 832 000	104	33 390 002	85	34 174 001	173	36 322 001	336	37 324 SD1	394
32 837 000	104	33 395 002	85	34 294 001	72	36 325 001	319	37 326 001	394
32 839 000	104	33 547 003	69	34 464 001	173	36 327 001	319	37 337 001	394
32 842 000	286	33 552 002	92	34 469 001	173	36 330 001	320	37 338 000	395
32 843 002	286	33 552 20E	92	34 487 000	330	36 331 001	319	37 339 000	396
32 843 DC2	286	33 553 003	68	34 488 000	174	36 332 000	321	37 342 000	396
32 846 000	24	33 553 AL3	68	34 491 000	174	36 333 000	321	37 349 000	390
32 848 000	122	33 553 DC3	68	34 497 000	174	36 334 SD0	321	37 396 000	396
32 849 000	123	33 555 002	108	34 502 000	174	36 335 SD0	321	37 396 000	396
32 862 000	119	33 558 003	96	34 558 000	179	36 336 001	322, 327	37 419 000	392
32 863 000	119	33 558 LS3	96	34 567 000	179	36 337 001	322, 327	37 419 SD0	392
32 864 000	119	33 565 002	93	34 665 000	331	36 338 000	313, 316	37 421 000	393
32 865 000	120	33 565 003	98	34 666 000	331	36 339 001	322	37 489 000	388
32 867 000	120	33 565 LS3	98	34 667 000	331	36 340 000	313, 315	37 521 PI0	387
32 868 000	119	33 569 002	84	34 705 000	166	36 359 000	187	37 522 PI0	387
32 898 001	72	33 577 003	68	34 706 000	166	36 360 000	187	37 535 000	400
32 901 001	74	33 577 AL3	68	34 709 000	15	36 362 000		37 535 A00	400
32 901 A01	74	33 577 DC3	68	34 712 000	15	36 367 000	189	37 535 AL0	400
32 901 AL1	74	33 590 002	93	34 718 000	167	36 371 000	189	37 535 BE0	400
32 901 BE1	74	33 590 003	99	34 719 000	167	36 376 000	322	37 535 DA0	400
32 901 DA1	74	33 590 LS3	99	34 720 000	167	36 386 001	320	37 535 DC0	400
32 901 DC1	74	33 591 002	93	34 721 000	167	36 397 000	188	37 535 DL0	400
32 901 DL1	74	33 591 003	99	34 726 000	170	36 407 001	313, 315	37 535 EN0	400
32 901 EN1	74	33 591 LS3	99	34 727 000	170	36 416 001	324	37 535 GL0	400
32 901 GL1	74	33 592 20A		34 728 000	168	36 421 000	319	37 535 GN0	400
32 901 GN1	74	33 624 001	76	34 729 000	169	36 422 000	319	37 535 P00	400
32 917 000	273	33 624 A01	76	34 730 000	169	36 439 000	320	37 535 SH0	400
32 917 A00	273	33 624 AL1	76	34 731 000	171	36 440 000	312	37 547 000	407
32 917 AL0	273	33 624 BE1	76	34 732 000	171	36 441 000	312	37 547 P00	407
32 917 DA0	273	33 624 DA1	76	34 734 000	169	36 442 000	312	37 547 SH0	407
32 917 DC0	273	33 624 DC1	76	34 741 000	172, 175	36 444 000	314	37 578 001	382
32 917 DL0	273	33 624 DL1	76	34 742 000	165	36 445 000	314	37 601 000	400
32 917 KS0	273	33 624 EN1	76	34 743 000	166	36 446 000	314	37 601 A00	400
32 918 000	273	33 624 GL1	76	34 744 000	166	36 447 000	314	37 601 AL0	400
32 918 00E	273	33 624 GN1	76	34 765 000	178	36 451 000	328	37 601 BE0	400
32 918 DC0	273	33 628 001	77	34 766 000	178	36 452 000	328	37 601 DA0	400
		33 636 001	76	34 776 000	177	36 453 000	328	37 601 DC0	400
						36 454 000	321	37 601 DL0	400

GROHE SURVEY OF CONTENTS

Ref. no.	Page	Ref. no.	Page	Ref. no.	Page	Ref. no.	Page	Ref. no.	Page
37 601 EN0	400	38 732 SD0	402	39 324 000	354	39 481 00H	350	40 306 DC3	39
37 601 GL0	400	38 732 SH0	403	39 324 00H	354	39 482 00H	350	40 306 GL3	39
37 601 GN0	400	38 748 002	313, 315	39 325 000	354	39 483 00H	351	40 307 003	39
37 601 P00	400	38 763 001	369	39 327 000	354	39 484 00H	351	40 307 AL3	39
37 601 SH0	400	38 765 000	401	39 327 00H	354	39 485 00H	351	40 307 DA3	39
37 624 000	400	38 765 P00	401	39 328 000	355	39 486 00H	352	40 307 DC3	39
37 624 A00	400	38 765 SH0	401	39 328 00H	355	39 487 00H	352	40 307 GL3	39
37 624 AL0	400	38 772 001	370	39 329 000	356	39 488 000	352	40 308 003	40
37 624 BE0	400	38 776 SD0	402	39 329 00H	356	39 489 000	351	40 308 AL3	40
37 624 DA0	400	38 784 000	408	39 330 001	357	39 490 000	352	40 308 DA3	40
37 624 DC0	400	38 784 P00	408	39 331 001	357	39 491 000	359	40 308 DC3	40
37 624 DL0	400	38 784 SD0	408	39 332 000	356	39 492 000	360	40 308 GL3	40
37 624 EN0	400	38 784 SH0	408	39 333 000	356	39 493 000	361	40 309 003	40
37 624 GL0	400	38 786 001	374	39 335 000	353	39 501 000	370	40 309 AL3	40
37 624 GN0	400	38 796 000	406	39 335 00H	353	39 538 000	355	40 309 DA3	40
37 624 P00	400	38 804 000	408	39 336 000	353	39 554 000	355	40 309 DC3	40
37 624 SH0	400	38 804 P00	408	39 336 00H	353	39 555 000	356	40 309 GL3	40
38		38 804 SH0	408	39 337 000	353	39 557 SH0	342, 362	40 312 003	40
38 393 SD1	392	38 805 000	406	39 337 00H	353	39 564 00H	346	40 312 AL3	40
38 415 001	382	38 808 000	408	39 338 000	355	39 565 00H	346	40 312 DA3	40
38 422 000	386	38 808 P00	408	39 338 00H	355	39 566 00H	346	40 312 DC3	40
38 445 SD0	407	38 808 SH0	408	39 339 000	357	39 567 00H	346	40 312 GL3	40
38 505 000	403	38 809 000	401	39 339 00H	357	39 568 00H	346	40 313 003	40
38 505 P00	403	38 821 000	402	39 340 000	357	39 570 000	347	40 313 AL3	40
38 505 SH0	403	38 825 000	380	39 340 00H	357	39 571 00H	347	40 313 DA3	40
38 506 000	403	38 844 000	403	39 346 000	362	39 572 00H	347	40 313 DC3	40
38 506 P00	403	38 844 P00	403	39 347 000	362	39 573 00H	347	40 313 GL3	40
38 506 SH0	403	38 844 SH0	403	39 349 000	359	39 574 00H	348	40 314 003	40
38 519 001	372	38 845 KS0	402	39 351 000	361	39 575 00H	348	40 314 AL3	40
38 525 001	372	38 845 LS0	402	39 354 SH1	340	39 576 000	348	40 314 DA3	40
38 526 000	372	38 845 MF0	402	39 367 000	395	39 577 000	348	40 314 DC3	40
38 528 001	369	38 857 000	408	39 368 000	395	39 578 000	348	40 314 GL3	40
38 536 001	371	38 857 P00	408	39 374 KS0	369	39 579 000	348	40 339 000	28
38 543 000	376	38 857 SH0	408	39 374 LS0	369	39 584 00H	353	40 340 000	29
38 553 001	375	38 858 000	403	39 376 000	374	39 585 00H	353	40 341 000	28
38 554 001	375	38 858 P00	403	39 386 00H	349	39 596 000	340, 368	40 342 000	28
38 558 00M	378	38 858 SH0	403	39 420 000	358	39 598 000	340, 368	40 344 001	146
38 564 000	405	38 860 000	370	39 421 000	358	39 603 000	368	40 344 DC1	146
38 564 SH0	405	38 861 000	404	39 422 000	358	39 608 00H	346	40 363 000	28
38 565 000	405	38 862 000	404	39 423 000	354, 358	39 609 00H	347	40 364 001	143
38 565 SH0	405	38 862 P00	404	39 424 000	358	39 683 000	379, 379	40 364 A01	143
38 573 000	405	38 862 SD0	404	39 425 000	359	39 687 000	371	40 364 AL1	143
38 573 P00	405	38 862 SH0	404	39 426 000	359	39 694 000	386	40 364 BE1	143
38 573 SH0	405	38 915 KS0	401	39 427 000	359	39 699 000	378	40 364 DA1	143
38 574 000	405	38 915 LS0	401	39 428 000	359	39 840 000	379	40 364 DC1	143
38 642 001	381	38 916 OA0	402	39 429 000	360	40		40 364 DL1	143
38 643 001	380	39		39 430 000	360	40 254 000	28, 28	40 364 EN1	143
38 661 000	386	39 052 000	375	39 431 000	360	40 254 003	39	40 364 GL1	143
38 672 SD0	405	39 140 000	377	39 432 000	361	40 256 000	28, 28	40 364 GN1	143
38 698 SD1	392	39 165 000	381	39 433 000	361	40 256 003	39	40 365 001	141
38 699 001	392	39 201 000	354	39 436 000	360	40 278 000	28, 28	40 365 A01	141
38 703 000	382	39 202 000	354	39 437 000	360	40 279 000	29	40 365 AL1	141
38 721 001	370	39 206 000	355	39 438 000	361	40 284 000	29	40 365 BE1	141
38 723 001	380	39 206 00H	355	39 439 000	361	40 304 003	39	40 365 DA1	141
38 732 000	403	39 208 000	357	39 440 000	358	40 304 AL3	39	40 365 DC1	141
38 732 A00	403	39 208 00H	357	39 452 000	379	40 304 DA3	39	40 365 DL1	141
38 732 AL0	403	39 245 00H	351	39 462 000	356	40 304 DC3	39	40 365 EN1	141
38 732 BE0	403	39 300 000	363	39 462 00H	356	40 304 GL3	39	40 365 GL1	141
38 732 BR0	403	39 301 000	363	39 469 00H	349	40 305 003	39	40 365 GN1	141
38 732 DA0	403	39 302 000	363	39 473 00H	349	40 305 AL3	39	40 366 001	142
38 732 DC0	403	39 305 000	363	39 474 00H	349	40 305 DA3	39	40 366 A01	142
38 732 DL0	403	39 306 000	363	39 475 00H	349	40 305 DC3	39	40 366 AL1	142
38 732 EN0	403	39 307 000	363	39 476 00H	349	40 305 GL3	39	40 366 BE1	142
38 732 GL0	403	39 308 000	364	39 477 00H	350	40 306 003	39	40 366 DA1	142
38 732 GN0	403	39 323 000	353	39 478 00H	350	40 306 AL3	39	40 366 DC1	142
38 732 P00	403	39 323 00H	353	39 479 00H	350	40 306 DA3	39	40 366 DL1	142
				39 480 00H	350			40 366 EN1	142

GROHE

SURVEY OF CONTENTS

Ref. no.	Page	Ref. no.	Page	Ref. no.	Page	Ref. no.	Page	Ref. no.	Page
40 366 GL1	142	40 394 A01	140	40 514 AL1	149	40 689 AL1	144	40 857 000	139
40 366 GN1	142	40 394 AL1	140, 147	40 514 DC1	149	40 689 BE1	144	40 865 000	137
40 367 001	144	40 394 BE1	140	40 535 000	292	40 689 DA1	144	40 867 000	139
40 367 A01	144	40 394 DA1	140	40 535 A00	292	40 689 DC1	144	40 868 000	139
40 367 AL1	144	40 394 DC1	140, 147	40 535 AL0	292	40 689 DL1	144	40 870 000	139
40 367 BE1	144	40 394 DL1	140	40 535 BE0	292	40 689 EN1	144	40 911 000	378, 382
40 367 DA1	144	40 394 EN1	140	40 535 DA0	292	40 689 GL1	144	40 949 000	378, 382
40 367 DC1	144	40 394 GL1	140	40 535 DC0	292	40 689 GN1	144	40 954 000	69
40 367 DL1	144	40 394 GN1	140	40 535 DL0	292	40 694 000	267	41	
40 367 EN1	144	40 405 001	266	40 535 GL0	292	40 754 001	148		
40 367 GL1	144	40 407 001	145	40 535 GN0	292	40 755 001	147	41 010 000	414
40 367 GN1	144	40 407 DC1	145	40 564 000	423	40 756 001	147	41 027 000	132
40 368 001	140, 147	40 421 001	143	40 564 A00	423	40 758 001	150	41 027 A00	132
40 369 001	140	40 421 A01	143	40 564 AL0	423	40 766 000	137	41 027 AL0	132
40 369 A01	140	40 421 AL1	143	40 564 DC0	423	40 767 000	138	41 027 BE0	132
40 369 AL1	140	40 421 BE1	143	40 565 000	423	40 768 000	137	41 027 DA0	132
40 369 BE1	140	40 421 DA1	143	40 565 AL0	423	40 775 001	145	41 027 DC0	132
40 369 DA1	140	40 421 DC1	143	40 565 DC0	423	40 775 DC1	145	41 027 DL0	132
40 369 DC1	140	40 421 DL1	143	40 575 001	266	40 776 001	146	41 027 EN0	132
40 369 DL1	140	40 421 EN1	143	40 585 001	151	40 776 DC1	146	41 027 GL0	132
40 369 EN1	140	40 421 GL1	143	40 623 001	149	40 778 001	149	41 027 GN0	132
40 369 GL1	140	40 421 GN1	143	40 623 AL1	149	40 781 000	138	41 028 000	132
40 369 GN1	140	40 434 001	267	40 623 DC1	149	40 782 000	138	41 028 A00	132
40 371 001	141	40 437 000	266	40 624 001	148	40 783 000	137	41 028 AL0	132
40 371 A01	141	40 444 001	141	40 624 AL1	148	40 784 000	138	41 028 BE0	132
40 371 AL1	141	40 444 DC1	141	40 624 DC1	148	40 791 001	40, 136	41 028 DA0	132
40 371 BE1	141	40 447 001	141	40 625 000	49	40 791 KS1	40, 136	41 028 DC0	132
40 371 DA1	141	40 447 DC1	141	40 625 IG0	49	40 793 001	143	41 028 DL0	132
40 371 DC1	141	40 448 001	140	40 626 000	48	40 793 DC1	143	41 028 EN0	132
40 371 DL1	141	40 448 DC1	140	40 626 IG0	48	40 794 001	144	41 028 GL0	132
40 371 EN1	141	40 457 001	152	40 627 000	48	40 794 DC1	144	41 028 GN0	132
40 371 GL1	141	40 459 001	151	40 627 IG0	48	40 797 001	144	41 029 000	132
40 371 GN1	141	40 460 001	151	40 628 000	48	40 799 001	144	41 035 000	132
40 372 001	140, 147	40 461 001	152	40 628 IG0	48	40 799 DC1	144	41 035 A00	132
40 374 001	145	40 462 001	152	40 629 000	48	40 800 001	143	41 035 AL0	132
40 374 A01	145	40 463 001	152	40 629 IG0	48	40 800 A01	143	41 035 BE0	132
40 374 AL1	145	40 493 000	21	40 630 000	48	40 800 AL1	143	41 035 DA0	132
40 374 BE1	145	40 494 000	21	40 630 IG0	48	40 800 BE1	143	41 035 DC0	132
40 374 DA1	145	40 496 000	21	40 631 000	48	40 800 DA1	143	41 035 DL0	132
40 374 DC1	145	40 497 000	21	40 631 IG0	48	40 800 DC1	143	41 035 EN0	132
40 374 DL1	145	40 498 000	22	40 632 000	49	40 800 DL1	143	41 035 GL0	132
40 374 EN1	145	40 499 000	22	40 632 IG0	49	40 800 EN1	143	41 035 GN0	132
40 374 GL1	145	40 500 000	22	40 633 000	49	40 800 GL1	143	41 036 000	132
40 374 GN1	145	40 503 000	21	40 633 IG0	49	40 800 GN1	143	41 037 000	133
40 385 001	145	40 504 000	21	40 652 001	154	40 802 001	142	41 038 000	133
40 385 A01	145	40 507 001	149	40 653 001	154	40 802 A01	142	41 038 A00	133
40 385 AL1	145	40 507 AL1	149	40 654 001	155	40 802 AL1	142	41 038 AL0	133
40 385 BE1	145	40 507 DC1	149	40 655 001	154	40 802 BE1	142	41 038 BE0	133
40 385 DA1	145	40 508 001	147	40 656 001	155	40 802 DA1	142	41 038 DA0	133
40 385 DC1	145	40 508 AL1	147	40 657 001	155	40 802 DC1	142	41 038 DC0	133
40 385 DL1	145	40 508 DC1	147	40 658 001	155	40 802 DL1	142	41 038 DL0	133
40 385 EN1	145	40 509 001	148	40 659 001	156	40 802 EN1	142	41 038 EN0	133
40 385 GL1	145	40 509 AL1	148	40 660 001	155	40 802 GL1	142	41 038 GL0	133
40 385 GN1	145	40 509 DC1	148	40 663 001	152	40 802 GN1	142	41 038 GN0	133
40 386 001	142	40 510 001	148	40 664 001	153	40 804 000	138	41 039 000	133
40 386 A01	142	40 510 AL1	148	40 688 001	142	40 805 000	137	41 039 A00	133
40 386 AL1	142	40 510 DC1	148	40 688 A01	142	40 806 000	137	41 039 AL0	133
40 386 BE1	142	40 511 001	148	40 688 AL1	142	40 807 000	138	41 039 BE0	133
40 386 DA1	142	40 511 AL1	148	40 688 BE1	142	40 808 000	139	41 039 DA0	133
40 386 DC1	142	40 511 DC1	148	40 688 DA1	142	40 809 000	139	41 039 DC0	133
40 386 DL1	142	40 512 001	148	40 688 DC1	142	40 824 000	423	41 039 DL0	133
40 386 EN1	142	40 512 AL1	148	40 688 DL1	142	40 848 000	266	41 039 EN0	133
40 386 GL1	142	40 512 DC1	148	40 688 EN1	142	40 848 AL0	266	41 039 GL0	133
40 386 GN1	142	40 513 001	149	40 688 GL1	142	40 848 DL0	266	41 039 GN0	133
40 392 000	145, 149	40 513 AL1	149	40 688 GN1	142	40 848 GN0	266	41 049 000	133
40 393 000	145, 149	40 513 DC1	149	40 689 001	144	40 848 SD0	266	41 049 A00	133
40 394 001	140, 147	40 514 001	149	40 689 A01	144	40 849 000	267	41 049 AL0	133

GROHE

SURVEY OF CONTENTS

Ref. no.	Page	Ref. no.	Page	Ref. no.	Page		
41 049 BE0	133	41 066 GN0	135	45 388 000	19, 26		
41 049 DA0	133	41 067 000	135	45 882 000	420		
41 049 DC0	133	41 067 A00	135	45 883 000	420		
41 049 DL0	133	41 067 AL0	135	45 937 000	424		
41 049 EN0	133	41 067 BE0	135	45 964 000	420		
41 049 GL0	133	41 067 DA0	135	45 984 001	19, 26		
41 049 GN0	133	41 067 DC0	135				
41 056 000	134	41 067 DL0	135	46			
41 056 A00	134	41 067 EN0	135	46 048 000	418		
41 056 AL0	134	41 067 GL0	135	46 191 000	421		
41 056 BE0	134	41 067 GN0	135	46 374 000	418		
41 056 DA0	134	41 068 000	136	46 580 000	418		
41 056 DC0	134	41 068 A00	136	46 837 000	422		
41 056 DL0	134	41 068 AL0	136	46 944 001	341		
41 056 EN0	134	41 068 BE0	136	47			
41 056 GL0	134	41 068 DA0	136	47 439 000	419		
41 056 GN0	134	41 068 DC0	136	47 483 000	419		
41 057 000	134	41 068 DL0	136	47 533 000	330		
41 058 000	134	41 068 EN0	136	47 837 000	189		
41 058 A00	134	41 068 GL0	136	47 867 000	189		
41 058 AL0	134	41 068 GN0	136	47 868 000	189		
41 058 BE0	134	41 069 000	136	47 877 000	190		
41 058 DA0	134	41 069 A00	136	47 910 000	189		
41 058 DC0	134	41 069 AL0	136	48			
41 058 DL0	134	41 069 BE0	136	48 053 000	206		
41 058 EN0	134	41 069 DA0	136	48 159 000	422		
41 058 GL0	134	41 069 DC0	136	48 166 000	424		
41 058 GN0	134	41 069 DL0	136	48 190 000	422		
41 059 000	134	41 069 EN0	136	48 191 000	422		
41 059 A00	134	41 069 GL0	136	48 350 000	206		
41 059 AL0	134	41 069 GN0	136	48 497 000	206		
41 059 BE0	134	41 076 000	136	48 499 000	206		
41 059 DA0	134	41 076 A00	136	49			
41 059 DC0	134	41 076 AL0	136	49 028 000	419		
41 059 DL0	134	41 076 BE0	136	49 533 000	364		
41 059 EN0	134	41 076 DA0	136	49 533 SH0	364		
41 059 GL0	134	41 076 DC0	136	49 534 000	364		
41 059 GN0	134	41 076 DL0	136	49 534 SH0	364		
41 063 000	135	41 076 EN0	136	65			
41 063 A00	135	41 076 GL0	136	65 807 000	423		
41 063 AL0	135	41 076 GN0	136	65 807 A00	423		
41 063 BE0	135	41 077 000	136	65 807 AL0	423		
41 063 DA0	135	41 077 A00	136	65 807 BE0	423		
41 063 DC0	135	41 077 AL0	136	65 807 DA0	423		
41 063 DL0	135	41 077 BE0	136	65 807 DC0	423		
41 063 EN0	135	41 077 DA0	136	65 807 DL0	423		
41 063 GL0	135	41 077 DC0	136	65 807 EN0	423		
41 063 GN0	135	41 077 DL0	136	65 807 GL0	423		
41 064 000	135	41 077 EN0	136	65 807 GN0	423		
41 064 A00	135	41 077 GL0	136	66			
41 064 AL0	135	41 077 GN0	136	66 791 000	378		
41 064 BE0	135	41 238 000	415				
41 064 DA0	135	42					
41 064 DC0	135	42 253 000	387				
41 064 DL0	135	42 300 000	389				
41 064 EN0	135	42 320 000	388				
41 064 GL0	135	42 327 000	373, 389				
41 064 GN0	135	42 333 000	373, 389				
41 066 000	135	42 429 000	188				
41 066 A00	135	43					
41 066 AL0	135	43 537 000	387				
41 066 BE0	135	45					
41 066 DA0	135	45 342 000	420				
41 066 DC0	135	45 346 000	420				
41 066 DL0	135						
41 066 EN0	135						
41 066 GL0	135						


LIXIL MAKES BETTER HOMES A REALITY FOR EVERYONE, EVERYWHERE.

A better home is made up of surprisingly simple things – baths to escape in after a long day; kitchens that unleash creativity; toilets that provide cleanliness and comfort; doors and windows that connect you with the world outside; showers and faucets to experience water in new ways; interiors and exteriors that bring spaces to life.

Born through a merger of five of Japan's most successful building materials and housing companies, we draw on our long Japanese heritage to create world-leading technology and innovative, high quality products that transform homes. Since then, we've brought together some of the most trusted names in our industry from around the world and are now home to brands including American Standard and GROHE. Today, we're made up of over 70,000 employees in more than 150 countries worldwide. What differentiates LIXIL isn't just what we do or where we do it. It's how and why we do it.

We innovate with meaningful designs that improve how people live, like the smart Ecocarot wall tiles which control odors and humidity. We experiment with leading designers and new thinkers to develop products like the GROHE Sense Guard, which quickly detects water leakages in the home. We adapt our technologies to give access for all, as we did with the SATO range of products, which save lives daily. Finally, we have a responsible business model that enables us to tackle widespread global issues such as our commitment to providing 100 million people with access to safe sanitation by 2020.

› **WE ARE PROUD THAT OUR PRODUCTS TOUCH THE LIVES OF MORE THAN ONE BILLION PEOPLE EVERY DAY, BUT THERE IS POTENTIAL TO DO SO MUCH MORE.**




Follow us on:



grohemena



grohemena



QUALITY

*"No.1 most trusted brand in
the sanitary industry" –
Wirtschaftswoche, 2017*



TECHNOLOGY

*"Top 50 companies
to change the world" –
Fortune Magazine, 2017*



DESIGN

*Over 400 design awards
won since 2003*



SUSTAINABILITY

*CSR Award winner of the
German Government, 2017*

GROHE MENA
Grome Marketing (Cyprus) Ltd.
P.O. Box 27048, CY-1641 Nicosia, Cyprus
Phone: + 357 - 22 - 46 52 00
E-mail: info@grome.com

GROHE Headquarters:
GROHE AG
Feldmühleplatz 15
D-40545 Düsseldorf, Germany